

















Suspensions, Ceiling lamps, Wall lamps,  
Table lamps, Floor lamps, Systems, LED strip and supports,  
Spotlights, Tracks, Recessed lights, Bollard, Light bulbs,  
Accessories / Indoors, Outdoors / Minimal, Decorative,  
Architectural / **Light and design to serve people.**

Light up your 2025.

ideal lux®

ideal lux<sup>®</sup>



<b>Index</b>		Alphabetical index	004
		Typology index	008
		Company Presentation	032
<hr/>			
<b>Indoors</b>		Suspensions	050
		Ceiling lamps	236
		Wall lamps	356
		Table lamps	448
		Floor lamps	490
		Linear systems	536
		LED strip and supports	642
		Spotlights and Tracks	660
		Recessed lights	718
	<hr/>		
<b>Outdoors</b>		Suspensions and ceiling	800
		Wall lamps	814
		Bollard and Table lamps	860
		Spotlights	912
		Downlights	928
<hr/>			
<b>Light bulbs</b>		Light bulbs and accessories	942
		Families' index	962
		Code index	978

# Alphabetical index



Flam

Pag 80

Abc	99	Birds	473	Citrus	119	Desk	374	Equinoxe	499	Gas	823	Jazz	794	London	479
Acqua	903	Birds	497	Click	370	Deva	538	Eris	135	Gas	891	Jedi	894	London	529
Admiral	347	Bistrò	184	Clio	806	Diamond	102	Essence	88	Gea	436	Justine	231	Look	78
Agos	882	Bit	930	Clio	856	Diamond	466	Essence	390	Geko	275	Kali	481	Look	300
Ali	387	Blanche	214	Clio	908	Diesis	126	Etere	829	Gemini	60	Karma	150	Look	381
A-Line	125	Blossom	146	Clip	369	Diesis	459	Etere	904	Gemini	272	Karol	246	Look	506
Alma	394	Blues	796	Cloud	284	Diesis	511	Eva	504	Gim	414	Karousel	92	Look	698
Amadeus	219	Boa	171	Clown	160	Display	700	Evasione	207	Ginger	515	Kelly	462	Lord	146
Ampolla	116	Boeing	896	Cocktail	141	Dna	174	Fade	147	Gingle	274	Keope	832	Lounge	794
Andromeda	847	Bon Bon	231	Coco	181	Dodo	414	Febe	858	Gioconda	224	Kepler	111	Lucciola	94
Angolo	334	Bonne Nuit	406	Colonna	533	Doge	227	Felix	849	Gioconda	443	Kepler	422	Luce Max	161
Angolo	476	Book	411	Colossal	216	Doris	876	Fiesta	813	Giove	848	King	200	Lugano	119
Angolo	500	Bow	396	Comet	520	Dorsale	522	Filo	84	Glim	321	King	346	Lumiere	178
Apollo	832	Box	367	Cometa	852	Down	858	Filo	392	Glim	695	Klimt	527	Lumiere	341
Arca	612	Breeze	133	Comfort	512	Dream Big	176	Filo	456	Glory	155	Koala	920	Lumiere	465
Arcadia	881	Brigitta	229	Compo	343	Driftwood	235	Filo	502	Glory	276	Komodo	408	Lumiere	496
Archimede	127	Bubble	812	Cono	138	Driftwood	484	Firenze	230	Goose	400	Konse	115	Luna	804
Argo	845	Bubble	854	Copernico	110	Driftwood	526	Firenze	444	Gourmet	331	Kubiko	306	Luna	878
Aria	152	Byte	696	Corolla	285	Dubai	208	Firenze	485	Gravity	937	Kuky	139	Luxor	206
Arizona	156	Caesar	209	Corte	215	Dubai	353	Firenze	535	Gretel	185	Kurt	889	Madame	188
Arizona	278	Camerino	388	Corte	441	Dubai	439	Fisherman	136	Groove	776	Lana	153	Magnolia	353
Armony	348	Canapa	235	Cosmo	907	Duchessa	487	Fix	366	Gru	454	Lana	298	Make-Up	395
Athena	900	Candy	158	Cosmopolitan	333	Dynamic	734	Flam	80	Gun	810	Landing	938	Manhattan	142
Atlas	332	Candy	280	Cotton	159	Dynamite	96	Flash	380	Gun	834	Lawyer	464	Mapa	168
Atom	843	Candy	469	Cotton	281	Dynamite	312	Floor	933	Halo	258	Leaves	112	Mapa	282
Atrium	279	Cantina	137	Cover	364	Dynamo	401	Florian	220	Harem	233	Led Panel	782	Mapa	384
Audi-10	186	Cantina	426	Craft	91	Easy	458	Florian	442	Harem	446	Lena	153	Mapa	470
Audi-80	187	Carlton	203	Craft	374	Easy	511	Fluo	626	Haunt	190	Level	276	Mapa Clear	166
Avion	177	Carlton	355	Craft	510	Echo	376	Flut	143	Hermes	338	Lift	514	Mapa Max	161
Axel	478	Carlton	439	Crown	66	Eclissi	433	Fly	248	Holly	128	Lika	311	Mapa Mini	164
Axel	526	Carta	170	Cube	370	Edison	120	Focus	398	Hotel	437	Lika	784	Mapa Plus	162
Balance	371	Carta	282	Cute	868	Edison	416	Folk	151	Hub	891	Linea	838	Maracas	330
Barber	415	Carta	385	Cylinder	190	Edo	475	Fox	678	Hulahoop	74	Lingotto	100	Maracas	424
Base	833	Carta	468	Cylinder	532	Edo Outdoor	901	Frame	76	Ice	118	Lingotto	335	Marte	902
Basic	770	Carta	519	Daddy	524	Ego	494	Frame	247	Igor	101	Lingotto	477	Martinez	202
Bean	402	Casanova	226	Dafne	857	Ego	558	Frame	501	Igor	420	Link 3-Phase	708	Martinez	354
Bento	728	Celine	270	Dafne	911	Elio	820	Frida	120	Iko	840	Link 1-Phase	714	Medea	853
Bergen	183	Chalet	234	Daisy	342	Elio	926	Frida	419	Indio	931	Linus	375	Mercurio	902
Binomio	337	Chalet	444	Danieli	228	Empire	179	Funky	794	Inside	927	Linus	624	Metro	133
Binomio	429	Chalet	484	Dedra	859	Enya	872	Futura	460	Io	399	Lite	405	Mib	812
Birds	105	Cima	857	Deep	768	Eos	686	Futura	514	Ipotesi	873	Litio	821	Mignon	467
Birds	327	Cima	910	Delta	372	Equinoxe	108	Galaxy	104	Iride	269	Litio	926	Milk	140
Birds	421	Circus	75	Desk	90	Equinoxe	425	Game	742	Itaca	880	Lolita	870	Millennium	210

# Alphabetical index

Minimal	418	Oak	310	Penta	431	Regol	528	Smarties	154	Tick	432	Xeno	824
Minor	97	Oby	317	Perlage	106	Relax	268	Smarties	277	Tifone	892	Yoko	89
Mint	182	Oby	415	Perlage	324	Retrò	397	Smarties	385	Titano	888	Yoko	457
Miracle	67	Ocean	270	Perlage	423	Rex-1	850	Smarties	469	Toby	313	Yoko	503
Mirror-10	396	Octopus	329	Perlage	473	Rex-2	851	Smile	670	Toffee	837	York	527
Mirror-20	397	Off	764	Perlage	498	Rex-3	851	Snif Round	830	Toffee	866	Yurta	132
Mix Up	130	Office	640	Perline	105	Rhapsody	93	Snif Square	831	Topico	148	Zephyr	798
Mix Up	290	Oil	122	Peter	445	Riflesso	395	Snow	805	Topico	283	Zeus	720
Mix Up	508	Omega R.	819	Petit	314	Rocket	941	Snow	855	Torre	906	Zig Zag	378
Moby	134	Omega S.	819	Piano	409	Rocket Mini	940	Soda	383	Totem	268	Ziggy	286
Monet	211	One	756	Ping Pong	336	Rocket Ultra M.	941	Soft	180	Tower	310		
Mood	307	Onion	117	Ping Pong	428	Roma	344	Sole	802	Triade	129		
Moonlight	351	Opera	198	Ping Pong	472	Roma	438	Sole	877	Triplo	386		
Moris	366	Opera	440	Ping Pong	505	Roma	486	Spike	308	Triumph	98		
Mouse	316	Opera	486	Pipe	404	Room-65	795	Spike	697	Triumph	326		
Mouse	412	Opera	534	Pivot	455	Rose	217	Spot	316	Triumph	424		
Mouse	694	Oracle	74	Planet	288	Royal	352	Spot	412	Tronco	828		
Mr Jack	121	Oracle Slim	68	Play	313	Rubik	842	Spot	694	Tronco	898		
Multiflex	328	Oracle Slim	242	Play	778	Rudy	318	Squish	271	Tube	82		
Nabucco	204	Origami	144	Plissé	152	Rudy	413	Starlight	918	Tudor	387		
Napoleon	222	Ovalino	157	Polar	853	Sally	463	Steel	634	Twiggy	874		
Negresco	218	Ovalino	284	Polka	797	Samba	792	Stick	598	Twin	846		
Negresco	442	Ovalino	382	Polly	518	Santa	447	Strauss	225	Ulex	922		
Nemo	172	Oz	64	Pop	95	Sasso	879	Strauss	443	Ulisse	156		
Net	114	Oz	244	Posta	368	Set Up	192	Style	826	Ultrathin	86		
Neve	350	Oz	362	Pouche	365	Set Up	292	Style	884	Umile	145		
Newton	426	Oz	452	Pov	692	Set Up	434	Swan	199	Universal R.	264		
Newton	516	O-Zone	818	Prato	474	Set Up	482	Swan	440	Universal S.	266		
Ninfea	339	O-Zone	916	Pretty	388	Set Up	530	Swing	794	Up	844		
Ninfea	431	Page	403	Privè	389	Set Up Slim	194	Swipe	825	Urano	811		
Ninfea	471	Pagoda	525	Probe	410	Set Up Slim	294	Tag	754	Vanity	232		
Nitro R.	302	Pan	191	Profilo	320	Set Up Ultra Slim	196	Tall	124	Vega	893		
Nitro S.	304	Pan	430	Pulsar	903	Set Up Ultra Slim	296	Taurus	934	Virus	758		
Nodi	175	Park	936	Punto	836	Shell	299	Techo	808	V-Line	89		
Nodi	322	Pashà	205	Pure	864	Shower	427	Terra	822	Vortex	113		
Nodino	323	Pashà	345	Quark	760	Simply	298	Terra	925	Walky	799		
Nordik	189	Pashà	438	Queen	488	Sirio	841	Tesi	648	Wally	463		
Nordik	436	Paul	382	Queen	534	Sirio	886	Tesla	890	Wally	517		
Nordik	480	Pegaso	212	Quick	662	Sirio	924	Tetris-1	844	Waves	58		
Nordik	532	Pegaso	441	Radio	417	Sky	83	Tetris-2	845	Way	939		
Norma	232	Pegaso	489	Rain	201	Sky	301	Theo	393	Winery	315		
Nova	780	Peggy	365	Rain	352	Sky	381	Thor	914	Winery	416		
Oak	82	Penta	340	Ray	260	Slot	652	Thor	932	Wire	930		

## Led Strip and lightbulbs:

Strip Led	644
E14	944
E27	946
G4	954
G9	954
GX53	956
R7s	955
GU10	955



Ego

Pag 494




















































# Typology index

## Suspensions Indoors



























































### Waves

Pag 058

<small>new</small> 	<small>new</small> 	<small>new</small> 		<small>new</small> 	<small>new</small> 	
Waves 058	Gemini 060	Oz 064	Crown 066	Miracle 067	OracleSlim 068	Oracle 074
				<small>new</small> 		
Hulahoop 074	Circus 075	Frame 076	Look 078	Flam 080	Tube 082	Oak 082
	<small>new</small> 	<small>new</small> 	<small>new</small> 			<small>new</small> 
Sky 083	Filo 084	Ultrathin 086	Essence 088	Yoko 089	V-Line 089	Desk 090
						
Craft 091	Karousel 092	Rhapsody 093	Lucciola 094	Pop 095	Dynamite 096	Minor 097
				<small>new</small> 	<small>new</small> 	
Triumph 098	Abc 099	Lingotto 100	Igor 101	Diamond 102	Galaxy 104	Birds 105
		<small>new</small> 				
Perline 105	Perlage 106	Equinoxe 108	Copernico 110	Kepler 111	Leaves 112	Vortex 113
						
Net 114	Konse 115	Ampolla 116	Onion 117	Ice 118	Citrus 119	Lugano 119

# Suspensions

Indoors

						
Frida 120	Edison 120	Mr Jack 121	Oil 122	Tall 124	A-Line 125	Diesis 126
						
Mix Up 130	Yurta 132	Metro 133	Breeze 133	Moby 134	Eris 135	Fisherman 136
						
Milk 140	Cocktail 141	Manhattan 142	Flut 143	Origami 144	Umile 145	Blossom 146
						
Karma 150	Folk 151	Aria 152	Plissé 152	Lana 153	Lena 153	Smarties 154
						
Ovalino 157	Candy 158	Cotton 159	Clown 160	Mapa Max 161	Mapa Plus 162	Luce Max 161
						
Carta 170	Boa 171	Nemo 172	Dna 174	Nodi 175	Dream Big 176	Avion 177
						
Coco 181	Mint 182	Bergen 183	Bistrò 184	Gretel 185	Audi-10 186	Audi-80 187
						
Haunt 190	Pan 191	Set Up 192	SetUp Slim 194	SetUp Ultra Slim 196	Opera 198	Swan 199

		
Archimede 127	Holly 128	Triade 129
		
Cantina 137	Cono 138	Kuky 139
		
Lord 146	Fade 147	Topico 148
		
Glory 155	Ulisse 156	Arizona 156
		
Mapa Mini 164	Mapa 168	Mapa Clear 169
		
Lumiere 178	Empire 179	Soft 180
		
Madame 188	Nordik 189	Cylinder 190
		
King 200	Rain 201	Martinez 202

# Fade

Pag 147








































Casanova

Pag 226

























































# Suspensions

Indoors

								
Carlton 203	Nabucco 204	Pashà 205	Luxor 206	Evasione 207	Dubai 208	Caesar 209	Millennium 210	Monet 211
								
Pegaso 212	Blanche 214	Corte 215	Colossal 216	Rose 217	Negresco 218	Amadeus 219	Florian 220	Napoleon 222
								
Gioconda 224	Strauss 225	Casanova 226	Doge 227	Danieli 228	Brigitta 229	Firenze 230	Justine 231	Bon Bon 231
								
Vanity 232	Norma 232	Harem 233	Chalet 234	Canapa 235	Driftwood 235			

# Ceiling lamps

Indoors

<small>new</small> 	<small>new</small> 		<small>new</small> 	<small>new</small> 		
Oracle Slim 242	Oz 244	Karol 246	Frame 247	Fly 248	Halo 258	Ray 260
					<small>new</small> 	<small>new</small> 
Relax 268	Totem 268	Iride 269	Celine 270	Ocean 270	Squish 271	Gemini 272
						
Glory 276	Level 276	Smarties 277	Arizona 278	Atrium 279	Candy 280	Cotton 281
<small>new</small> 						
Topico 283	Ovalino 284	Cloud 284	Corolla 285	Ziggy 286	Planet 288	Mix Up 290
<small>new</small> 						<small>new</small> 
SetUp Ultra Slim 296	Simply 298	Lana 298	Shell 299	Look 300	Sky 301	Nitro Round 302
	<small>new</small> 					
Mood 307	Spike 308	Oak 310	Tower 310	Lika 311	Dynamite 312	Play 313
						
Winery 315	Mouse 316	Spot 316	Oby 317	Rudy 318	Profilo 320	Glim 321
						
Perlage 324	Triumph 326	Birds 327	Multiflex 328	Octopus 329	Maracas 330	Gourmet 331

<small>new</small> 	<small>new</small> 
Universal R. 264	Universal S. 266
	
Gingle 274	Geko 275
	
Mapa 282	Carta 282
	<small>new</small> 
Set Up 292	Set Up Slim 294
	
Nitro Square 304	Kubiko 306
	
Toby 313	Petit 314
	
Nodi 322	Nodino 323
	
Atlas 332	Cosmopolitan 333




## Squish

Pag 271



# Nitro

Pag 302



## Ceiling lamps

Indoors



Angolo 334



Lingotto 335



Ping Pong 336



Binomio 337



Hermes 338



Ninfea 339



Penta 340



Lumiere 341



Daisy 342



Compo 343



Roma 344



Pashà 345



King 346



Admiral 347



Armony 348



Neve 350



Moonlight 351



Royal 352



Rain 352



Magnolia 353



Dubai 353



Martinez 354



Carlton 355



# Bonne Nuit

Pag 406



## Wall lamps Indoors

new



Oz 362



Cover 364



Peggy 365



Pouche 365



Fix 366



Moris 366



Box 367



Posta 368



Clip 369



Click 370



Cube 370

new



Balance 371



Delta 372



Desk 374



Craft 374



Linus 375



Echo 376



Zig Zag 378



FlashGesso 380



Sky 381



Look 381



Paul 382



Ovalino 382



Soda 383



Mapa 384



Smarties 385



Carta 385



Triplo 386



Ali 387

new



Tudor 387



Camerino 388



Pretty 388



Privè 389



Essence 390



Filo 392



Theo 393

new



Riflesso 395



Bow 396



Mirror-10 396



Mirror-20 397



Retrò 397



Focus 398



IO 399



Goose 400



Dynamo 401

new



Bean 402



Page 403



Pipe 404



Lite 405



Bonne Nuit 406



Komodo 408



Piano 409



Probe 410



Book 411



Mouse 412



Spot 412



Rudy 413



Gim 414



Dodo 414



Oby 415



Barber 415



Winery 416



Edison 416



Radio 417



Minimal 418



Frida 419



Igor 420



Birds 421































Kepler 422



Perlage 423

# Wall lamps

Indoors

						
Triumph 424	Maracas 424	Equinoxe 425	Cantina 426	Newton 426	Shower 427	Ping Pong 428
						
Penta 431	Ninfea 431	Tick 432	Eclissi 433	Set Up 434	Nordik 436	Gea 436
						
Pashà 438	Carlton 439	Dubai 439	Opera 440	Swan 440	Corte 441	Pegaso 441
						
Gioconda 443	Strauss 443	Firenze 444	Chalet 444	Peter 445	Harem 446	Santa 447

	
Binomio 429	Pan 430
	
Hotel 437	Roma 438
	
Negresco 442	Florian 442

Delta

Pag 372







# Ninfea

Pag 471

# Table lamps

Indoors

new



Oz 452



Gru 454



Pivot 455



Filo 456



Yoko 457



Easy 458



Diesis 459



Futura 460



Kelly 462



Sally 463



Wally 463



Lawyer 464



Lumiere 465

new



Diamond 466

new



Mignon 467



Carta 468



Smarties 469



Candy 469



Mapa 470

new



Ninfea 471



Ping Pong 472



Birds 473



Perlage 473



Prato 474



Edo 475



Angolo 476



Lingotto 477



Axel 478



London 479



Nordik 480



Kali 481



Set Up 482



Driftwood 484



Chalet 484



Firenze 485



Roma 486



Opera 486



Duchessa 487



Queen 488



Pegaso 489

# Floor lamps

Indoors



Ego 494 Lumiere 496 Birds 497 Perlage 498 Equinoxe 499 Angolo 500 Frame 501



Filo 502 Yoko 503 Eva 504 Ping Pong 505



Look 506 Mix Up 508 Craft 510 Easy 511 Diesis 511 Comfort 512 Lift 514



Futura 514 Ginger 515 Newton 516 Wally 517



Polly 518 Carta 519 Comet 520 Dorsale 522 Daddy 524



Pagoda 525 Axel 526 Driftwood 526 York 527



Klimt 527 Regol 528 London 529 Set Up 530 Cylinder 532 Nordik 532 Colonna 533



Opera 534 Queen 534 Firenze 535

# Diesis

Pag 511



# Systems

Indoors



Deva 538 Ego 558 Stick 598 Arca 612 Linus 624



Fluo 626 Steel 634 Office 640

# LED strip and supports



Strip 644 Tesi 648 Slot 652

# Spotlights and Tracks



Quick 662 Smile 670 Fox 678 Eos 686 Pov 692



Mouse 694 Spot 694 Glim 695 Byte 696 Spike 697



Look 698 Display 700 Link 3-Phase 708 Link 1-Phase 714

# Recessed lights



Zeus 720 Bento 728 Dynamic 734 Game 742



Tag 754 One 756 Virus 758 Quark 760



Off 764 Deep 768 Basic 770 Groove 776



Play 778 Nova 780 Led Panel 782 Lika 784



Samba 792 Jazz 794 Swing 794 Lounge 794



Funky 794 Room-65 795 Blues 796 Polka 797



Zephyr 798 Walky 799






















































## Suspensions and ceiling

<small>new</small> 		<small>new</small> 
Sole 802	Luna 804	Snow 805
		
Clio 806	Clio 806	Clio 806
		
Clio 806	Clio 806	Clio 806
<small>new</small> 		
Techo 808	Gun 810	Urano 811
		
Bubble 812	Mib 812	Fiesta 813

## Wall lamps

Outdoors


<small>new</small> 						
O-zone 818	Omega R. 819	Omega S. 819	Elio 820	Litio 821	Terra 822	Gas 823
						
Xeno 824	Swipe 825	Style 826	Tronco 828	Etere 829	Snif Round 830	Snif Square 831
					<small>new</small> 	
Keope 832	Apollo 832	Base 833	Gun 834	Punto 836	Toffee 837	Linea 838
<small>new</small> 						
Iko 840	Sirio 841	Rubik 842	Atom 843	Up 844	Tetris-1 844	Tetris-2 845
						
Argo 845	Twin 846	Andromeda 847	Giove 848	Felix 849	Rex-1 850	Rex-2 851
					<small>new</small> 	
Rex-3 851	Cometa 852	Polar 853	Medea 853	Bubble 854	Snow 855	Clio 856
						
Clio 856	Clio 856	Cima 857	Dafne 857	Down 858		
						
Febe 858	Dedra 859					

# Bollard and Table lamps


Outdoors



# Spotlights



# Downlights



Rocket Ultramini 941

Ipotesi

Pag 873





“A daily gesture that each of us do when the darkness arises. A familiar ritual, which represents joy, safety, dedicated to the time spent together.

**Turning on a light is a simple action, but full of meanings. This is where our story begins.”**







# Light up your moments

Ideal lux **commits every day to becoming** the main point of reference when it comes to choose a lamp that expresses personality through a unique and current piece of furniture.

It all began in 1974, from the intuition of designing contemporary and accessible lighting accessories. Since then, ideal lux **has been committed to listening** to everyone's needs, proposing a wide variety of lighting styles and **meeting** every functional requirement. Whether it is a family, a business or a person at the beginning of his or her adventure

in a new home, ideal lux promises components **that live up to needs and dreams.**

The strong point, which is not renounceable when we talk about a company close to people, is a catalogue that meets any type of need: **more than 3,000 furnishing accessories** ranging from many product lines, from indoor and outdoor accessories, to the more technical ones.



# Giving shape to light

When it comes to indoor solutions, the goal of ideal lux is to **create versatile sets** for all environments, letting **every moment live** with the right atmosphere and offering everyone the opportunity to experiment **with their own idea of home**. Even outside, the solutions offered for outdoor spaces do not sacrifice aesthetics and safety; they remain pleasant **design elements** even when you need some fresh air.

For professional spaces, which **require particular technical attention**, ideal lux has decided to work on many proposals that help distributing the light in the right direction, giving greater colour rendering, without ever losing sight of the design and **making the spaces**

where you create professional relations **unique** too.

However, if on one hand it is a very important commercial goal to guarantee a vast choice and an extensive catalogue, on the other hand Ideal Lux also cultivates with **meticulous care** its **relationship with customers**. How does it do so? By guaranteeing the possibility of purchasing a design product, one that is always updated to the latest trends and that is, above all, accessible to everybody. Whether the preferred style is industrial, minimal, classic, contemporary, modern or eclectic...anyone who so wishes, **can enter the Ideal Lux world**.





ideal lux





Studio Impero  
Rome, RM  
Planned out by ARCH.0



Studio Impero  
Rome, RM  
Planned out by ARCH.0

For Ideal Lux, a lamp is much more than an object. Illumination has the power to **influence our everyday life**, giving **unique character and personality to the environment**. For this reason, everyday Ideal Lux is committed to listening to people and their stories, with the aim of cultivating an **authentic and spontaneous relationship** with them, finding new points of view and new inspirations through their stories.

Customer Care constitutes an important branch of the Company, distinguishing itself for its attention and dedication to clients and

making reliability one of its main principles. **The attention to people is essential.**

With Ideal Lux, light becomes an element of our everyday life, able to **transform the ordinary into extraordinary**. In order to do so, it is important to select the lighting solution which best fits one's needs, because with the right light, every space can take on a **whole difference form, a completely different story**.

# The ordinary is extraordinary

---

## One brand, many people.

Believing in people is a choice we make every day. We put value on our collaborators, growing day after day together and we build lasting and transparent relations with customers and suppliers.

---

## Know how to listen.

We are committed to understanding the needs and the dreams of the customers and transforming the difficulties into occasions with the aim of constantly ameliorate in this direction.

---

## There is no quality without warranty.

We have extended the warranty of all our technical fittings to 5 years, to guarantee a high quality of both the product and the service.

---

## Making design affordable for everyone.

We want to bring design into people's everyday lives with lighting solutions, aesthetically beautiful and functional, but at a contained price.



Customer





# Your projects,

## Projects — Private house

Turin, Italy

Planned out by  
Nicoletta Carbotti

Products:  
Mapa Bianco, Swing.






# light up by

## Projects — Bolero Estudio

Las Palmas de Gran Canaria, Spain

Products:  
Ego.







# our products.

## Projects — La cassa rurale

---

Salò, Italy

Planned out by  
ArchLight

---

Products:  
Oracle Slim.





# Suspensions

Indoors



## Alphabetical index

























































Abc	99	Coco	181	Flut	143
A-Line	125	Colossal	216	Folk	151
Amadeus	219	Cono	138	Frame	76
Ampolla	116	Copernico	110	Frida	120
Archimede	127	Corte	215	Galaxy	104
Aria	152	Cotton	159	Gemini	60
Arizona	156	Craft	91	Gioconda	224
Audi-10	186	Crown	66	Glory	155
Audi-80	187	Cylinder	190	Gretel	185
Avion	177	Danieli	228	Harem	233
Bergen	183	Desk	90	Haunt	190
Birds	105	Diamond	102	Holly	128
Bistro'	184	Diesis	126	Hulahoop	74
Blanche	214	Dna	174	Ice	118
Blossom	146	Doge	227	Igor	101
Boa	171	Dream Big	176	Justine	231
Bon Bon	231	Driftwood	235	Karma	150
Breeze	133	Dubai	208	Karousel	92
Brigitta	229	Dynamite	96	Kepler	111
Caesar	209	Edison	120	King	200
Canapa	235	Empire	179	Konse	115
Candy	158	Equinoxe	108	Kuky	139
Cantina	137	Eris	135	Lana	153
Carlton	203	Essence	88	Leaves	112
Carta	170	Evasione	207	Lena	153
Casanova	226	Fade	147	Lingotto	100
Chalet	234	Filo	84	Look	78
Circus	75	Firenze	230	Lord	146
Citrus	119	Fisherman	136	Lucciola	94
Clown	160	Flam	80	Luce Max	161
Cocktail	141	Florian	220	Lugano	119

# Suspensions

## Typology index

### Alphabetical index

























































Lumiere	178	Pop	95
Luxor	206	Rain	201
Madame	188	Rhapsody	93
Manhattan	142	Rose	217
Mapa	168	Set Up	192
Mapa Clear	166	Set Up Slim	194
Mapa Max	161	Set Up Ultra Slim	196
Mapa Mini	164	Sky	83
Mapa Plus	162	Smarties	154
Martinez	202	Soft	180
Metro	133	Strauss	225
Milk	140	Swan	199
Millennium	210	Tall	124
Minor	97	Topico	148
Mint	182	Triade	129
Miracle	67	Triumph	98
Mix Up	130	Tube	82
Moby	134	Ulisse	156
Monet	211	Ultrathin	86
Mr Jack	121	Umile	145
Nabucco	204	Vanity	232
Napoleon	222	V-Line	89
Negresco	218	Vortex	113
Nemo	172	Waves	58
Net	114	Yoko	89
Nodi	175	Yurta	132
Nordik	189		
Norma	232		
Oak	82		
Oil	122		
Onion	117		
Opera	198		
Oracle	74		
Oracle Slim	68		
Origami	144		
Ovalino	157		
Oz	64		
Pan	191		
Pasha'	205		
Pegaso	212		
Perlage	106		
Perline	105		
Plisse'	152		

























 new	 new	 new		 new	 new	
Waves 058	Gemini 060	Oz 064	Crown 066	Miracle 067	OracleSlim 068	Oracle 074
				 new		
Hulahoop 074	Circus 075	Frame 076	Look 078	Flam 080	Tube 082	Oak 082
	 new	 new	 new			 new
Sky 083	Filo 084	Ultrathin 086	Essence 088	Yoko 089	V-Line 089	Desk 090
						
Craft 091	Karousel 092	Rhapsody 093	Lucciola 094	Pop 095	Dynamite 096	Minor 097
				 new	 new	
Triumph 098	Abc 099	Lingotto 100	Igor 101	Diamond 102	Galaxy 104	Birds 105
		 new				
Perline 105	Perlage 106	Equinoxe 108	Copernico 110	Kepler 111	Leaves 112	Vortex 113
						
Net 114	Konse 115	Ampolla 116	Onion 117	Ice 118	Citrus 119	Lugano 119
						
Frida 120	Edison 120	Mr Jack 121	Oil 122	Tall 124	A-Line 125	Diesis 126




# Suspensions

Typology index

						
Archimede 127	Holly 128	Triade 129	Mix Up 130	Yurta 132	Metro 133	Breeze 133
						
Cantina 137	Cono 138	Kuky 139	Milk 140	Cocktail 141	Manhattan 142	Flut 143
						
Lord 146	Fade 147	Topico 148	Karma 150	Folk 151	Aria 152	Plissé 152
						
Glory 155	Ulisse 156	Arizona 156	Ovalino 157	Candy 158	Cotton 159	Clown 160
						
Mapa Mini 164	Mapa 168	Mapa Clear 169	Carta 170	Boa 171	Nemo 172	Dna 174
						
Lumiere 178	Empire 179	Soft 180	Coco 181	Mint 182	Bergen 183	Bistrò 184
						
Madame 188	Nordik 189	Cylinder 190	Haunt 190	Pan 191	Set Up 192	SetUp Slim 194
						
King 200	Rain 201	Martinez 202	Carlton 203	Nabucco 204	Pashà 205	Luxor 206

		
Moby 134	Eris 135	Fisherman 136
		
Origami 144	Umile 145	Blossom 146
		
Lana 153	Lena 153	Smarties 154
		
Mapa Max 161	Mapa Plus 162	Luce Max 161
		
Nodi 175	Dream Big 176	Avion 177
		
Gretel 185	Audi-10 186	Audi-80 187
		
SetUp Ultra Slim 196	Opera 198	Swan 199
		
Evasione 207	Dubai 208	Caesar 209



Set Up

Pag 190



# Opera

Pag 198

# Suspensions

Typology index



Millennium 210



Monet 211



Pegaso 212



Blanche 214



Corte 215



Colossal 216



Rose 217



Negresco 218



Amadeus 219



Florian 220



Napoleon 222



Gioconda 224



Strauss 225



Casanova 226



Doge 227



Danieli 228



Brigitta 229



Firenze 230



Justine 231



Bon Bon 231



Vanity 232



Norma 232



Harem 233



Chalet 234



Canapa 235



Driftwood 235







# Waves new

Matt varnished metal ceiling cap, frame and ceiling supports. Steel supporting cables. PVC electrical wire. Opal rubber diffuser. Colors: white, black or gold.

**LED** LED source 3000 K, 30.000 h life.



345239      345215      345222



- |        |       |     |        |       |     |        |       |     |
|--------|-------|-----|--------|-------|-----|--------|-------|-----|
| 345291 | White | new | 345260 | White | new | 345239 | White | new |
| 345277 | Black | new | 345246 | Black | new | 345215 | Black | new |
| 345284 | Gold  | new | 345253 | Gold  | new | 345222 | Gold  | new |

# Gemini new

Powder coated or plated metal ceiling rose and body. Opal polycarbonate diffuser. Clear PVC cable. Available finishes: white, black or brushed brass. DALI/Push dimmable version available for the models with 810 mm and 610 mm diameter.

<b>Source</b>	LED SMD	<b>LED life</b>	50.000 h
<b>Power</b>	36W / 78W	<b>Insulation class</b>	I
<b>Driver included</b>	On/Off / DALI / Push	<b>IP</b>	20
<b>Drivers available</b>	No	<b>Material</b>	Aluminum
<b>Beam</b>	130°		
<b>CCT</b>	2700 K / 3000 K /		
<b>CRI</b>	≥90		

## LED SMD Driver included - Cable length 2000 mm


Measure	Power	Driver	Lumen	CCT	Finish	Code
425x425	36 W	On-Off	4000 lm	2700 K	White	341521
					Black	341538
					Brass	341545
			4150 lm	3000 K	White	247229
					Black	247236
					Brass	247243

new  
new  
new


## LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code	
610x610	47 W	On-Off	4950 lm	2700 K	White	341552	
					Black	341569	
					Brass	341576	
			5100 lm	3000 K	White	247250	
					Black	247267	
					Brass	269832	
			DALI/Push	5100 lm	3000 K	White	304717
						Black	304694
						Brass	304700

new  
new  
new



1,450 Kg / 0,0201 m<sup>3</sup>




On/Off 1,710 Kg / 0,0462 m<sup>3</sup>

DALI/Push 1,600 Kg / 0,0389 m<sup>3</sup>





# Gemini




On/Off 2,300 Kg / 0,0703 m<sup>3</sup>  
 DALI/Push 2,300 Kg/0,0703 m<sup>3</sup>

LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code
810x810	56 W	On-Off	6200 lm	2700 K	White	341583
					Black	341590
					Brass	341606
			6300 lm	3000 K	White	247274
					Black	247281
					Brass	269849
55 W	DALI/Push	6300 lm	3000 K	White	304748	
				Black	304724	
				Brass	304731	

new  
 new  
 new



4,000 Kg / 0,1145 m<sup>3</sup>

LED SMD Driver included - Cable length 2300 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code
1050x995	82 W	On-Off	8500 lm	2700 K	White	341613
					Black	341620
					Brass	341637
			8700 lm	3000 K	White	303895
					Black	307695
					Brass	307701

new  
 new  
 new




# Oz new

Plated or powder coated metal base and frame. PVC wires. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

**LED** LED source 2700 K / 3000 / 4000 K, 30.000 h life.


<b>Source</b>	LED SMD	<b>LED life</b>	30.000 h
<b>Power</b>	47W / 55W	<b>Insulation class</b>	II
<b>Driver included</b>	On/Off / DALI/Push	<b>IP</b>	20
<b>Drivers available</b>	No	<b>Material</b>	Aluminum
<b>CCT</b>	2700 K / 3000 K / 4000 K		
<b>CRI</b>	≥90		

## LED SMD Driver included - Cable length 2000 mm



1,500 Kg / 0,0354 m<sup>3</sup>

Measure	Power	Driver	Lumen	CCT	Finish	Code	
ø 600	47 W	On-Off	5000 lm	2700 K	White	342344	new
					Black	342351	new
					Brass	342368	new
	48 W	DALI/Push	5100 lm	3000 K	White	253671	
					Black	269436	
					Brass	269443	
					White	342375	new
					Black	342382	new
					Brass	342399	new



1,900 Kg / 0,0607 m<sup>3</sup>

## LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code	
ø 800	52 W	On-Off	5800 lm	2700 K	White	342405	new
					Black	342412	new
					Brass	342429	new
	55 W	DALI/Push	6100 lm	3000 K	White	253664	
					Black	269450	
					Brass	269467	
					White	342436	new
					Black	342443	new
					Brass	342450	new








## Crown

Metal ceiling cap and frame with brushed brass finish. Black PVC cable. Opal acrylic diffuser with clear acrylic decorative element with cut crystal effect.

**LED** LED source 3000 K, 30.000 h life.



IP20

3,420 Kg / 0,0814 m<sup>3</sup>  
LED 42W / 5200 lm

314921 ■ Brass

IP20


2,600 Kg / 0,0436 m<sup>3</sup>  
LED 30W / 3450 lm

314938 ■ Brass

## Miracle <sup>new</sup>

Matt powder coated metal ceiling cap, frame and ceiling supports. Steel supporting cables. PVC electrical wire. Diffuser with transparent acrylic elements decorated in relief with a crystal effect. Color: white.

**LED** LED source 3000 K, 30.000 h life.



IP20

1,800 Kg / 0,0723 m<sup>3</sup>  
LED 45W / 6200 lm

325835 ■ White

IP20

1,550 Kg / 0,0417 m<sup>3</sup>  
LED 37W / 4900 lm

new 325828 ■ White

IP20

1,200 Kg / 0,0194 m<sup>3</sup>  
LED 25W / 3300 lm

new 325804 ■ White



# Oracle Slim Round new

Suspended lamp consisting of a thin matt white or black painted aluminum frame and opal polycarbonate diffuser. Available in four different sizes. Integrated LEDs; available in 2700 K, 3000 K and 4000 K color temperatures and ON-OFF or DALI/Push control; CRI ≥ 90; LED useful life 50.000 h; IP20 protection, insulation class II.


<b>Source</b>	LED SMD	<b>CRI</b>	≥90
<b>Power</b>	29W / 83W	<b>LED life</b>	50.000 h
<b>Driver included</b>	On/Off / DALI/Push	<b>Insulation class</b>	II
<b>Drivers available</b>	No	<b>IP</b>	20
<b>Beam</b>	115°	<b>Material</b>	Aluminum
<b>CCT</b>	2700 K / 3000 K / 4000 K		

## LED SMD Driver included - Cable length 2500 mm


Measure	Power	Driver	Lumen	CCT	Finish	Code	
ø 500	29 W	On-Off	2850 lm	2700 K	White	342016	<span style="color: #c00000;">new</span>
					Black	342009	<span style="color: #c00000;">new</span>
			3000 lm	3000 K	White	229461	
					Black	229492	
			3400 lm	4000 K	White	269856	
					Black	304380	
	29 W	DALI/Push	2850 lm	3000 K	White	304373	
					Black	304366	
			3100 lm	4000 K	White	342030	<span style="color: #c00000;">new</span>
					Black	342023	<span style="color: #c00000;">new</span>

## LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code	
ø 700	37 W	On-Off	3800 lm	2700 K	White	342054	<span style="color: #c00000;">new</span>
					Black	342047	<span style="color: #c00000;">new</span>
			4250 lm	3000 K	White	229485	
					Black	229515	
			4350 lm	4000 K	White	269863	
					Black	304410	
	40 W	DALI/Push	4200 lm	3000 K	White	304403	
					Black	304397	
			4450 lm	4000 K	White	342078	<span style="color: #c00000;">new</span>
					Black	342061	<span style="color: #c00000;">new</span>



On/Off 1,400 Kg/0,0376 m³  
DALI/Push 1,170 Kg/0,0272 m³




On/Off 1,660 Kg/0,0809 m³  
DALI/Push 1,200 Kg/0,0534 m³






# Oracle Slim Round



On/Off 1,800 Kg/0,2212 m<sup>3</sup>  
 DALI/Push 1,500 Kg/0,0857 m<sup>3</sup>

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code	
∅ 900	53 W	On-Off	5150 lm	2700 K	White	342115	new
					Black	342108	new
	43 W	DALI/Push	4500 lm	3000 K	White	229478	
					Black	229508	
					White	269870	
					Black	304441	
42 W		4600 lm	4000 K	White	342139	new	
				Black	342122	new	



On/Off 2,480 Kg/0,3072 m<sup>3</sup>  
 DALI/Push 2,000 Kg/0,3072 m<sup>3</sup>

LED SMD Driver included - Cable length 2500 mm


Measure	Power	Driver	Lumen	CCT	Finish	Code	
∅ 1500	83 W	On-Off	7850 lm	2700 K	White	342177	new
					Black	342160	new
	77 W	DALI/Push	7300 lm	3000 K	White	265957	
					Black	285061	
					White	285078	
					Black	304472	
7450 lm	4000 K	White	342191	new			
		Black	342184	new			



# Oracle Slim Square

Suspended lamp consisting of a thin matt white or black painted aluminum frame and opal polycarbonate diffuser. Available in three different sizes. Integrated LEDs; available in 3000 K color temperatures and ON-OFF control; CRI ≥ 90; LED useful life 50.000 h; IP20 protection, insulation class II.


Source	LED SMD	LED life	50.000 h
Power	33W / 53W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
Beam	115°		
CCT	3000 K		
CRI	≥90		



1,730 Kg/0,0422 m<sup>3</sup>

LED SMD Driver included - Cable length 2500 mm


Measure	Power	Driver	Lumen	CCT	Finish	Code
500x500	33 W	On-Off	3050 lm	3000 K	White	259154
					Black	259161



2,000 Kg/0,0819 m<sup>3</sup>

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code
700x700	44 W	On-Off	4350 lm	3000 K	White	259178
					Black	259185



2,100 Kg/0,1317 m<sup>3</sup>

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code
900x900	53 W	On-Off	5200 lm	3000 K	White	259192
					Black	259208






# Oracle

White or black powder painted aluminum ceiling rose and body. Opal color plastic diffuser. Integrated LED source.


**LED** LED source 3000 K, 30.000 h life.



# Hulahoop

Powder coated metal ceiling rose and frame in white finish. Opal rubber diffuser. Steel cables with ceiling supports. Clear PVC electrical cable.


**LED** LED source 3000 K, 17.500 h life.



# Circus

Powder coated metal ceiling rose and frame with black finish. Opal polycarbonate external diffuser. PVC electrical cable.

**LED** LED source 3000 K, 20.000 h life.







# Frame

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Adjustable in length cables. Direct light emission.

**LED** LED source 3000 K, 30.000 h life.



269337



253596

370x130	450x150	480x180
IP20	IP20	IP20
3,500 Kg / 0,1050 m <sup>3</sup> LED 82W / 6850 lm	4,270 Kg / 0,0689 m <sup>3</sup> LED 80W / 8550 lm	4,300 Kg / 0,2100 m <sup>3</sup> LED 93W / 10050 lm
269351 White 269337 Black	253596 White 269375 Black	253589 White 269382 Black





078

# Look

Metal ceiling rose and diffuser with different finishes. Power cable coated with fabric adjustable in length. It fits replaceable bulbs. Faded chrome version with glass diffuser.

**LED** Bulbs LED GU10 7W, GU10 10W and GU10 4 W3000 K included.



<p>IP20</p> <p>2,950 Kg / 0,0092 m<sup>3</sup> GU10 max 1x28W</p> <p>158723 ■ Black</p>	<p>IP20</p> <p>0,990 Kg / 0,0029 m<sup>3</sup> GU10 max 1x28W</p> <p>104935 ■ White 104928 ■ Black 259239 ■ Brass</p>	<p>IP20</p> <p>0,990 Kg / 0,0029 m<sup>3</sup> GU10 max 1x28W</p> <p>194806 ■ Clear 141800 ■ Silver 141817 ■ Gold 104942 ■ Chrome 141794 ■ Ant. Brass 141855 ■ Copper 170589 ■ Coffee</p>	<p>IP20</p> <p>0,650 Kg / 0,0019 m<sup>3</sup> GU10 max 1x28W</p> <p>346854 ■ White new 346861 ■ Chrome new 343310 ■ Black new</p>
<p>3000 K 750 lm</p> <p>189031</p>	<p>3000 K 540 lm</p> <p>123943</p>	<p>3000 K 540 lm</p> <p>123943</p>	<p>3000 K 340 lm</p> <p>339771</p>

P. 300 P. 381 P. 506 P. 698




# Flam **new**

Powder coated metal ceiling cap and frame. Borosilicate glass diffuser. Black PVC cable. Frame color: black. Diffuser colors: clear, smoked shaded clear or smoked.

**LED** LED source 3000 K, 30.000 h life.



SUSPENSIONS



IP20

0,820 Kg / 0,0054 m<sup>3</sup>  
LED 10W / 900 lm

- 321059 White **new**
- 321042 Smo.Grey **new**
- 345512 Shaded **new**






# Tube

White or black powder coated aluminum ceiling cup and body. Power cable coated with fabric. Integrated LED light emission.


**LED** Led source 3000 K, 35.000 h life.



IP20

0,960 Kg / 0,0073 m<sup>3</sup>  
LED 11W / 1050 lm

211701 White  
211718 Black



IP20


0,680 Kg / 0,0048 m<sup>3</sup>  
LED 11W / 1050 lm

211459 White  
211466 Black



# Oak

Metal ceiling cup with matt varnish finish. Concrete diffuser. Electrical cable coated with fabric.



IP20

1,220 Kg / 0,0055 m<sup>3</sup>  
GU10 max 1x 35W

150635 Concrete

3000 K  
410 lm  
108292

P. 310



# Sky


Plated metal ceiling cup and diffuser with matt white or black varnish finish.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. 123943



126906 126913

P. 301 P. 381



IP20

0,950 Kg / 0,0043 m<sup>3</sup>  
GU10 max 1x 28W

126906 White  
126913 Black

3000 K  
540 lm  
123943




# Filo new


Powder coated or plated metal ceiling cap and bodies. Black PVC electric cables. Models 300801, 300818 and 300825 with 4 meters cable and switch on the ceiling cap. Colors: white, black or satin brass.

**LED** Led source 2700 K / 3000 K, 20.000 h life.


**ON OFF** Lamp with integrated switch. Cod. **300818, 300801, 300825.**



IP20  
8,600 Kg / 0,0635 m³  
LED 19W / 2050 lm / 2100 lm



IP20  
0,530 Kg / 0,0142 m³  
LED 3,5W / 220 lm



IP20  
0,830 Kg / 0,0105 m³  
LED 3,5W / 220 lm

341088	White	2700K	341057	White	2700K	300818	White
263441	White	3000K	263687	White	3000K	300801	Black
341095	Black	2700K	341064	Black	2700K	300825	Brass
263434	Black	3000K	263670	Black	3000K		
341101	Brass	2700K	341071	Brass	2700K		
263663	Brass	3000K	263700	Brass	3000K		






# Ultrathin new

Matt painted or plated metal ceiling cap and body. Electrical cable coated with fabric. Colors: white, chrome, brushed brass or black.


**LED** Led source 3000 K, 30.000 h life.




339733, 339726      142913 321783  
156699 321813      339757, 339740      194196, 194202




0,670 Kg / 0,0036 m<sup>3</sup>  
LED 11,5W / 1150 lm / 51°



0,860 Kg / 0,0036 m<sup>3</sup>  
LED 11,5W / 1150 lm / 51°



0,460 Kg / 0,0036 m<sup>3</sup>  
LED 11,5W / 1150 lm / 51°



0,450 Kg / 0,0019 m<sup>3</sup>  
LED 11,5W / 1150 lm / 51°

142906 White On-Off	194172 White On-Off	156682 White On-Off	194189 White On-Off
164878 Chrome On-Off	194196 Black On-Off	187662 Chrome On-Off	194202 Black On-Off
142913 Black On-Off	339757 Brass <span style="color: red;">new</span>	156699 Black On-Off	339740 Brass <span style="color: red;">new</span>
339733 Brass On-Off <span style="color: red;">new</span>		339726 Brass On-Off <span style="color: red;">new</span>	
321783 Black Del/ Push		321813 Black Del/ Push	






## Yoko

Matt varnished ceiling rose, frame and support for the metal cable. Opal polycarbonate diffuse. Clear PVC electrical cable. Colors: white or black.

**LED** LED source 3000 K, 30.000 h life.



IP20

0,700 Kg / 0,0383 m<sup>3</sup>  
LED 17W / 1700 lm



258898 ■ White  
258928 ■ Black



## Essence <sup>new</sup>

Powder coated aluminum ceiling rose and body. Opal color acrylic diffuser. PVC cables. Colors: white or black.

**LED** LED source LED 2700 K / 3000 K, 30.000 h life.



IP20


0,900 Kg / 0,0165 m<sup>3</sup>  
LED 19W / 2150 / 2300 / 2350 lm

341033 ■ Black 2700K<sup>new</sup>  
285085 ■ White 3000K  
285092 ■ Black 3000K  
341040 ■ Black 4000K<sup>new</sup>

## V-Line

Powder-coated aluminum body. Opal silicone diffuser. Steel cables with chromed supports. PVC electrical cable. Colors: white or black.

**LED** LED source 3000 K, 20.000 h life.




IP20

1,050 Kg / 0,0058 m<sup>3</sup>  
LED 20W / 1700 lm

275369 ■ White  
275376 ■ Black







138237 336183 / 336206 336190 / 336176

## Desk new

Powder-coated aluminum ceiling cap and body. PVC electric cable. Available with single diffused light emission, double light emission upward and downward, or double light emission: upward diffused emission and downward concentrated emission.


**LED** LED source 3000 K, 30.000 h life.



173245 / 336190



336176




336206 White new 336183 White new 138237 White  
336190 Black new 336176 Black new 173245 Black

## Craft

Matt black varnished metal ceiling cap. Natural wood body. Satin opal color polycarbonate diffuser. Clear PVC cable.

**LED** LED source 3000 K, 20.000 h life.




284460 Wood



## Karousel

Metal frame with satin brass finish. White overlay acid-etched blown glass diffuser.

**LED** Bulbs LED G9 3W 3000 K included. Cod. **209043**



IP20

4,340 Kg / 0,1739 m³  
G9 max 10 x 15W

206394 ■ Brass

3000 K  
510 lm

305486

IP20

2,810 Kg / 0,1055 m³  
G9 max 6 x 15W

206387 ■ Brass

3000 K  
510 lm


305486



## Rhapsody

Metal frame with satin brass finished ceiling rose and matt black arms. PVC cables. White acid-etched blown glass diffusers.

**LED** Bulbs LED G9 3W 3000 K included. Cod. **209043**



IP20

5,020 Kg / 0,2040 m³  
G9 max 16 x 15W

236964 ■ Black

3000 K  
510 lm

305486

IP20

3,510 Kg / 0,1400 m³  
G9 max 12 x 15W

236957 ■ Black

3000 K  
510 lm

305486






## Lucciola

Metal ceiling cap and suspended body powder painted or plated. Spheric satin acrylic diffuser. PVC cables with aluminium ceiling supports. Colours: brass or black.

**LED** LED source 3000 K, 20.000 h life.



284002 284019




IP20

2,500 Kg / 0,0165 m<sup>3</sup>  
LED 16W / 1300 lm

284002 ■ Black  
284019 ■ Brass

## Pop

Metal ceiling cup, frame and bulb socket cover with black matt varnish finish. Cables adjustable in length.



IP20

2,920 Kg / 0,0147 m<sup>3</sup>  
E27 max 10 x 60W

158860 ■ Black

3000 K  
900 lm

123899

IP20

1,670 Kg / 0,0096 m<sup>3</sup>  
E27 max 6 x 60W

158815 ■ Black

3000 K  
900 lm

123899






## Dynamite

Powder coated or plated or brushed metal frame. Adjustable diffusers. Power cable coated with fabric. Suspension model includes also kit for ceiling installation.

**LED** Bulbs LED GU10 7W 3000 K included. Cod. **123943**




231433 231396 244648 P. 312

## Minor

Powder coated metal frame. Pvc electrical wire. Replaceable LED sources.

**LED** Bulbs LED GX53 9W 3000 K included. Cod. **123936**








## Triumph

Plated metal base, arm and bulb holder cover. Color: old brass.



IP20

3,640 Kg / 0,0470 m<sup>3</sup>  
E27 max 8 x 42W

160269 Brass

2200 K  
370 lm

151687




P. 326 P. 424



## Abc

Total metal ceiling rose, bulb socket covers and decorative structure with satin brass finish. Power cable coated with black fabric.




IP20

0,590 Kg / 0,0117 m<sup>3</sup>  
E27 max 1 x 70W

207834 Brass

2200 K  
440 lm

151694




IP20

0,570 Kg / 0,0100 m<sup>3</sup>  
E27 max 1 x 70W

207841 Brass

2200 K  
330 lm

151700



IP20

0,610 Kg / 0,0100 m<sup>3</sup>  
E27 max 1 x 70W

207858 Brass

2200 K  
500 lm

151717






## Lingotto

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.


**LED** Bulbs LED G9 3W 3000 K included in models: **327846**, **251110**, **327839** and **251103**. Cod. **209043**



**P. 335** **P. 477**

## Igor

Metal body with matt black enamel finish. Shade made of clear glass slabs.



**P. 420**






# Diamond **new**

Chromed metal ceiling cap. Clear Teflon cable. Clear acrylic diffusers with cut crystal processing effect.

**LED** LED source 3000 K, 20.000 h life.






## Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC electrical cable. Color: matt black with satin brass detail.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**



IP20

2,750 Kg / 0,1353 m<sup>3</sup>  
G9 max 5 x 15W

273648 ■ Black

305486 3000 K  
510 lm




P. 327 P. 421 P. 473 P. 497



## Galaxy <sup>new</sup>

Metal ceiling plate with shiny nickel black finish. Black PVC cables. Opal color and clear acrylic diffusers with central brushed metal insert in nickel, brass and copper color.


**LED** LED source 3000 K, 20.000 h life.



IP20

5,500 Kg / 0,0540 m<sup>3</sup>  
LED 58W / 5400 lm


321172 ■ White



IP20

3,400 Kg / 0,0304 m<sup>3</sup>  
LED 29W / 2800 lm

342993 ■ White <sup>new</sup>




IP20

1,600 Kg / 0,0584 m<sup>3</sup>  
G9 max 3 x 40W

307008 ■ Black  
282114 ■ Brass

305486 3000 K  
510 lm



IP20

1,200 Kg / 0,0546 m<sup>3</sup>  
G9 max 2 x 40W

306995 ■ Black  
282107 ■ Brass

305486 3000 K  
510 lm

## Perline

Metal ceiling cap and frame. White blown acid-etched glass diffusers. Clear Teflon electrical cable. Available finish: matt black or satin brass.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**



306995

282107





## Perlage

Metal frame with linear structure with round section or with circular structure with square section. Blown glass diffusers. PVC electrical cable. Colors: matt black frame with smoked glass, satin brass frame with etched white glass or satin brass frame with amber glass.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**



283821



271422



317793

8,920 Kg / 0,2722 m <sup>3</sup> G9 max 30 x 15W	3,910 Kg / 0,0924 m <sup>3</sup> G9 max 14 x 15W	3,100 Kg / 0,0736 m <sup>3</sup> G9 max 11 x 15W	2,200 Kg / 0,0617 m <sup>3</sup> G9 max 10 x 15W	1,300 Kg / 0,0317 m <sup>3</sup> G9 max 6 x 15W
296746 White 296753 Smok.Gra. 322780 Amber	283814 White 271385 Smok.Gra. 322797 Amber	283807 White 271392 Smok.Gra. 322773 Amber	283791 White 271408 Smok.Gra. 322766 Amber	283821 White 271422 Smok.Gra. 317793 Amber
3000 K 510 lm	3000 K 510 lm	3000 K 510 lm	3000 K 510 lm	3000 K 510 lm
305486	305486	305486	305486	305486





# Equinoxe new

Plated metal structure. Clear borosilicate glass diffusers. Black PVC cable. Colors: chrome structure with clear or faded smoky glass, antique brass structure with clear glass or faded amber glass.

**LED** Bulbs LED G4 2W 3000 K included. Cod. 222257



200118      200125      345390      345383

IP20	IP20	IP20	IP20	IP20	IP20
5,540 Kg / 0,1304 m³ G4 max 12 x 2W	4,460 Kg / 0,1427 m³ G4 max 8 x 2W	5,200 Kg / 0,1274 m³ G4 max 6 x 2W	0,850 Kg / 0,0326 m³ G4 max 1 x 2W	0,700 Kg / 0,0211 m³ G4 max 1 x 2W	0,640 Kg / 0,0170 m³ G4 max 1 x 2W
200118 Chrome 200125 Brass	275178 Chrome 275215 Brass	317250 Chrome 317243 Brass	306551 Chrome 277394 Brass	306544 Chrome 277387 Brass	306537 Chrome 277370 Brass
345390 ShadedSm new 345383 Shad. amb. new	345437 ShadedSm new 345420 Shad. amb. new	345413 ShadedSm new 345406 Shad. amb. new	345376 ShadedSm new 326368 Shad. amb. new	345369 ShadedSm new 345352 Shad. amb. new	326351 ShadedSm new 345345 Shad. amb. new
3000 K 200 lm 222257	3000 K 200 lm 222257	3000 K 200 lm 222257	3000 K 200 lm 222257	3000 K 200 lm 222257	3000 K 200 lm 222257






## Copernico

Matt varnished metal ceiling cap and structure with brass details. Pvc electric cable. Blown acid-etched overlay white glass diffuser. Color: black.

**LED** Bulbs LED G9 3W 3000 K included. Cod. 209043



197319




IP20

10,270 Kg / 0,1340 m<sup>3</sup>  
G9 max 20 x 4W

197333 ■ Black

3000 K  
510 lm  
305486



IP20

6,870 Kg / 0,0970 m<sup>3</sup>  
G9 max 12 x 4W

197319 ■ Black


3000 K  
510 lm  
305486



## Kepler

Matt black varnished metal chain and frame. Amber transparent blown glass diffusers.

**LED**  
P. 422




IP20

5,300 Kg / 0,1789 m<sup>3</sup>  
E27 max 18 x 42W

162478 ■ Black

3000 K  
430 lm  
101279



IP20

3,630 Kg / 0,0990 m<sup>3</sup>  
E27 max 12 x 42W

162201 ■ Black

3000 K  
430 lm  
101279






## Leaves

White metal frame. White hand-shaped blown glass decorative elements. Steel cables adjustable in length.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**



5,800 Kg / 0,1123 m<sup>3</sup>  
G9 max 12 x 40W

112268 White

3000 K  
510 lm

305486



3,700 Kg / 0,0702 m<sup>3</sup>  
G9 max 8 x 40W

111957 White

3000 K  
510 lm

305486

## Vortex


Matt white painted metal frame. Hand shaped and hand painted with gold or silver enamel decorative metal elements.



101613



101606



2,500 Kg / 0,2344 m<sup>3</sup>  
E14 max 6 x 40W

101613 Silver  
101606 Gold

3000 K  
480 lm


101200





## Net

Matt varnished metal ceiling cap. PVC cable. Matt varnished metal net diffuser. Finishes: white, black, gold.



328102




313788



313771

## Konse

Totally metal frame and decorative elements. Satin dark gold varnish finish.







## Ampolla

Matt varnished ceiling cap, bulb holders and decorative structure. Pvc cable. Color: black.

100 380 1200 350 350	100 320 1140 205 205	100 420 1200 300 300	100 370 1430 395 395
IP20	IP20	IP20	IP20
0,950 Kg / 0,0709 m³ E27 max 1x 60W	0,590 Kg / 0,0480 m³ E27 max 1x 60W	0,720 Kg / 0,0480 m³ E27 max 1x 60W	1,470 Kg / 0,0709 m³ E27 max 1x 60W
148502 ■ Black	148151 ■ Black	148175 ■ Black	167497 ■ Black
2200 K 500 lm	2200 K 370 lm	2200 K 440 lm	2200 K 440 lm
167497	151717	151687	151694



167497

## Onion

Metal frame finished with brown varnish with metallic effect. Power cable coated with fabric.


90 570 2570 595 595	90 440 2440 470 470	90 375 2375 380 380	90 230 2230 235 235
IP20	IP20	IP20	IP20
5,050 Kg / 0,2383 m³ E27 max 1x 60W	3,520 Kg / 0,1325 m³ E27 max 1x 60W	2,380 Kg / 0,0705 m³ E27 max 1x 60W	1,260 Kg / 0,0169 m³ E27 max 1x 60W
205311 ■ Coffee	205304 ■ Coffee	205298 ■ Coffee	205281 ■ Coffee
2200 K 480 lm	2200 K 480 lm	2200 K 500 lm	2200 K 500 lm
151724	151724	151717	151717





## Ice

Matt white or black varnished metal ceiling rose and frame. Metal bulb socket cover with satin brass finish. PVC power cable.




237671

237664

## Citrus


Body with painted multilevel wood elements. Power cable coated with black fabric.



0,660 Kg / 0,0173 m<sup>3</sup>  
E27 max 1x60W

159843 Wood


3000 K  
910 lm  
119571



0,720 Kg / 0,0242 m<sup>3</sup>  
E27 max 1x60W

159850 Wood

3000 K  
910 lm  
119571



0,510 Kg / 0,0148 m<sup>3</sup>  
E27 max 1x60W


159867 Wood

3000 K  
910 lm  
119571



## Lugano


Matt varnished metal ceiling cup. Power cable coated with fabric with antique brass metal bulb socket cover. Ceramic diffuser.



2,950 Kg / 0,0618 m<sup>3</sup>  
E27 max 3x60W

206875 White


3000 K  
900 lm  
123899



0,850 Kg / 0,0090 m<sup>3</sup>  
E27 max 1x60W

206806 White

3000 K  
900 lm  
123899



0,860 Kg / 0,0068 m<sup>3</sup>  
E27 max 1x60W

206820 White


3000 K  
900 lm  
123899





# Frida

Metal ceiling cup and bulb socket cover with plated or matt varnish finish. Power cable coated with black fabric.



IP20

0,320 Kg / 0,0015 m<sup>3</sup>  
E27 max 1x60W

139432 Chrome  
139425 Black  
122106 Copper  
122083 Ant. Brass

2200 K  
500 lm

151717




P. 419



# Edison

Metal ceiling cup and bulb holder with matt white or black varnish finish. Electrical cable coated with fabric.

**LED** Bulbs LED E27 8W Globo D125 trasparente 3000 K included.  
Cod. 101347



IP20

0,320 Kg / 0,0098 m<sup>3</sup>  
E27 max 1x42W

113302 White  
113319 Black

3000 K  
1050 lm

101347





P. 416



# Mr Jack

Metal frame and spherical diffuser with white, chrome or black finish. Electrical cable covered with fabric.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. 123943



IP20

0,890 Kg / 0,0090 m<sup>3</sup>  
GU10 max 1x28W

IP20

0,520 Kg / 0,0040 m<sup>3</sup>  
GU10 max 1x28W

231273 White  
116464 Chrome  
231297 Black

3000 K  
540 lm

123943

231228 White  
116457 Chrome  
231259 Black

3000 K  
540 lm

123943





# Oil

Metal frame with matt black finish. Concrete diffuser. Model 110462 supplied with 12 meters length electrical cable coated with fabric; 6 mounting hooks and Italian plug which can replace the ceiling cup.




1,780 Kg / 0,0130 m <sup>3</sup> E27 max 1x 15W	1,180 Kg / 0,0119 m <sup>3</sup> E27 max 1x 15W	1,810 Kg / 0,0130 m <sup>3</sup> E27 max 1x 15W	1,650 Kg / 0,0165 m <sup>3</sup> E27 max 1x 15W	1,760 Kg / 0,0236 m <sup>3</sup> E27 max 1x 15W	1,490 Kg / 0,0111 m <sup>3</sup> GU10 max 1x 15W
110417 ■ Concrete	110424 ■ Concrete	110431 ■ Concrete	129082 ■ Concrete	129099 ■ Concrete	110462 ■ Concrete
3000 K 430 lm 101279	3000 K 430 lm 101279	3000 K 430 lm 101279	3000 K 430 lm 101279	3000 K 430 lm 101279	3000 K 410 lm 108292



## Tall

Matt white or black varnished metal diffuser and details. Over 5 meters length PVC cable supplied with 6 fastening hooks.



IP20

0,550 Kg / 0,0036 m<sup>3</sup>  
E27 max 1x 42W

196770 ■ White  
196787 ■ Black

3000 K  
340 lm

101286



196770

196787

## A-Line


Powder coated metal ceiling cup. Matt white or black varnished metal diffuser white inside. Power cable coated with fabric.

**LED** Bulbs LED GU10 7W 3000 K included in models: 232690 and 232713. Code 123943



232690

232713




IP20

1,080 Kg / 0,0491 m<sup>3</sup>  
E27 max 1x 60W

232720 ■ White  
232744 ■ Black

3000 K  
900 lm

123899



IP20

0,330 Kg / 0,0114 m<sup>3</sup>  
GU10 max 1x 28W

232690 ■ White  
232713 ■ Black

3000 K  
540 lm

123943






## Diesis

Powder coated or plated metal ceiling rose and diffuser. Black PVC cable. Color: black, satin nickel or satin brass.


**LED** LED source 3000 K, 20.000 h life.



## Archimede

Powder coated metal ceiling cap with magnetic closure without screws. PVC cable. Powder coated aluminum diffuser with acrylic optic. Finishes: white, black.

**LED** LED source 3000 K, 50.000 h life.








## Holly

Metal ceiling rose and diffusers with brushed brass finish or powder coated with white or black finish. Power cables coated with fabric.



IP20      IP20  
**2,740 Kg / 0,0254 m³**      **0,780 Kg / 0,0064 m³**  
**E27 max 3x 60W**      **E27 max 1x 60W**

**231587** White      **231556** White  
**231594** Black      **231563** Black  
**231600** Brass      **231570** Brass


3000 K 900 lm      3000 K 900 lm  
**123899**      **123899**



231556      231563      231570

## Triade

Powder coated metal ceiling rose and diffuser, white inside. Golden spherical decorative element.



IP20      IP20      IP20      IP20  
**2,630 Kg / 0,0797 m³**      **0,960 Kg / 0,0169 m³**      **0,750 Kg / 0,0090 m³**      **1,020 Kg / 0,0105 m³**  
**E27 max 3x 42W**      **E27 max 1x 42W**      **E27 max 1x 42W**      **E27 max 1x 42W**

**194677** Dark Grey      **221489** Dark Grey      **221496** Dark Grey      **194684** Dark Grey


3000 K 900 lm      3000 K 900 lm      3000 K 900 lm      3000 K 900 lm  
**123899**      **123899**      **123899**      **123899**





# Mix Up

Powder-coated varnished metal ceiling cap and interchangeable shades. PVC cable. Finishes: white or black.




IP20 <b>0,460 Kg / 0,0018 m³</b> <b>E27 max 1x 60W</b>	<b>2,000 Kg / 0,0676 m³</b>	<b>1,100 Kg / 0,0446 m³</b>	<b>0,800 Kg / 0,0147 m³</b>	<b>0,500 Kg / 0,0174 m³</b>
<b>288406</b> ■ White <b>288390</b> ■ Black	<b>288437</b> ■ White <b>288420</b> ■ Black	<b>307404</b> ■ White <b>288475</b> ■ Black	<b>307411</b> ■ White <b>288444</b> ■ Black	<b>307428</b> ■ White <b>288451</b> ■ Black

**3000 K**  
**900 lm**  
**123899**



## Metro

Metal body and diffuser. Enameled white inside. Electrical cable adjustable in length.



IP20

0,970 Kg / 0,0261 m<sup>3</sup>  
E27 max 1x60W

139098 ■ Dark Grey


3000 K  
950 lm

101354



## Breeze

Metal body and diffuser. Enameled white inside. Electrical cable adjustable in length.




IP20

3,490 Kg / 0,0707 m<sup>3</sup>  
E27 max 1x60W

232041 ■ Dark Grey

3000 K  
950 lm

101354



IP20

0,790 Kg / 0,0206 m<sup>3</sup>  
E27 max 1x60W

137681 ■ Dark Grey


3000 K  
950 lm

101330



## Yurta

Powder coated metal ceiling rose and shade. Power cables coated with fabric. Colors: total white or black with white inside.



IP20

1,760 Kg / 0,0687 m<sup>3</sup>  
E27 max 1x60W

285160 White  
281582 Black

3000 K  
900 lm

123899




IP20

1,000 Kg / 0,0277 m<sup>3</sup>  
E27 max 1x60W

285153 White  
285139 Black

3000 K  
340 lm

101286



IP20

0,740 Kg / 0,0138 m<sup>3</sup>  
E27 max 1x60W

285146 White  
281568 Black

3000 K  
340 lm

101286



285146



281568






## Moby

Metal frame and diffuser white inside. Available finishes: white, black or copper.



## Eris

Metal frame with matt white or black varnished ceiling rose and diffusers. Details with satin gold finish. Braided electrical wire coated with fabric.








## Fisherman

Totally metal body with copper or matt black enamel finish. White silkscreen-printed glass diffuser.



125831

134871



5,040 Kg / 0,0899 m<sup>3</sup>  
E27 max 1x 60W

125831 ■ Black  
134871 ■ Copper

3000 K  
1050 lm

101323


## Cantina

Metal frame, diffuser and bulb socket cover, available with antique brass or copper finish. Electrical cable covered with stranded fabric.



112732

112701



0,810 Kg / 0,0189 m<sup>3</sup>  
E27 max 1x 42W

112732 ■ Copper  
112701 ■ Ant. Brass

3000 K  
910 lm

119571



P. 426






## Cono new

Plated metal ceiling cap and frame. Clear blown glass diffuser. PVC cable. Colors: chrome with frosted diffuser, nickel or brass.

**LED** Bulbs LED GU10 7W 3000 K included. Cod. **123943**




1,000 Kg / 0,0168 m<sup>3</sup>  
GU10 max 1x28W


321462 Chrome new  
321479 Brass new  
322803 Nickel new

3000 K  
540 lm  
123943

## Kuky


Chrome metal frame. Available with sanded frosted Pyrex glass in the central part.






## Milk

White enameled elliptical metal frame. White blown and acid-etched glass diffuser. Power cables adjustable in length.



## Cocktail

Blown overlay acid-etched glass diffuser. White inside and colored outside. Suspension models supplied with cables adjustable in length.








## Manhattan

Metal ceiling rose and diffuser with matt white or black varnish finish and natural wood detail. Power cable coated with fabric.



0,560 Kg / 0,0061 m<sup>3</sup>  
E14 max 1x 40W

110745 White  
110752 Black


3000 K  
480 lm

101200



## Flut

Blown overlay frosted glass diffuser: white inside and coloured outside. Cable adjustable in length.




1,570 Kg / 0,0422 m<sup>3</sup>  
E27 max 1x 60W

035666 White  
035680 Black

3000 K  
900 lm

123899



0,930 Kg / 0,0179 m<sup>3</sup>  
E14 max 1x 40W

035697 White  
035710 Black


3000 K  
420 lm

101217



## Origami

Matt varnished metal frame. White acid-etched blown glass diffusers with folds reliefs.



IP20

3,740 Kg / 0,0642 m<sup>3</sup>  
E27 max.3 x 60W

198095 White


3000 K  
900 lm

123899

## Umile new

Metal ceiling cap and decorative elements with satin gold finish. Etched white blown glass diffusers. Black PVC cable.


**LED** LED source 3000 K, 20.000 h life.



IP20

8,600 Kg / 0,2150 m<sup>3</sup>  
LED 55W / 5400 lm


224541 White



IP20

2,300 Kg / 0,0691 m<sup>3</sup>  
LED 20W / 2050 lm

314945 White



IP20

2,500 Kg / 0,0516 m<sup>3</sup>  
LED 20W / 2050 lm

new 314952 White



IP20


1,900 Kg / 0,0531 m<sup>3</sup>  
LED 20W / 1950 lm

new 314969 White new



# Blossom

Chrome metal frame and ceiling cup. Clear blown glass diffuser with amber or smoky finish. Clear PVC power cable.



IP20

1,890 Kg / 0,0705 m<sup>3</sup>  
E27 max 1x60W

241517 Smoky Grey  
241524 Amber

3000 K  
950 lm

101354



241517




241524



# Lord

Powder coated metal ceiling rose and frame with black finish. Black PVC electrical cable. Blown glass diffuser with decorations in relief. Glass available in amber, clear or smoky color.



IP20

1,430 Kg / 0,0389 m<sup>3</sup>  
E27 max 1x60W

263632 Clear  
263649 Smoky Grey  
263656 Amber

3000 K  
910 lm


119571



# Fade

Metal ceiling rose and frame. Clear blown glass shade with galvanic nuance. White acid-etched inner blown glass diffuser. Black PVC cable. Shade colors: clear with amber nuance, chrome or copper.

LED Bulbs LED G9 3W 3000 K included.  
Cod. 209043



IP20

1,900 Kg / 0,0370 m<sup>3</sup>  
G9 max 1x15W

271293 Chrome  
271316 Amber  
271309 Copper

3000 K  
510 lm


305486



## Topico new

Matt varnished metal ceiling rose and frame. Double glass diffuser: etched white inside, clear with smoked shade on the top on the outside. Black PVC cable. Color: Black.

**LED** LED source 3000 K, 30.000 h life.




IP20

4,810 Kg / 0,1235 m³  
LED 28W / 2450 lm


333045 Smoky Grey new






## Karma

Chrome metal frame. White coated and acid-etched blown glass diffuser. Steel wires adjustable in length with automatic blocking mechanisms.




## Folk

Metal ceiling cup and diffuser with matt paint, available finishes: coffee. Corrugated enamelled internal parable. Power cable coated with fabric.



# Aria

White blown acid-etched glass diffuser. Suspension lamps provided with steel wires adjustable in length with automatic devices.



IP20

4,080 Kg / 0,0847 m³  
E27 max 1x60W

059679 White


3000 K  
950 lm

101330



# Plissé

Plated metal frame. White acid-etched blown glass diffuser with decoration in relief. Clear PVC electrical wire. Colors: chrome or satin brass.




IP20

3,300 Kg / 0,1208 m³  
E27 max 1x60W

264523 Chrome  
285191 Brass

3000 K  
900 lm

123899



IP20

2,060 Kg / 0,0705 m³  
E27 max 1x60W

285184 Chrome  
264547 Brass

3000 K  
900 lm

123899




285184

264547

# Lana

Transparent glass diffuser with silkscreen decorations inside and sandblasted outside. Chrome metal glass holders.



IP20

2,720 Kg / 0,0533 m³  
E27 max 1x60W

068169 White

3000 K  
950 lm

101330




P. 298



# Lena

Chrome metal frame. Double glass diffuser: frosted and coloured the external one, white the inner one. Suspension lamp provided with steel cables adjustable in length with automatic devices.




IP20

8,310 Kg / 0,1785 m³  
E27 max 3x60W

052786 White

3000 K  
340 lm

101286



IP20

6,600 Kg / 0,1304 m³  
E27 max 3x60W

035727 White

3000 K  
340 lm

101286








## Smarties


White varnished metal frame.  
White blown glass diffuser. Steel cables adjustable in length with automatic blocking mechanism.



    
P. 277 P. 385 P. 469

## Glory


Satin nickel ceiling rose. White acid-etched blown glass diffuser. Pendant lamps provided with steel cables adjustable in length with automatic blocking mechanisms.



  
P. 276

# Ulisse

Metal frame coated with matt white enamel. Blown acid-etched white glass diffuser. Suspension models provided with steel cables adjustable in length with automatic blocking mechanisms.



IP20 <b>5,010 Kg / 0,1177 m³</b> <b>E27 max 3 x 60W</b>	IP20 <b>3,110 Kg / 0,0720 m³</b> <b>E27 max 3 x 60W</b>
---	---


<b>098616</b> White <b>3000 K</b> <b>910 lm</b> <b>119571</b>	<b>095226</b> White <b>3000 K</b> <b>910 lm</b> <b>119571</b>
--	--



# Arizona

Metal frame with satin brass finish. White acid-etched blown glass diffuser with embossed decorative stripes.

**LED** Bulbs LED GX53 9W 3000 K included. Cod. **123936**



IP20 <b>6,190 Kg / 0,1288 m³</b> <b>GX53 max 5 x 9W</b>	IP20 <b>3,260 Kg / 0,0740 m³</b> <b>GX53 max 3 x 9W</b>
---	---

<b>214481</b> White <b>3000 K</b> <b>910 lm</b> <b>123936</b>	<b>214474</b> White <b>3000 K</b> <b>910 lm</b> <b>123936</b>
--	--




P. 278



# Ovalino

Diffuser composed of circular elements created from curved and acid-etched glass sheet. Steel cables adjustable in length with automatic devices.



IP20 <b>6,700 Kg / 0,1448 m³</b> <b>E27 max 8 x 60W</b>	IP20 <b>4,810 Kg / 0,1184 m³</b> <b>E27 max 5 x 60W</b>
---	---

<b>090481</b> White <b>3000 K</b> <b>900 lm</b> <b>123899</b>	<b>074139</b> White <b>3000 K</b> <b>900 lm</b> <b>123899</b>
--	--




P. 284 P. 382





## Candy

White metal frame. Blown acid-etched white glass diffuser. Steel cables adjustable in length with automatic devices.




P. 280 P. 469



## Cotton

Metal frame and ceiling cap with white powder paint and magnetic closure without screws. Clear PVC cable. White acid-etched blown glass diffuser.

**LED** Bulbs LED G9 3W 3000 K included in 297781 model. Cod. 209043





P. 281






## Luce Max

Chrome frame. Clear blown glass diffuser with decorative aluminum thread inside. Suspension lamps with steel cables adjustable in length with automatic devices.



## Mapa Max


Chrome metal frame. Clear blown glass diffuser with decorative aluminum thread inside. Suspension lamps with steel cables adjustable in length with automatic device.



## Clown

Cadre en métal chromé. Diffuseurs en verre soufflé moulé et coloré à la main. Câbles en téflon transparent.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. 209043



100944


100883





# Mapa Plus

White metal frame. White blown acid-etched spherical glass diffusers. Steel cables adjustable in length.



IP20
 IP20

**10,800 Kg / 0,1976 m³**  
**E14 max 22 x 40W**

**5,520 Kg / 0,1205 m³**  
**E14 max 11 x 40W**

**140230** White
 **131924** White

**3000 K**  
**420 lm**

**101217**
**101217**



## Mapa mini **new**

Matt varnished metal ceiling cap.  
Clear PVC cable. Matt clear silicone  
glass holder element. Blown glass  
diffuser. Ceiling cap finishes: white,  
black. Glass finishes: amber, smoky  
grey, satin, clear and iridescent.


**LED** LED source 3000 K, 50.000 h life.



343631




343648




IP20

0,250 Kg / 0,0010 m<sup>3</sup>  
LED 4W / 400 lm




0,300 Kg / 0,0114 m<sup>3</sup>




0,250 Kg / 0,0054 m<sup>3</sup>

- |        |       |     |        |            |     |        |            |     |
|--------|-------|-----|--------|------------|-----|--------|------------|-----|
| 343631 | White | new | 289786 | Clear      | new | 289861 | Clear      | new |
| 343648 | Black | new | 289939 | White      | new | 327433 | White      | new |
|        |       |     | 289908 | Smok.Gre.  | new | 327457 | Smok.Gre.  | new |
|        |       |     | 289915 | Amber      | new | 327419 | Amber      | new |
|        |       |     | 348698 | Iridescent | new | 348681 | Iridescent | new |



IP20

0,150 Kg / 0,0010 m<sup>3</sup>  
LED 2W / 140 lm



0,200 Kg / 0,0020 m<sup>3</sup>

- |        |       |     |        |            |     |
|--------|-------|-----|--------|------------|-----|
| 343617 | White | new | 289878 | Clear      | new |
| 343624 | Black | new | 327426 | White      | new |
|        |       |     | 327440 | Smok.Gre.  | new |
|        |       |     | 327402 | Amber      | new |
|        |       |     | 348674 | Iridescent | new |





## Mapa Clear **new**


Chromed metal ceiling cap and frame. Clear blown spherical glass diffuser with chrome plating faded towards the bottom. Clear PVC cable. Color: chrome, amber, opal.



161327

346571

346625



140759	346588	346632	161327	346571	346625	161334	346564	346618	140728	346557	346601	140711	346540	346595
FadeChrome	Amber	Opal	new	Amber	Opal	new	Amber	Opal	new	Amber	Opal	new	Amber	Opal
3000 K	3000 K	3000 K	3000 K	3000 K	3000 K	3000 K	3000 K	3000 K	3000 K	3000 K	3000 K	3000 K	3000 K	3000 K
910 lm	910 lm	910 lm	910 lm	910 lm	910 lm	910 lm	910 lm	910 lm	910 lm	910 lm	910 lm	910 lm	910 lm	910 lm
119571	119571	119571	119571	119571	119571	119571	119571	119571	119571	119571	119571	119571	119571	119571



# Mapa

White metal frame. White spherical shape acid-etched blown glass diffuser. Steel cables adjustable in length.

**LED** Bulbs LED G9 3W 3000 K included in **310800** model. Cod. **209043**



**310800**


IP20 <b>8,700 Kg / 0,2470 m³</b> <b>E27 max 5 x 42W</b>	IP20 <b>5,390 Kg / 0,2254 m³</b> <b>E27 max 1 x 42W</b>	IP20 <b>3,620 Kg / 0,1215 m³</b> <b>E27 max 1 x 42W</b>	IP20 <b>1,920 Kg / 0,0630 m³</b> <b>E27 max 1 x 42W</b>	IP20 <b>1,130 Kg / 0,0272 m³</b> <b>E27 max 1 x 42W</b>	IP20  G9 <b>0,410 Kg / 0,0027 m³</b> <b>G9 max 1 x 4W</b>
<b>043562</b> White	<b>032122</b> White	<b>032139</b> White	<b>009087</b> White	<b>009148</b> White	<b>310800</b> White
<b>3000 K</b> <b>910 lm</b>	<b>3000 K</b> <b>910 lm</b>	<b>3000 K</b> <b>910 lm</b>	<b>3000 K</b> <b>910 lm</b>	<b>3000 K</b> <b>910 lm</b>	<b>3000 K</b> <b>510 lm</b>
<b>119571</b>	<b>119571</b>	<b>119571</b>	<b>119571</b>	<b>119571</b>	<b>305486</b>





## Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering. Power cable coated with fabric.



## Boa

Matt white or black varnished metal frame. Power cable coated with fabric of 12 meter length with 6 cable holders. Blown acid-etched white glass diffuser.






# Nemo <sup>new</sup>

Blown glass diffuser. Available with smoky, copper, clear, faded chrome finishes or amber.



052809      149592      094236      250335      111902      339054



IP20	IP20	IP20	IP20	IP20
8,700 Kg / 0,2424 m <sup>3</sup> E27 max 5 x 42W	4,000 Kg / 0,2220 m <sup>3</sup> E27 max 1 x 42W	2,700 Kg / 0,1227 m <sup>3</sup> E27 max 1 x 42W	2,050 Kg / 0,0664 m <sup>3</sup> E27 max 1 x 42W	1,300 Kg / 0,0241 m <sup>3</sup> E27 max 1 x 42W

- |            |           |            |            |                      |
|------------|-----------|------------|------------|----------------------|
| 138305     | 094137    | 052816     | 052809     | 149585               |
| FadeChrome | SmokyGrey | Clear      | Clear      | FadeChrome           |
|            |           | 250359     | 149592     | 250311               |
|            |           | FadeChrome | FadeChrome | SmokyGrey            |
|            |           | 094229     | 094236     | 250304               |
|            |           | SmokyGrey  | SmokyGrey  | Chrome               |
|            |           | 250342     | 250335     | 250328               |
|            |           | Chrome     | Chrome     | Copper               |
|            |           | 111919     | 111902     | 339047               |
|            |           | Copper     | Copper     | Amber                |
|            |           | 339061     | 339054     | Amber <sup>new</sup> |
|            |           | Amber      | Amber      | Amber <sup>new</sup> |

3000 K 910 lm	3000 K 1050 lm	3000 K 1050 lm	3000 K 1050 lm	3000 K 1050 lm
119571	101347	101347	101323	101323








## Dna

Golden metal ceiling rose and frame. White overlay, acid-etched blown glass diffusers. Adjustable steel cables.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**



4,930 Kg / 0,2034 m<sup>3</sup>  
G9 max 25 x 15W

208398 White

3000 K  
510 lm

305486

## Nodi

Chrome or satin brass metal frame. White acid-etched blown or transparent or chrome glass diffusers.




082073



241012



200491



8,000 Kg / 0,3063 m<sup>3</sup>  
E14 max 15 x 28W

082073 White  
241012 Brass

3000 K  
480 lm

101200



8,000 Kg / 0,4651 m<sup>3</sup>  
E14 max 15 x 28W

200491 Chrome

3000 K  
480 lm

101200



5,300 Kg / 0,1480 m<sup>3</sup>  
E14 max 9 x 28W

082059 White  
241036 Brass

3000 K  
480 lm

101200




P. 322



## Dream Big

Matt white varnished metal ceiling cup. Power cable coated with fabric. White acid-etched glass diffuser. Rope basket.




IP20

3,830 Kg / 0,1676 m<sup>3</sup>  
E27 max 1x 42W

261195 White

3000 K  
900 lm

123899



IP20

2,420 Kg / 0,1013 m<sup>3</sup>  
E27 max 1x 42W

179858 White


3000 K  
900 lm

123899



## Avion

Matt painted wooden body and ceiling cup. Chrome metal details. Blown and acid-etched white glass diffusers.



IP20

2,440 Kg / 0,0618 m<sup>3</sup>  
E14 max 3x 28W

136325 Blue  
136318 Red

3000 K  
420 lm

101217






## Lumiere

Matt varnished metal frame and ceiling cap with magnetic closure. Clear PVC cable. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements.

**LED** LED source 3000 K, 25.000 h life.





P. 341 P. 465 P. 496



## Empire

Gold plated metal frame and ceiling cap with magnetic closure without screws. Black PVC cable. Clear glass diffuser with gray shade.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**






## Soft

Metal frame with white and chrome finishes. White or smoky blown glass diffusers.



087818

111841




IP20

6,400 Kg / 0,1138 m<sup>3</sup>  
E14 max 6 x 40W

087818 White  
111841 Smoky Grey

3000 K  
420 lm

101217



IP20

3,000 Kg / 0,0657 m<sup>3</sup>  
E14 max 3 x 40W

111858 White  
111865 Smoky Grey

3000 K  
420 lm


101217



## Coco

Powder coated metal frame with black finish. Clear acrylic diffuser with satin side. Clear blown glass with smoky finish. PVC cable.


**LED** LED source 3000 K, 20.000 h life.



IP20

1,200 Kg / 0,0128 m<sup>3</sup>  
LED 7W / 550 lm


275567 Smoky Grey



IP20

1,140 Kg / 0,0132 m<sup>3</sup>  
LED 7W / 550 lm

275581 Smoky Grey



IP20

1,080 Kg / 0,0152 m<sup>3</sup>  
LED 7W / 550 lm


275543 Smoky Grey





## Mint

Metal frame with satin brass finish and matt black ceiling rose. Power cable coated with fabric. Blown glass diffuser with stripes in relief. Available finishes: smoky or green.



237510




237497



## Bergen

Black powder coated metal ceiling cup. Natural wood frame. Clear blown glass diffuser with motif in relief and smoky finish. Power cable coated with fabric.







## Bistrò


Black enamel coated metal frame.  
Handcrafted blown clear or smoky  
glass diffuser.



112305




112312



## Gretel

Metal frame with matt black  
varnish finish with natural wood  
applications. Blown clear glass  
diffusers. Power cables covered  
with black fabric.







## Audi-10

Chrome metal frame. Clear or smoky grey blown glass diffuser. Steel wires adjustable in length with automatic blocking mechanisms.


**LED** Bulbs LED E27 8W Globo D95 3000 K included. Cod. **101330/101323**



**016863**



**103983**



**5,520 Kg / 0,1044 m³**  
**E27 max 5 x 60W**

**016863** Clear  
**103983** Smoky Grey

**3000 K**  
**950 lm**

**101330**

## Audi-80

Chrome metal frame. Decorative elements composed of glass balls suspended on metal wires. Blown clear or smoked glass diffuser. Steel wires adjustable in length with an automatic device.


**LED** Bulbs LED G9 3W 3000 K included. Cod. **209043**



**031743**



**197661**




**9,560 Kg / 0,1289 m³**  
**G9 max 8 x 40W**

**031750** Clear  
**197654** Smoky Grey

**3000 K**  
**510 lm**

**305486**



**5,890 Kg / 0,0876 m³**  
**G9 max 5 x 40W**

**031743** Clear  
**197661** Smoky Grey


**3000 K**  
**510 lm**

**305486**



## Madame

Matt varnished metal ceiling cup.  
Power cable coated with fabric.  
Metal frame diffuser covered with white, canvas or black satin ribbon.



IP20

2,560 Kg / 0,2012 m³  
E27 max 1x 60W

174396 White  
219875 Ivory  
174402 Black

3000 K  
950 lm  
101354




174396

219875

174402

## Nordik

Matt black varnished metal frame.  
Golden PVC foil shade covered with black fabric.



IP20

1,760 Kg / 0,1694 m³  
E27 max 6 x 60W

161662 Black

3000 K  
910 lm  
119571

IP20

1,500 Kg / 0,1064 m³  
E27 max 4 x 60W

161648 Black

3000 K  
910 lm  
119571



P. 436 P. 480 P. 532



# Cylinder

Metal frame. White blown acid-etched diffuser. Steel cables adjustable in length with automatic blocking mechanisms.



IP20

4,040 Kg / 0,0729 m<sup>3</sup>  
E27 max 1x60W

025438 White

3000 K  
950 lm

101354




P. 532



# Haunt

Matt white varnished metal ceiling cup. Power cable coated with fabric. Wicker basket diffuser natural or white varnished.



IP20

0,460 Kg / 0,0622 m<sup>3</sup>  
E27 max 1x60W

159256 White  
159812 Wood

3000 K  
1050 lm

101347



159256




159812



190

# Pan

Metal frame. Diffusers made of decorative elements with metal tube shape of different length. Steel cables adjustable in length.



IP20

13,920 Kg / 0,1355 m<sup>3</sup>  
E27 max 5x60W

208817 Gold

3000 K  
910 lm

119571




P. 430

191




# Set up new

Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white, black or wood.




345918 White <span style="color: red;">new</span>	260471 White	260457 White	260433 White
345932 Dove Grey <span style="color: red;">new</span>	304632 Dove Grey	304625 Dove Grey	304618 Dove Grey
345925 Black <span style="color: red;">new</span>	270029 Black	270012 Black	270005 Black
339269 Beige <span style="color: red;">new</span>	260488 Beige	260464 Beige	260440 Beige
339276 Wood <span style="color: red;">new</span>	345901 Wood <span style="color: red;">new</span>	345895 Wood <span style="color: red;">new</span>	345888 Wood <span style="color: red;">new</span>



348230 White <span style="color: red;">new</span>	348230 White <span style="color: red;">new</span>	348193 White <span style="color: red;">new</span>	260013 White
348247 Nickel <span style="color: red;">new</span>	348247 Nickel <span style="color: red;">new</span>	348209 Nickel <span style="color: red;">new</span>	260044 Nickel <span style="color: red;">new</span>
348254 Black <span style="color: red;">new</span>	348254 Black <span style="color: red;">new</span>	348216 Black <span style="color: red;">new</span>	260020 Black <span style="color: red;">new</span>
348261 Brass <span style="color: red;">new</span>	348261 Brass <span style="color: red;">new</span>	348223 Brass <span style="color: red;">new</span>	260051 Brass <span style="color: red;">new</span>

3000 K 900 lm	3000 K 900 lm	3000 K 900 lm	3000 K 900 lm
123899	123899	123899	123899




P. 292 P. 434 P. 482 P. 530

339252 Clear	<span style="color: red;">new</span> 270050 Clear	270043 Clear	346847 Clear <span style="color: red;">new</span>
--------------	---	--------------	---



260457 304625 270012 260464 345895






339290    346045    346038    346014    346021

## Set up Slim <sup>new</sup>

Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white, black or wood.




346069	White	new	339290	White	new	345987	White	new
339283	Dove Grey	new	346045	Dove Grey	new	346007	Dove Grey	new
346083	Black	new	346038	Black	new	345994	Black	new
346052	Beige	new	346014	Beige	new	345970	Beige	new
346076	Wood	new	346021	Wood	new	339306	Wood	new




348230	White	new	348230	White	new	348193	White	new
348247	Nickel	new	348247	Nickel	new	348209	Nickel	new
348254	Black	new	348254	Black	new	348216	Black	new
348261	Brass	new	348261	Brass	new	348223	Brass	new

123899	3000 K	900 lm	123899	3000 K	900 lm	123899	3000 K	900 lm
--------	--------	--------	--------	--------	--------	--------	--------	--------




339252	Clear	new	270050	Clear	270043	Clear
--------	-------	-----	--------	-------	--------	-------




346144 346168 346151 346137 339320

## Set up Ultra Slim <sup>new</sup>

Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white, black or wood.




346182	White	new	346144	White	new	339337	White	new
346205	Dove Grey	new	346168	Dove Grey	new	346120	Dove Grey	new
339313	Black	new	346151	Black	new	346113	Black	new
346175	Beige	new	346137	Beige	new	346090	Beige	new
346199	Wood	new	339320	Wood	new	346106	Wood	new



348230	White	new	348230	White	new	348193	White	new
348247	Nickel	new	348247	Nickel	new	348209	Nickel	new
348254	Black	new	348254	Black	new	348216	Black	new
348261	Brass	new	348261	Brass	new	348223	Brass	new

123899	3000 K 900 lm	123899	3000 K 900 lm	123899	3000 K 900 lm
--------	------------------	--------	------------------	--------	------------------




339252	Clear	new	270050	Clear	new	270043	Clear	new
--------	-------	-----	--------	-------	-----	--------	-------	-----






## Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants. Suspension lamps provided with steel cables adjustable in length.




P. 440 P. 486 P. 534



## Swan

Chrome metal frame. Hand-shaped blown glass body. Cut crystal decorative elements. Pleated organza shade. Velvet chain cover.



P. 440





## King

Diffuser composed of chrome or golden metal rings with octagonal crystals set inside. Steel cables adjustable in length with automatic devices.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**




088013

088020



P. 346



10,000 Kg / 0,1486 m<sup>3</sup>  
G9 max 12 x 40W

088013 Chrome  
088020 Gold

3000 K  
510 lm  
305486




5,300 Kg / 0,0748 m<sup>3</sup>  
G9 max 7 x 40W

087979 Chrome

3000 K  
510 lm  
305486

## Rain

Chrome metal frame. Pendants composed of multi-shaped cut crystal beads and final drops. Suspension versions provided with steel cables adjustable in length.



3,320 Kg / 0,0351 m<sup>3</sup>  
E14 max 5 x 40W

008363 Chrome

3000 K  
470 lm  
101224



P. 352





## Martinez


Chromed or golden metal frame.  
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



166360



213583



IP20

17,600 Kg / 0,1129 m³  
E14 max 8 x 40W

166360 Chrome  
213583 Gold

3000 K  
470 lm

101224



P. 354

## Carlton


Chromed or golden metal frame.  
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



166247



213521




IP20

12,800 Kg / 0,1614 m³  
E14 max 12 x 40W

166247 Chrome  
213521 Gold

3000 K  
470 lm

101224



IP20

10,000 Kg / 0,1136 m³  
E14 max 8 x 40W

117737 Chrome

3000 K  
470 lm

101224




P. 355 P. 439






## Nabucco

Metal frame with gold finish. Clear cut crystals decorative elements: square shaped in the upper part, diamond shaped in the lower part. Velvet chain cover.



## Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings. Bottom part closed with sandblasted glass disk. Steel cables adjustable in length with automatic device.








## Luxor

Chrome metal frame. Diffuser made of cut crystal octagons and rectangular drops.


**LED** Bulbs LED G9 3W 3000 K included. Cod. **209043**




## Evasione

Cut crystal pendants. Steel cables adjustable in length with automatic device.

**LED** Bulbs LED G9 3W 3000 K included. Cod. **209043**







## Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.




243597



243528



P. 353 P. 439




IP20

20,000 Kg / 0,8284 m³  
E14 max 24 x 28W

243597 Chrome  
243528 Brass

3000 K  
470 lm

101224



IP20

9,170 Kg / 0,2859 m³  
E14 max 10 x 28W

215969 Chrome  
207216 Brass

3000 K  
470 lm

101224

## Caesar

Metal frame with gold or chrome finish. Octagonal decorative elements with icicle shaped crystal beads.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. 209043



114279



114743




IP20

9,600 Kg / 0,2965 m³  
G9 max 12 x 4W

114279 Chrome  
114743 Gold

3000 K  
510 lm

305486




IP20

6,700 Kg / 0,1936 m³  
G9 max 9 x 4W

041827 Chrome  
114736 Gold

3000 K  
510 lm

305486



IP20

5,100 Kg / 0,1175 m³  
G9 max 6 x 4W

033532 Chrome  
114729 Gold

3000 K  
510 lm


305486






## Millennium

Metal frame and details with rust effect paint finish. Central decorative elements made of natural wood with antiqued effect.



## Monet

Metal frame with round bands decorated with repoussage technique. Chains of natural wood gems. White matt varnish finish.







# Pegaso


Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades. Velvet chain cover.



059242



197739



<p>059242 White 197739 Brass</p>	<p>066448 White 197722 Brass</p>	<p>059235 White 197715 Brass</p>
<p>3000 K 370 lm</p>	<p>3000 K 370 lm</p>	<p>3000 K 370 lm</p>
<p>101231</p>	<p>101231</p>	<p>101231</p>






## Blanche

Metal frame finished with satin white or black varnish. PVC foil shades coated with white or black fabric. Velvet chain cover.



035581

111872



IP20

6,820 Kg / 0,1975 m<sup>3</sup>  
E14 max 8 x 40W

035574 White  
111896 Black

3000 K  
370 lm

101231

IP20

4,800 Kg / 0,1451 m<sup>3</sup>  
E14 max 6 x 40W

035581 White  
111872 Black

3000 K  
370 lm

101231

## Corte

Totally handcrafted metal frame. Hand painted finish with antiqued effect. Available versions: white or rusty effect.




005881

057187



P. 441



IP20

7,100 Kg / 0,6840 m<sup>3</sup>  
E14 max 12 x 40W

097664 White  
097671 Rust

3000 K  
470 lm

101224

IP20

5,220 Kg / 0,3169 m<sup>3</sup>  
E14 max 8 x 40W

005898 White  
057194 Rust

3000 K  
470 lm

101224

IP20


3,180 Kg / 0,1500 m<sup>3</sup>  
E14 max 5 x 40W

005881 White  
057187 Rust

3000 K  
470 lm


101224





## Colossal

Chrome metal frame and details.  
Blown clear glass arms with smoky grey or ivory white inner side.  
Transparent glass and cut crystal pendants and decorative elements.  
Velvet chain cover.



IP20

19,000 Kg / 0,2828 m³  
E14 max 15 x 40W

114170 Clear  
081526 Grey

3000 K  
470 lm

101224

IP20

11,400 Kg / 0,1386 m³  
E14 max 8 x 40W

114187 Clear  
081519 Grey

3000 K  
470 lm

101224



114170



081526

## Rose

Blown glass chandelier with chrome metal details. Cut-crystals octagons and drops. Velvet chain cover.



IP20

7,630 Kg / 0,1321 m³  
E14 max 8 x 40W

166889 Amber

3000 K  
430 lm

101248






## Negresco

Plated metal frame and details. Clear blown glass arms with golden inner part. Decorative elements in clear glass and cut crystal. Velvet chain cover. Color: gold.



087771



IP20

14,400 Kg / 0,1687 m³  
E14 max 10 x 28W

087771 Gold

3000 K  
430 lm

101248

IP20

11,300 Kg / 0,1461 m³  
E14 max 8 x 28W


087764 Gold

3000 K  
430 lm

101248

## Amadeus

Metal chrome frame. Decorative elements made of blown glass and cut crystals. Velvet chain cover.



IP20

8,200 Kg / 0,1574 m³  
E14 max 8 x 40W

168777 Clear

3000 K  
470 lm

101224

IP20

6,700 Kg / 0,1202 m³  
E14 max 6 x 40W

168753 Clear


3000 K  
470 lm

101224



P. 442





# Florian

Metal frame with decorative glass elements. Pendants composed of cut crystal octagons and final drops. Available versions: clear glass with golden or silvery metal.




035604



035611

<p>IP20</p> <p>17,200 Kg / 0,3482 m³ E14 max 18 x 40W</p>	<p>IP20</p> <p>9,760 Kg / 0,2187 m³ E14 max 12 x 40W</p>	<p>IP20</p> <p>6,380 Kg / 0,1368 m³ E14 max 6 x 40W</p>
<p>075150 Chrome 075181 Gold</p>	<p>035604 Chrome 035611 Gold</p>	<p>035628 Chrome 035635 Gold</p>
<p>3000 K 470 lm</p> <p>101224</p>	<p>3000 K 470 lm</p> <p>101224</p>	<p>3000 K 470 lm</p> <p>101224</p>





# Napoleon

Chrome or gold metal frame. Blown glass and cut crystals decorative elements. Velvet chain cover.



167244



167398


<p>IP20</p> <p>17,920 Kg / 0,4424 m³ E14 max 18 x 40W</p>	<p>IP20</p> <p>11,260 Kg / 0,2633 m³ E14 max 12 x 40W</p>	<p>IP20</p> <p>9,070 Kg / 0,2156 m³ E14 max 8 x 40W</p>
<p>167268 Chrome 167411 Gold</p>	<p>167251 Chrome 167404 Gold</p>	<p>167244 Chrome 167398 Gold</p>
<p>3000 K 470 lm</p> <p>101224</p>	<p>3000 K 470 lm</p> <p>101224</p>	<p>3000 K 470 lm</p> <p>101224</p>





## Gioconda

Casted metal body with gold or antique silver finish. Octagonal and round cut crystal pendants. Velvet chain cover.



164953



164960




P. 443



## Strauss

Metal frame and details with gold finish. Blown clear glass arms. Amber crystal decorative elements. Velvet chain cover.




P. 443





## Casanova

Chrome metal ceiling cap, frame and details. Handcrafted clear blown glass decorative elements. Gray velvet chain cover.



IP20

9,210 Kg / 0,1592 m<sup>3</sup>  
E14 max 8 x 40W


044255 Clear

3000 K  
480 lm

101200

## Doge

Chromed metal ceiling cap, frame and details. Handcrafted clear blown glass decorative elements. Transparent PVC cable.



IP20

9,400 Kg / 0,3064 m<sup>3</sup>  
E14 max 12 x 40W

168906 Clear

3000 K  
470 lm

101224

IP20

6,660 Kg / 0,2229 m<sup>3</sup>  
E14 max 9 x 40W

044453 Clear

3000 K  
470 lm

101224

IP20

5,240 Kg / 0,1602 m<sup>3</sup>  
E14 max 6 x 40W

044422 Clear

3000 K  
470 lm


101224






## Danieli

Golden metal structure and details.  
Hand modeled and blown glass  
decorative elements. Velvet chain  
cover. Color: amber.



## Brigitta

Handcrafted clear or amber blown  
glass chandelier with metal body  
and velvet chain cover.








## Justine

Metal ceiling rose and frame with casted arms. White matt varnish finish. Velvet chain cover.



IP20

4,550 Kg / 0,3281 m³  
E14 max 8 x 40W

197524 White

3000 K  
430 lm

101248

IP20

3,440 Kg / 0,2592 m³  
E14 max 6 x 40W

197500 White


3000 K  
430 lm

101248



## Bon Bon

Matt varnished metal frame with cast arms. Blown glass plates. Velvet chain cover. Color: white.



IP20

11,710 Kg / 0,1953 m³  
E14 max 8 x 28W

094007 White

3000 K  
420 lm

101217

IP20

8,110 Kg / 0,1547 m³  
E14 max 6 x 28W

093994 White

3000 K  
420 lm

101217



## Firenze


Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.



012872



020839




IP20

6,440 Kg / 0,0842 m³  
E14 max 8 x 40W

012872 White  
020839 Gold

3000 K  
430 lm

101248



IP20

4,360 Kg / 0,0609 m³  
E14 max 5 x 40W

012865 White  
020822 Gold

3000 K  
430 lm


101248





# Vanity

Golden metal frame with matt black details. Cut crystals decorative elements. Velvet chain cover.



IP20	IP20
8,850 Kg / 0,2878 m³ E14 max 15 x 40W	4,940 Kg / 0,1454 m³ E14 max 8 x 40W
206639 ■ Gold	206622 ■ Gold
3000 K 470 lm	3000 K 470 lm
101224	101224

# Norma

Metal frame with chrome or antique brass finish. Diffuser composed of clear glass sheets with polished edges. Velvet chain cover.




IP20	IP20
2,620 Kg / 0,0286 m³ E27 max 1 x 60W	
094786 ■ Chrome	094786
005911 ■ Ant. Brass	005911
3000 K 430 lm	
101279	



# Harem

Antique brass metal body and embossed ornaments. Cut crystal set octagons. Blown light amber clear glass diffusers with tassels. Velvet chain cover.




IP20	IP20
8,550 Kg / 0,2571 m³ E27 max 9 x 42W	0,980 Kg / 0,0228 m³ E27 max 1 x 42W
116006 ■ Ant. Brass	115979 ■ Ant. Brass
3000 K 910 lm	3000 K 910 lm
119571	119571






## Canapa

Metal varnished frame. Electrical cables and diffusers covered with natural hemp rope.





## Chalet

Metal frame and bearing structure. Handcrafted and hand painted resin decorative elements. An accurate reproduction of horns and carved wood.



## Driftwood

Metal ceiling cup. Suspended structure made of natural branches. Brushed metal bulb socket cover.



# Ceiling lamps

Indoors

## Alphabetical index

Admiral	347	Lana	298	Profilo	320
Angolo	334	Level	276	Rain	352
Arizona	278	Lika	311	Ray	260
Armony	348	Lingotto	335	Relax	268
Atlas	332	Look	300	Roma	344
Atrium	279	Lumiere	341	Royal	352
Binomio	337	Magnolia	353	Rudy	318
Birds	327	Mapa	282	Set Up	292
Candy	280	Maracas	330	Set Up Slim	294
Carlton	355	Martinez	354	Set Up Ultra Slim	296
Carta	282	Mix Up	290	Shell	299
Celine	270	Mood	307	Simply	298
Cloud	284	Moonlight	351	Sky	301
Compo	343	Mouse	316	Smarties	277
Corolla	285	Multiflex	328	Spike	308
Cosmopolitan	333	Neve	350	Spot	316
Cotton	281	Ninfea	339	Squish	271
Daisy	342	Nitro	302	Toby	313
Dubai	353	Nodi	322	Topico	283
Dynamite	312	Nodino	323	Totem	268
Fly	248	Oak	310	Tower	310
Frame	247	Oby	317	Triumph	326
Geko	275	Ocean	270	Universal R.	264
Gemini	272	Octopus	329	Universal S.	266
Gingle	274	Oracle Slim	242	Winery	315
Glim	321	Ovalino	284	Ziggy	286
Glory	276	Oz	244		
Gourmet	331	Pasha'	345		
Halo	258	Penta	340		
Hermes	338	Perlage	324		
Iride	269	Petit	314		
Karol	246	Ping Pong	336		
King	346	Planet	288		
Kubiko	306	Play	313		











































































# Ceiling lamps

Typology index



Topico

Pag 283

 new	 new		 new	 new			 new	 new
Oracle Slim 242	Oz 244	Karol 246	Frame 247	Fly 248	Halo 258	Ray 260	Universal R. 264	Universal S. 266
					 new	 new		
Relax 268	Totem 268	Iride 269	Celine 270	Ocean 270	Squish 271	Gemini 272	Gingle 274	Geko 275
								
Glory 276	Level 276	Smarties 277	Arizona 278	Atrium 279	Candy 280	Cotton 281	Mapa 282	Carta 282
 new								 new
Topico 283	Ovalino 284	Cloud 284	Corolla 285	Ziggy 286	Planet 288	Mix Up 290	Set Up 292	SetUp Slim 294
 new						 new		
SetUpUltraSlim 296	Simply 298	Lana 298	Shell 299	Look 300	Sky 301	Nitro Round 302	Nitro Square 304	Kubiko 306
	 new							
Mood 307	Spike 308	Oak 310	Tower 310	Lika 311	Dynamite 312	Play 313	Toby 313	Petit 314
								
Winery 315	Mouse 316	Spot 316	Oby 317	Rudy 318	Profilo 320	Glim 321	Nodi 322	Nodino 323
								
Perlage 324	Triumph 326	Birds 327	Multiflex 328	Octopus 329	Maracas 330	Gourmet 331	Atlas 332	Cosmopolitan 333

# Ceiling lamps

Typology index



Angolo 334   Lingotto 335   Ping Pong 336   Binomio 337   Hermes 338   Ninfea 339   Penta 340



Lumiere 341   Daisy 342   Compo 343   Roma 344   Pashà 345   King 346   Admiral 347



Armony 348   Neve 350   Moonlight 351   Royal 352   Rain 352   Magnolia 353   Dubai 353



Martinez 354   Carlton 355



**Binomio**


Pag 337



# Oracle Slim new

Ceiling lamp consisting of a thin matt white or black painted aluminum frame and opal polycarbonate diffuser. Circular model available in three different sizes. Integrated LEDs; available in 3000 K color temperature; CRI ≥ 90; LED useful life 50.000 h; IP20 protection, insulation class II.


Source	LED SMD	CRI	≥90
Power	29W/37W/53W	LED life	50.000 h
Driver included	On/Off	Insulation class	II
Drivers available	No	IP	20
Beam	115°	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		



1,240 Kg/0,0455 m³

### LED SMD Driver included


Measure	Power	Driver	Lumen	CCT	Finish	Code	
ø 500	29 W	On-Off	2850 lm	2700 K	White	341897	<small>new</small>
					Black	341880	<small>new</small>
			3000 lm	3000 K	White	265971	
					Black	265988	
			3400 lm	4000 K	White	341910	<small>new</small>
					Black	341903	<small>new</small>



1,430 Kg/0,0852 m³

### LED SMD Driver included


Measure	Power	Driver	Lumen	CCT	Finish	Code	
ø 700	37 W	On-Off	3800 lm	2700 K	White	341934	<small>new</small>
					Black	341927	<small>new</small>
			4250 lm	3000 K	White	265995	
					Black	266008	
			4350 lm	4000 K	White	341958	<small>new</small>
					Black	341941	<small>new</small>



1,700 Kg/0,1345 m³

### LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish	Code	
ø 900	53 W	On-Off	5150 lm	2700 K	White	341972	<small>new</small>
					Black	341965	<small>new</small>
			5200 lm	3000 K	White	266015	
					Black	266022	
			5350 lm	4000 K	White	341996	<small>new</small>
					Black	341989	<small>new</small>



265971


265988

# Oz new

Plated or powder coated metal base and frame. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

**LED** LED source 2700 / 3000 / 4000 K, 30.000 h life.

<b>Source</b>	LED SMD	<b>LED life</b>	30.000 h
<b>Power</b>	47W / 48W	<b>Insulation class</b>	II
<b>Driver included</b>	On/Off / DALI/Push	<b>IP</b>	20
<b>Drivers available</b>	No	<b>Material</b>	Aluminum
<b>CCT</b>	2700 K / 3000 K / 4000 K		
<b>CRI</b>	≥90		





1,500 Kg / 0,0354 m<sup>3</sup>

### LED SMD Driver included

Power	Driver	Lumen	CCT	Finish	Code	
47 W	On-Off	5000 lm	2700 K	White	342283	<small>new</small>
				Black	342290	<small>new</small>
				Brass	342306	<small>new</small>
		5100 lm	3000 K	White	253688	
				Black	269412	
				Brass	269429	
		5500 lm	4000 K	White	342313	<small>new</small>
				Black	342320	<small>new</small>
				Brass	342337	<small>new</small>
48 W	DALI/Push	5100 lm	3000 K	White	304519	
				Black	304526	
				Brass	304533	








## Karol

Matt white varnished metal body.  
Opal colour plastic diffuser.


**LED** LED source 4000 K, 50.000 h life.



## Frame <sup>new</sup>

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Direct light emission.

**LED** LED source 2700/3000 K, 30.000 h life.



P. 076 P. 501



# Fly new

Family composed by ceiling lamps with circular base, available with four different diameters (350 mm, 450 mm, 600 mm, 900 mm) and also in SLIM version with a more compact height. Powder coated aluminum body with white finish RAL 9016 and black finish RAL 9004, recessed optics (FLY PL) or flush (FLY SLIM) with PMMA microprismatic diffuser with glare control (UGR < 19). The lamp is ready to be integrated with the upright accessory module for the indirect light part. Integrated LED light source; available with 2700 K, 3000 K and 4000 K color temperatures; color rendering index CRI ≥ 90; starting binning ≤ 3Step MacAdam; LED useful life 50.000 h ; protection IP40, insulation class I. Driver included, integrated in the body, dimmable options available: 1-10V, DALI and Push. Suitable for locations where professional and uniform lighting is required, such as OFFICES and SHOPS. The high color rendering level makes it ideal even for exhibiting spaces and for the enhancement of the products in a showroom and sales area of the RETAIL sector.

**PRO** High-tech product with high quality materials, intended for professional use.

**IP40** Protection degree IP40.

Source	LED SMD
Power	18W / 26W / 53W / 68W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	2700 k / 3000 K / 4000 K
CRI	≥90
UGR	<19
LED life	50.000 h
Insulation class	I
IP	40
Material	Aluminum
Warranty	5 years





# Fly



3,000 Kg/0,0160 m<sup>3</sup>

## LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
18 W	87°	2150 lm	2700 K	White	341149
				Black	341156
		2800 lm	3000 K	White	270272
				Black	306575
		3000 lm	4000 K	White	270289
				Black	306582

new

new

## DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code
1-10V/Push	20 W	500 mA	108x22x52 mm	270333
DALI	20 W	500 mA	108x22x52 mm	270364



3,700 Kg/0,0250 m<sup>3</sup>

## LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
26 W	87°	3000 lm	2700 K	White	341163
				Black	341170
		3900 lm	3000 K	White	254272
				Black	306599
		4300 lm	4000 K	White	270296
				Black	306605

new

new

## DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code
1-10V/Push	32 W	700 mA	94x21x67 mm	270586
DALI/Push	38 W	700 mA	94x21x67 mm	270593

## UPLIGHT Not included/Optional




Model	Power	Beam	Lumen	CCT	Code
ø 35	11 W	120°	1000 lm	3000 K	270258
			1300 lm	4000 K	270395
ø 45	11 W	120°	1350 lm	3000 K	270258
			1700 lm	4000 K	270395

## KIT PENDANT




Required	Finish	Code
No	White	254289
	Black	307244

Light beam: WIDE



CRI≥80 18W 87° 2650lm 3000K



CRI≥80 26W 87° 3700lm 3000K



# Fly



7,200 Kg/0,0694 m<sup>3</sup>

## LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
53 W	87°	5600 lm	2700 K	White	341187
				Black	341194
		7200 lm	3000 K	White	270302
				Black	292205
		7700 lm	4000 K	White	270319
				Black	306612

new

new

## DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code
1-10V	60 W	1400 mA	124 x 23 x 82 mm	270340
DALI / Push	60 W	1400 mA	125 x 28 x 85 mm	270371



13,000 Kg/0,1441 m<sup>3</sup>

## LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
68 W	87°	7350 lm	2700 K	White	341200
				Black	341217
		9000 lm	3000 K	White	270326
				Black	306629
		9550 lm	4000 K	White	270241
				Black	306636

new

new

## DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code
1-10V	68 W	1400 mA	130 x 25 x 75 mm	270357
DALI / Push	100 W	1400 mA	140 x 30 x 100 mm	270388

## UPLIGHT Not included/Optional




Model	Power	Beam	Lumen	CCT	Code
ø60	17,5 W	120°	2500 lm	3000 K	270401
			2650 lm	4000 K	270265
ø90	25 W	120°	3500 lm	3000 K	271002
			3650 lm	4000 K	270715


## KIT PENDANT

Required	Finish	Code
No	White	254289
	Black	307244

Light beam: WIDE



CRI≥80 53W 87° 7500lm 3000K



CRI≥80 65W 87° 9400lm 3000K





# Fly Slim



2,700 Kg/0,0105 m<sup>3</sup>

## LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
18 W	87°	2150 lm	2700 K	White	341224
		2800 lm	3000 K	White	306643
		3000 lm	4000 K	White	306650

new

## DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code
1-10V/Push	20 W	500 mA	108x22x52 mm	270333
DALI	20 W	500 mA	108x22x52 mm	270364

## LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
26 W	87°	3000 lm	2700 K	White	341231
		3900 lm	3000 K	White	292236
		4300 lm	4000 K	White	306667

new

## DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code
1-10V/Push	32 W	700 mA	94x21x67 mm	270586
DALI/Push	38 W	700 mA	94x21x67 mm	270593

## UPLIGHT Not included/Optional


Model	Power	Beam	Lumen	CCT	Code
ø 35	11 W	120°	1000 lm	3000 K	270258
			1300 lm	4000 K	270395
ø 45	12 W	120°	1350 lm	3000 K	270258
			1700 lm	4000 K	270395

## KIT PENDANT


Required	Finish	Code
No	White	254289



Light beam: WIDE



CRI≥80 18W 87° 2650lm 3000K



CRI≥80 26W 87° 3700lm 3000K



# Fly Slim



6,500 Kg/0,0694 m<sup>3</sup>

## LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
53 W	87°	5600 lm	2700 K	White	341248
		7200 lm	3000 K	White	292250
		7700 lm	4000 K	White	306674

new

## DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code
1-10V	60 W	1400 mA	124x23x82 mm	270340
DALI/ Push	60 W	1400 mA	125x28x85 mm	270371



13,000 Kg/0,1448 m<sup>3</sup>

## LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
68 W	87°	7350 lm	2700 K	White	341255
		9000 lm	3000 K	White	306681
		9550 lm	4000 K	White	306698

new

## DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code
1-10V	68 W	1400 mA	130x25x75 mm	270357
DALI/ Push	100 W	1400 mA	140x30x100 mm	270388

## UPLIGHT Not included/Optional




Model	Power	Beam	Lumen	CCT	Code
ø 60	18 W	120°	2500 lm	3000 K	270401
			2650 lm	4000 K	270265
ø 90	25 W	120°	3500 lm	3000 K	271002
			3650 lm	4000 K	270715

## KIT PENDANT


Required	Finish	Code
No	White	254289



Light beam: WIDE



CRI≥80 53W 87° 7500lm 3000K



CRI≥80 65W 87° 9400lm 3000K





# Halo

Ceiling lamp with circular base and powder coated aluminum body. Opal polycarbonate diffuser. Available with three different diameters in white color. Light source with integrated LED, starting binning  $\leq$  2-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI  $\geq$  80; LED useful life 35.000; protection IP20, insulation class I.



Up-light included.

Source	LED SMD	Insulation class	I
Power	22W / 32W / 46W	IP	20
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K / 4000 K		
CRI	$\geq$ 90		
LED life	35.000 h		



### LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
22 W	110°	2850 lm	3000 K	White	223186
		3100 lm	4000 K	White	223193

2,750 Kg/0,0177 m<sup>3</sup>



### LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
32 W	110°	3650 lm	3000 K	White	223209
		3800 lm	4000 K	White	223216

4,430 Kg/0,0313 m<sup>3</sup>



### LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
46 W	110°	5350 lm	3000 K	White	223223
		5600 lm	4000 K	White	223230

6,600 Kg/0,0566 m<sup>3</sup>

### KIT PENDANT



Required	Finish	Code
No	White	223247



# Ray

Family composed by ceiling lamps with circular base, available with three different diameters (300 mm, 400 mm, 600 mm). Body with white finish RAL 9016 or black finish RAL 9005, optics with PMMA microprismatic diffuser with glare control (UGR < 19, 22). Integrated LED light source; available with temperature CRI ≥90; LED useful life 50.000 L70B50 ; protection IP44, insulation class II. The lamp is equipped with an integrated switch to set up two different light emission tonality (color temperature 3000 k or 4000 k). Driver included, integrated in the body, dimmable options available. Product suitable for environments where a flexible, comfortable and uniform light is required, for example OFFICES and in the indoor spaces of the SERVICES SECTOR or RESIDENTIALS.

**IP44** Protection degree IP44.

Source	LED SMD
Power	13W / 26W / 43W
Driver included	On/Off
Drivers available	No
CCT	3000 K / 4000 K
CRI	≥90
UGR	<19 / 22
LED life	50.000 h
Insulation class	II
IP	44
Material	Plastic
Warranty	5 years





# Ray



LED SMD Driver TRIDONIC ON/OFF included - UGR <22

Power	Beam	Lumen	CCT	Finish	Code
13W	77°	2000 - 2100 lm	3000 - 4000 K	White	327570
				Black	327563

1,620 Kg/0,0067 m<sup>3</sup>



LED SMD Driver TRIDONIC ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish	Code
26W	77°	4050 - 4250 lm	3000 - 4000 K	White	318264
				Black	327600

2,160 Kg/0,0097 m<sup>3</sup>




LED SMD Driver TRIDONIC ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish	Code
44W	77°	6850 - 7200 lm	3000 - 4000 K	White	327693
				Black	327686


3,240 Kg/0,0251 m<sup>3</sup>




Light beam: WIDE



CRI≥90 13W 80° 1900lm 3000K



CRI≥90 26W 80° 3850lm 3000K



CRI≥90 43W 80° 6450lm 3000K



# Universal Round new

Diffusive ceiling lamp for indoor ceiling or wall installation, suitable for general and uniform lighting. Varnished steel body with white finish, plastic diffuser. Integrated LED source, available in 4 different powers. LED useful life 25.000 h; protection IP20, insulation class II.

Source	LED SMD	LED life	25.000 h
Power	12W / 36W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Steel
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		



## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
12 W	110°	1100 lm	2700 K	White	342566
		1200 lm	3000 K	White	138596
		1300 lm	4000 K	White	321776

new

0,420 Kg/0,0015 m<sup>3</sup>




## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
17 W	110°	1750 lm	2700 K	White	342580
		1800 lm	3000 K	White	138602
		1900 lm	4000 K	White	321752

new

0,580 Kg/0,0025 m<sup>3</sup>




## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
22 W	110°	2250 lm	2700 K	White	342603
		2400 lm	3000 K	White	138619
		2550 lm	4000 K	White	321738

new

0,930 Kg/0,0043 m<sup>3</sup>



## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
36 W	110°	3400 lm	2700 K	White	342627
		3850 lm	3000 K	White	240367
		4200 lm	4000 K	White	321684

new

1,410 Kg/0,0076 m<sup>3</sup>






# Universal Square <sup>new</sup>

Diffusive ceiling lamp for indoor ceiling or wall installation, suitable for general and uniform lighting. Varnished steel body with white finish, plastic diffuser. Integrated LED source, available in 4 different powers. LED useful life 25.000 h; protection IP20, insulation class II.


Source	LED SMD	LED life	25.000 h
Power	12W / 36W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Steel
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		



## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
12 W	110°	1100 lm	2700 K	White	342573
		1200 lm	3000 K	White	138633
		1300 lm	4000 K	White	321769


new



## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
17 W	110°	1750 lm	2700 K	White	342597
		1800 lm	3000 K	White	138640
		1900 lm	4000 K	White	321745


new



## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
22 W	110°	2250 lm	2700 K	White	342610
		2400 lm	3000 K	White	138657
		2550 lm	4000 K	White	321707

new



## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
36 W	110°	3400 lm	2700 K	White	342634
		3850 lm	3000 K	White	240374
		4200 lm	4000 K	White	321660





new



# Relax

Metal frame finished with matt white varnish. Opal polycarbonate diffusers. Double light emission: primary and lateral. Replaceable LED source. Dimmable power supply integrated.










**LED** LED source 3000 K, 17.500 h life.

	
1100 500 40	900 400 40
	
8,190 Kg / 0,0740 m <sup>3</sup> LED 84W / 5400 lm	5,760 Kg / 0,0486 m <sup>3</sup> LED 65W / 4250 lm
255941 White	255934 White

# Totem

Matt white varnished laser shaped metal base. Replaceable LED lighting sources.

**LED** Bulbs LED GX53 9W 3000 K included.  
Cod. 123936





		
710 525 30	560 510 30	345 640 30
		
5,320 Kg / 0,0470 m <sup>3</sup> GX53 max 6 x 15W	3,890 Kg / 0,0322 m <sup>3</sup> GX53 max 4 x 15W	2,960 Kg / 0,0227 m <sup>3</sup> GX53 max 3 x 15W
215785 White	215778 White	215761 White
 3000 K 910 lm	 3000 K 910 lm	 3000 K 910 lm
123936	123936	123936



# Iride

Matt varnished metal base and frame. Irregular opal polycarbonate diffuser. Color: white.


**LED** LED source 3000 K, 30.000 h life.

	
600 600 45	500 500 40
	
3,800 Kg / 0,0352 m <sup>3</sup> LED 22W / 1750 lm	2,810 Kg / 0,0246 m <sup>3</sup> LED 18W / 1300 lm
328362 White	312491 White




# Celine

Enameled metal frame.  
Sandblasted clear glass diffuser.  
chrome metal glass holders.



# Ocean


Diffuser composed of two glass sheets: the back one with mirror edge and frosted in the middle, the front one with decorative serigraph and glass buttons.



# Squish <sup>new</sup>

Metal base. Double polycarbonate diffuser: satin opal the inner one, clear the external one.

**LED** LED source 3000 K, 25.000 h life.




# Gemini new

Powder coated or plated metal ceiling rose and body. Opal polycarbonate diffuser. Clear PVC cable. Available finishes: white, black or brushed brass. DALI/Push dimmable version available for the models with 810 mm and 610 mm diameter.


<b>Source</b>	LED SMD	<b>LED life</b>	50.000 h
<b>Power</b>	24W / 42W	<b>Insulation class</b>	II
<b>Driver included</b>	On/Off / DALI/Push	<b>IP</b>	20
<b>Drivers available</b>	No	<b>Material</b>	Aluminum
<b>Beam</b>	130°		
<b>CCT</b>	2700 K / 3000 K /		
<b>CRI</b>	≥90		

## LED SMD Driver included




Measure	Power	Driver	Lumen	CCT	Finish	Code	
425x425	24 W	On-Off	2300 lm	2700 K	White	341439	<small>new</small>
					Black	341446	<small>new</small>
					Brass	341453	<small>new</small>
			2900 lm	3000 K	White	328010	
					Black	328027	
					Brass	328034	

## LED SMD Driver included



Measure	Power	Driver	Lumen	CCT	Finish	Code	
610x610	30 W	On-Off	3300 lm	2700 K	White	341460	<small>new</small>
					Black	341477	<small>new</small>
					Brass	341484	<small>new</small>
			3600 lm	3000 K	White	328041	
					Black	328058	
					Brass	328065	
	28 W	DALI/Push	3100 lm	3000 K	White	328942	
					Black	328959	
					Brass	328966	

## LED SMD Driver included



Measure	Power	Driver	Lumen	CCT	Finish	Code	
810x810	42 W	On-Off	4150 lm	2700 K	White	341491	<small>new</small>
					Black	341507	<small>new</small>
					Brass	341514	<small>new</small>
			4450 lm	3000 K	White	328072	
					Black	328089	
					Brass	328096	
	42 W	DALI/Push	4150 lm	3000 K	White	328973	
					Black	328980	
					Brass	329260	








## Gingle


Powder coated metal base and body. Integrated LED light source with mirrored light emission.

**LED** LED source 3000 K, 30.000 h life.






## Geko

White enameled metal frame. Transparent silkscreened or white glass diffuser. Chrome metal central glass screw.



# Glory

Metal frame with satin nickel finish.  
White acid-etched blown glass diffuser.

		
IP20	IP20	IP20
4,810 Kg / 0,1789 m³ E27 max 5x60W	3,410 Kg / 0,0744 m³ E27 max 3x60W	2,100 Kg / 0,0700 m³ E27 max 2x60W
019765 White	019758 White	101132 White
3000 K 340 lm 101286	3000 K 340 lm 101286	3000 K 340 lm 101286





P. 153

# Level

Powder coated metal base. White acid-etched blown glass diffuser with fastening system without screws. Easily replaceable integrated led source.





**LED** LED source 3000 K, 17.500 h life.

	
IP20	IP20
5,200 Kg / 0,0908 m³ LED 37,5W / 3100 lm	2,100 Kg / 0,0368 m³ LED 22,5W / 2000 lm
261188 White	261164 White



# Smarties

White varnished metal frame.  
White blown glass diffuser.

			
IP20	IP20	IP20	IP20
4,690 Kg / 0,1480 m³ E27 max 3x42W	3,070 Kg / 0,1009 m³ E27 max 3x42W	2,810 Kg / 0,0599 m³ E27 max 2x42W	1,440 Kg / 0,0454 m³ E27 max 1x42W
032023 White	032030 White	032047 White	009223 White
3000 K 340 lm 101286	3000 K 340 lm 101286	3000 K 340 lm 101286	3000 K 340 lm 101286

P. 154 P. 385 P. 469






## Arizona

Metal frame with satin brass finish.  
White acid-etched blown glass  
diffuser with embossed decorative  
stripes.

**LED** Bulbs LED GX53 9W 3000 K included.  
Cod. 123936




IP20

7,680 Kg / 0,1299 m<sup>3</sup>  
GX53 max 5 x 9W

214511 White

3000 K  
910 lm

123936




IP20

3,050 Kg / 0,0744 m<sup>3</sup>  
GX53 max 3 x 9W

214504 White

3000 K  
910 lm

123936



IP20

2,960 Kg / 0,0452 m<sup>3</sup>  
GX53 max 2 x 9W

214498 White


3000 K  
910 lm

123936

## Atrium

Matt white varnished metal frame.  
White acid-etched glass diffuser  
with interlocking fastening system.

**LED** LED source 3000 K, 20.000 h life.



IP20

4,8 Kg / 0,1113 m<sup>3</sup>  
LED 26W / 2600 lm

265841 White




IP20

3,700 Kg / 0,0675 m<sup>3</sup>  
LED 22,5W / 2250 lm

265827 White

3000 K  
910 lm

123936



IP20

2,300 Kg / 0,0425 m<sup>3</sup>  
LED 15W / 1500 lm

265803 White

3000 K  
910 lm

123936




P. 156




## Candy

Metal frame with satin nickel finish.  
White acid-etched blown glass  
diffuser.



2,500 Kg / 0,0799 m<sup>3</sup>  
E27 max 1 x 42W

086781 White



123899




P. 158 P. 469



## Cotton

Metal base finished with white  
powder paint. Acid-etched white  
blown glass with screw fastening.

**LED** Bulbs LED G9 3W 3000 K included in  
model **297750**. Cod. **209043**




2,400 Kg / 0,0810 m<sup>3</sup>  
E27 max 1 x 42W

327891 White



123899



0,810 Kg / 0,0369 m<sup>3</sup>  
E27 max 1 x 42W

297743 White



123899



0,200 Kg / 0,0060 m<sup>3</sup>  
G9 max 1 x 4W

297750 White



305486




P. 159



# Mapa

White metal base and fastening system. White blown acid-etched spherical glass diffuser.




IP20

2,590 Kg / 0,1290 m<sup>3</sup>  
E27 max 1x42W

059839 White

3000 K  
910 lm


119571



P. 168 P. 384 P. 470

# Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering.




IP20

1,700 Kg / 0,0813 m<sup>3</sup>  
E27 max 1x25W

317120 White

3000 K  
910 lm

119571



IP20

1,150 Kg / 0,0370 m<sup>3</sup>  
E27 max 1x25W

317113 White

3000 K  
430 lm

101279




P. 170 P. 385 P. 468 P. 519



# Topico <sup>new</sup>

Matt varnished metal frame. Double glass diffuser: acid-etched white inside, clear with smoked shade on the upper part outside. Color: black.


**LED** LED source 3000 K, 30.000 h life.



IP20

2,250 Kg / 0,0843 m<sup>3</sup>  
LED 19W / 1850 lm

333014 SmokGra <sup>new</sup>



IP20

1,760 Kg / 0,0327 m<sup>3</sup>  
LED 12W / 1450 lm

333007 SmokGra <sup>new</sup>



P. 148

# Ovalino

Enamelled metal frame. Diffuser composed of curved acid-etched glass sheets.



IP20 <b>7,700 Kg / 0,1448 m³</b> <b>E27 max 8 x 60W</b>	IP20 <b>5,100 Kg / 0,1202 m³</b> <b>E27 max 5 x 60W</b>
---	---

094014 White	093963 White
--------------	--------------

3000 K 900 lm <b>123899</b>	3000 K 900 lm <b>123899</b>
-----------------------------------	-----------------------------------

P. 157 P. 382



# Cloud

Metal frame and decorative elements with matt varnish finish. Acrylic opal color diffusers. Indirect light emission. Color: white.

**LED** LED source 3000 K, 17.500 h life.



IP20 <b>4,700 Kg / 0,0792 m³</b> <b>LED 46W / 3350 lm</b>	IP20 <b>3,200 Kg / 0,0647 m³</b> <b>LED 33W / 2450 lm</b>
---	---


285207 White	263519 White
--------------	--------------



# Corolla

Matt white varnished metal frame. Opal satin polycarbonate diffuser.

**LED** LED source 3000 K, 50.000 h life.



IP20 <b>2,450 Kg / 0,0274 m³</b> <b>LED 24W / 2750 lm</b>	IP20 <b>2,450 Kg / 0,0304 m³</b> <b>LED 24W / 2750 lm</b>
---	---

297149 White	297101 White
--------------	--------------





# Ziggy

Powder-coated metal body. Satin opal color polycarbonate inner diffusing faces.

**LED** LED source 3000 K, 50.000 h life.



IP20

6,660 Kg / 0,0953 m<sup>3</sup>  
LED 62W / 7350 lm


317908 White  
321615 Black



IP20

4,000 Kg / 0,0553 m<sup>3</sup>  
LED 43W / 4400 lm


293790 White  
307213 Black



IP20

2,500 Kg / 0,0324 m<sup>3</sup>  
LED 30W / 3150 lm

293783 White  
307206 Black



IP20

1,350 Kg / 0,0096 m<sup>3</sup>  
LED 21W / 2750 lm

293776 White  
293769 Black



# Planet

Matt varnished metal base and central reflecting disc. Satin opal polycarbonate diffuser. Finishes: white, black.

**LED** LED source 3000 K, 30.000 h life.



IP20	IP20	IP20	IP20
2,950 Kg / 0,0365 m <sup>3</sup> LED 29W / 2650 lm	2,150 Kg / 0,0257 m <sup>3</sup> LED 25W / 2250 lm	1,350 Kg / 0,0168 m <sup>3</sup> LED 20W / 1850 lm	0,820 Kg / 0,0097 m <sup>3</sup> LED 15W / 1350 lm
312378 White 312361 Black	312354 White 328157 Black	312347 White 312330 Black	312323 White 328140 Black





# Mix Up

Powder-coated metal frame and interchangeable shades. Finishes: white or black.



50	602	400	300	280
IP20				
0,270 Kg / 0,005 m³ E27 max 1x 60W	2,000 Kg / 0,0676 m³	1,100 Kg / 0,0446 m³	0,800 Kg / 0,0147 m³	0,500 Kg / 0,0174 m³
292847 White 292830 Black	288437 White 288420 Black	307404 White 288475 Black	307411 White 288444 Black	307428 White 288451 Black
3000 K 900 lm 123899				





## Set Up <sup>new</sup>


Powder coated frames.  
Lampshades in fireproof PVC covered with fabric. Lampshade colors: beige, dove grey, white, black or wood.




2,000 Kg / 0,1384 m<sup>3</sup>



1,260 Kg / 0,0674 m<sup>3</sup>




0,770 Kg / 0,0221 m<sup>3</sup>




0,460 Kg / 0,0228 m<sup>3</sup>

345918 White <sup>new</sup>	260471 White	260457 White	260433 White
345932 Dove Grey <sup>new</sup>	304632 Dove Grey	304625 Dove Grey	304618 Dove Grey
345925 Black <sup>new</sup>	270029 Black	270012 Black	270005 Black
339269 Beige <sup>new</sup>	260488 Beige	260464 Beige	260440 Beige
339276 Wood <sup>new</sup>	345901 Wood <sup>new</sup>	345895 Wood <sup>new</sup>	345888 Wood <sup>new</sup>



IP20

1,000 Kg / 0,0047 m<sup>3</sup>  
E27 max 4 x 42W




IP20

1,000 Kg / 0,0047 m<sup>3</sup>  
E27 max 4 x 42W



IP20

0,850 Kg / 0,0041 m<sup>3</sup>  
E27 max 3x 42W



IP20

0,300 Kg / 0,0010 m<sup>3</sup>  
E27 max 1x 42W

320373 White <sup>new</sup>	320373 White <sup>new</sup>	348278 White <sup>new</sup>	277288 White <sup>new</sup>
-----------------------------	-----------------------------	-----------------------------	-----------------------------

3000 K  
900 lm  
123899

3000 K  
900 lm  
123899

3000 K  
900 lm  
123899


3000 K  
900 lm  
123899




0,500 Kg / 0,0423 m<sup>3</sup>



0,700 Kg / 0,0259 m<sup>3</sup>



0,280 Kg / 0,0108 m<sup>3</sup>



0,100 Kg / 0,0061 m<sup>3</sup>



339252 Clear <sup>new</sup>	270050 Clear	270043 Clear	346847 Clear <sup>new</sup>
-----------------------------	--------------	--------------	-----------------------------








## Set Up Slim <sup>new</sup>

Powder coated frames.  
Lampshades in fireproof PVC covered with fabric. Lampshade colors: beige, dove grey, white, black or wood.



1,200 Kg / 0,1903 m<sup>3</sup>    0,750 Kg / 0,1172 m<sup>3</sup>    0,440 Kg / 0,0415 m<sup>3</sup>


346069	White	new	339290	White	new	345987	White	new
339283	Dove Grey	new	346045	Dove Grey	new	346007	Dove Grey	new
346083	Black	new	346038	Black	new	345994	Black	new
346052	Beige	new	346014	Beige	new	345970	Beige	new
346076	Wood	new	346021	Wood	new	339306	Wood	new



1,000 Kg / 0,0047 m<sup>3</sup>    1,000 Kg / 0,0047 m<sup>3</sup>    0,850 Kg / 0,0041 m<sup>3</sup>  
E27 max 4 x 42W    E27 max 4 x 42W    E27 max 3x 42W

320373	White	new	320373	White	new	348278	White	new
--------	-------	-----	--------	-------	-----	--------	-------	-----

3000 K	900 lm	123899	3000 K	900 lm	123899	3000 K	900 lm	123899
--------	--------	--------	--------	--------	--------	--------	--------	--------



0,500 Kg / 0,0423 m<sup>3</sup>    0,700 Kg / 0,0259 m<sup>3</sup>    0,280 Kg / 0,0108 m<sup>3</sup>

339252	Clear	new	270050	Clear	270043	Clear
--------	-------	-----	--------	-------	--------	-------







346144 346168 346151 346137 339320

## Set Up Ultra Slim <sup>new</sup>


Powder coated frames.  
Lampshades in fireproof PVC covered with fabric. Lampshade colors: beige, dove grey, white, black or wood.



346182	White	new	346144	White	new	339337	White	new
346205	Dove Grey	new	346168	Dove Grey	new	346120	Dove Grey	new
339313	Black	new	346151	Black	new	346113	Black	new
346175	Beige	new	346137	Beige	new	346090	Beige	new
346199	Wood	new	339320	Wood	new	346106	Wood	new



320373	White	new	320373	White	new	348278	White	new
123899	3000 K 900 lm		123899	3000 K 900 lm		123899	3000 K 900 lm	



339252	Clear	new	270050	Clear		270043	Clear	
--------	-------	-----	--------	-------	--	--------	-------	--





# Simply

Transparent frosted glass diffuser. Chrome metal glass holders with cast-on cast-off mechanism.



500 125	400 120	300 120	250 90
IP20	IP20	IP20	IP20
3,190 Kg / 0,0511 m <sup>3</sup> E27 max 4 x 60W	1,670 Kg / 0,0284 m <sup>3</sup> E27 max 3 x 60W	1,010 Kg / 0,0107 m <sup>3</sup> E27 max 2 x 60W	0,670 Kg / 0,0060 m <sup>3</sup> E27 max 1 x 60W
007991 White	007984 White	007977 White	007960 White
3000 K 340 lm 101286	3000 K 340 lm 101286	3000 K 340 lm 101286	3000 K 340 lm 101286

# Lana

Transparent glass diffuser with silkscreen decorations inside and sandblasted outside. Chrome metal glass holders.



400 105 140	300 100 300
IP20	IP20
1,500 Kg / 0,0279 m <sup>3</sup> E27 max 3 x 60W	0,800 Kg / 0,0168 m <sup>3</sup> E27 max 2 x 60W
068145 White	068138 White
3000 K 340 lm 101286	3000 K 340 lm 101286



P. 153



# Shell

Plate-worked glass diffuser with grit decoration inside. Glass holder with metal detail. Available versions: clear glass with chrome detail or amber glass with gold detail.

600 200	500 200	400 120
IP20	IP20	IP20
8,850 Kg / 0,0943 m <sup>3</sup> E27 max 6 x 60W	6,150 Kg / 0,0647 m <sup>3</sup> E27 max 4 x 60W	3,940 Kg / 0,0381 m <sup>3</sup> E27 max 3 x 60W
008622 Clear 140193 Amber	008615 Clear 140186 Amber	008608 Clear 140179 Amber
3000 K 430 lm 101279	3000 K 430 lm 101279	3000 K 430 lm 101279



008622



140193



## Look

Turned aluminum fixing base.  
White, black or satin brass powder coated metal cylindrical diffuser.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. **123943**

<p>950 60</p>	<p>750 60</p>	<p>400 60</p>	<p>200 60</p>
<p>IP20</p> <p>3,070 Kg / 0,0053 m<sup>3</sup> GU10 max 1x28W</p>	<p>IP20</p> <p>1,380 Kg / 0,0043 m<sup>3</sup> GU10 max 1x28W</p>	<p>IP20</p> <p>0,740 Kg / 0,0025 m<sup>3</sup> GU10 max 1x28W</p>	<p>IP20</p> <p>0,400 Kg / 0,0013 m<sup>3</sup> GU10 max 1x28W</p>
<p>259260 White 259277 Black</p>	<p>233352 White 233321 Black</p>	<p>233215 White 233192 Black</p>	<p>233079 White 233062 Black 285214 Brass</p>
<p>3000 K 540 lm</p> <p>123943</p>	<p>3000 K 540 lm</p> <p>123943</p>	<p>3000 K 540 lm</p> <p>123943</p>	<p>3000 K 540 lm</p> <p>123943</p>

P. 078 P. 381 P. 506 P. 698

## Sky

White, black powder coated metal diffuser and body. Fastening system without visible screws.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. **123943**

<p>750 60</p>	<p>400 60</p>	<p>200 60</p>
<p>IP20</p> <p>1,940 Kg / 0,0047 m<sup>3</sup> GU10 max 1x28W</p>	<p>IP20</p> <p>1,090 Kg / 0,0027 m<sup>3</sup> GU10 max 1x28W</p>	<p>IP20</p> <p>0,600 Kg / 0,0016 m<sup>3</sup> GU10 max 1x28W</p>
<p>234007 White 233970 Black</p>	<p>233833 White 233826 Black</p>	<p>233772 White 233765 Black</p>
<p>3000 K 540 lm</p> <p>123943</p>	<p>3000 K 540 lm</p> <p>123943</p>	<p>3000 K 540 lm</p> <p>123943</p>

P. 083 P. 381




# Nitro Round new

White or black matt varnished aluminum body. Internally finished with plastic mask. Integrated LED source with lens.


Source	LED DOB / COB	Insulation class	I - II
Power	4W / 25W	IP	20
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	2700 K / 3000 K		
CRI	≥90		
LED life	50.000 h		

## LED DOB




Power	Beam	Lumen	CCT	Finish	Code
4 W	40°	290 lm	2700K	White	342788 <small>new</small>
				Black	342795 <small>new</small>
		320 lm	3000K	White	299419
				Black	299402

## LED COB BRIDGELUX




Power	Beam	Lumen	CCT	Finish	Code
10 W	28°	900 lm	2700 K	White	341781 <small>new</small>
				Black	341798 <small>new</small>
		1000 lm	3000 K	White	205991
				Black	206004

## LED COB BRIDGELUX




Power	Beam	Lumen	CCT	Finish	Code
15 W	36°	1400 lm	3000 K	White	205977
				Black	205984

## LED COB BRIDGELUX



Power	Beam	Lumen	CCT	Finish	Code
25 W	33°	2350 lm	3000 K	White	319568
				Black	322711



# Nitro Square

White or black matt varnished aluminum body. Internally finished with plastic mask. Integrated LED source with lens.


Source	LED DOB / COB	Insulation class	I - II
Power	5W / 25W	IP	20
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K / 4000 K		
CRI	≥90		
LED life	50.000 h		



## LED DOB

Power	Beam	Lumen	CCT	Finish	Code
5 W	40°	370 lm	3000K	White	319797
				Black	319803


0,100 Kg/0,0004 m<sup>3</sup>



## LED COB BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code
10 W	28°	1000 lm	3000 K	White	206035
				Black	206042


0,230 Kg/0,0005 m<sup>3</sup>



## LED COB BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code
15 W	36°	1400 lm	3000 K	White	206011
				Black	206028

0,400 Kg/0,0013 m<sup>3</sup>



## LED COB BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code
25 W	33°	2350 lm	3000 K	White	319575
				Black	319582

0,700 Kg/0,0016 m<sup>3</sup>



319803






## Kubiko

Powder coated aluminum body.  
Shiny opal polycarbonate diffuser.  
Magnetic fastening system.  
Finishes: white, black.

**LED** LED source 3000 K, 30.000 h life.



IP20

0,660 Kg / 0,0020 m<sup>3</sup>  
LED 10W / 1100 lm

303321 White  
303314 Black



303321

303314

## Mood

Metal structure available with square or round section. Black inside and white or black colour outside. Adjustable inner diffuser.

**LED** Bulbs GU10 7W and GU10 10W 3000 K included.




IP20

1,210 Kg / 0,0061 m<sup>3</sup>  
GU10 max 1x 50W

140872 White  
243450 Black

3000 K  
750 lm

189031



IP20

0,400 Kg / 0,0022 m<sup>3</sup>  
GU10 max 1x 28W

140841 White  
243924 Black

3000 K  
540 lm

123943




IP20

1,420 Kg / 0,0068 m<sup>3</sup>  
GU10 max 1x 50W

140933 White  
243931 Black

3000 K  
750 lm

189031



IP20

0,460 Kg / 0,0023 m<sup>3</sup>  
GU10 max 1x 28W

140902 White  
243948 Black

3000 K  
540 lm

123943



140841

243924



# Spike

Powder coated or plated aluminum body. Available with GX53 or integrated LED source with satin opal polycarbonate diffuser. Colors: white, black or satin brass.

**LED** Bulbs LED GX53 9W 3000 K included. Cod. **123936**. LED source 3000 K, 25.000 h life. Cod. **345468, 336008, 345475**



285238




310893



328799




317496



IP20

0,340 Kg / 0,0012 m<sup>3</sup>  
LED 10W / 1100 lm

345468 White **new**  
336008 Black **new**  
345475 Brass **new**




IP20

0,240 Kg / 0,0017 m<sup>3</sup>  
GX53 max 1x 15W

277417 White  
310886 Chrome  
278704 Black  
285238 Brass  
310893 Copper

3000 K  
910 lm  
123936



IP20

0,220 Kg / 0,0014 m<sup>3</sup>  
GX53 max 1x 15W

317489 White  
328799 Chrome  
317496 Black  
317502 Brass  
328812 Copper

3000 K  
910 lm  
123936




P. 697



# Oak

Gypsum or concrete body.  
Adjustable central bulb holder  
made of varnished metal.


 Item suitable for painting and varnishing.



 IP20

1,730 Kg / 0,0082 m<sup>3</sup>  
GU10 max 1x35W

150420  White  
150437  Concrete

 3000 K  
410 lm






108292



# Tower

Plastic installing base with bayonet system. Total gypsum body. It fits replaceable GU10 bulbs.

 Item suitable for painting and varnishing.




 IP20


 IP20


0,430 Kg / 0,0023 m<sup>3</sup>  
GU10 max 1x35W

0,620 Kg / 0,0023 m<sup>3</sup>  
GU10 max 1x35W

155869  White

155791  White

 3000 K  
410 lm

 3000 K  
410 lm


108292

108292



# Lika


Family of recessed rectangular LED modules in die-cast aluminium, painted black or white with polycarbonate reflector. Modules available with five lenses. Specially designed to avoid glare (UGR <16), best for installation in OFFICES and SHOPS.



 IP20

0,370 Kg / 0,0011 m<sup>3</sup>  
LED 12,5W / 1200 lm

248530  White  
244884  Black

 LED source 3000 K, 50.000 h life.




P. 784



## Play

Powder coated die-cast aluminum base, junction and orientable body. Knurled clear acrylic diffuser. Available with black finish or white finish with black rear cover and front inner ring.

**LED** LED source 3000 K, 30.000 h life.



IP20

0,240 Kg / 0,0010 m<sup>3</sup>  
LED 7W / 520 lm

258287 White  
268101 Black


 P. 778



## Dynamite

Powder coated or plated or brushed metal frame. Adjustable diffusers.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. 123943



IP20

0,430 Kg / 0,0037 m<sup>3</sup>  
GU10 max 1x28W


231495 White  
231471 Black  
244662 Brass

 P. 096

## Toby

Powder coated die cast aluminum frame. Adjustable diffusers: they can be rotated or inclined. Colors: white or black.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. 123943



IP20

0,220 Kg / 0,0008 m<sup>3</sup>  
GU10 max 1x35W

271538 White  
271545 Black

3000 K  
540 lm








## Petit

Plated or matt varnished metal body. Fastening system without visible screws. Available finishes: white, brass and black.

**LED** Bulbs LED E27 8W Globo D95 3000 K included in models: **232966**, **232980** and **233031**. Cod. **101330**



0,790 Kg / 0,0071 m<sup>3</sup>  
E27 max 1x42W

232966 White  
232980 Black  
233031 Brass

3000 K  
950 lm


101330



232966 232980 233031

## Winery

Enamelled ceramic body with integrated bulb socket with shiny white or black enamel finish.



0,290 Kg / 0,0004 m<sup>3</sup>  
E27 max 1x60W

155227 White  
155142 Black

3000 K  
1050 lm


101323



155227 155142 P. 416

# Mouse

Metal base, frame and diffuser finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



IP20  
1,900 Kg / 0,0157 m<sup>3</sup>  
GU10 max 4 x 50W

073583 White  
156712 Black

3000 K  
410 lm  
108292 P. 412 P. 694



# Spot

Metal base, frame and diffusers finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



IP20  
1,320 Kg / 0,0139 m<sup>3</sup>  
GU10 max 4 x 28W

156774 White  
156781 Black

3000 K  
410 lm  
108292 P. 412 P. 694



# Oby

Matt white varnished metal frame with chromed junctions. Adjustable body with white plastic diffuser.

LED LED source 3000 K, 20.000 h life.

P. 415



IP20 IP20  
1,210 Kg / 0,0058 m<sup>3</sup> 0,870 Kg / 0,0038 m<sup>3</sup>  
LED 24W / 2800 lm LED 18W / 2100 lm

196718 White 196701 White





















# Rudy

White or black powder coated die-cast aluminium frame. Adjustable diffusers: they can be rotated and reclined.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. **123943**



			
760 125 125	540 125 125	760 110 125	540 110 125
 	 	 	 
1,230 Kg / 0,0057 m <sup>3</sup> GU10 max 4 x 35W	1,080 Kg / 0,0041 m <sup>3</sup> GU10 max 3 x 35W	1,230 Kg / 0,0057 m <sup>3</sup> GU10 max 3 x 35W	1,080 Kg / 0,0041 m <sup>3</sup> GU10 max 3 x 35W
229089 White 229072 Black	229065 White 229058 Black	294827 White 321523 Black	294810 White 321516 Black
 3000 K 540 lm	 3000 K 540 lm	 3000 K 540 lm	 3000 K 540 lm
123943	123943	123943	123943



## Profilo


Base with recessed fastening and adjustable powder coated metal diffuser. Finishes: white, black.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. **123943**



314716

314723



## Glim

Total powder painted metal frame available in white or black color. Adjustable diffuser with replaceable bulb.


**LED** Bulbs LED GU10 10W 3000 K included.  
Cod. **189031**




200194

200231

P. 695









## Nodi

Chrome or satin brass metal frame. White acid-etched blown or transparent or chrome glass diffusers.




3,200 Kg / 0,1012 m<sup>3</sup>  
E14 max 5 x 28W

200484 Chrome




101200



3,200 Kg / 0,1012 m<sup>3</sup>  
E14 max 5 x 28W

073712 White  
241050 Brass




101200

## Nodino

Metal frame with chrome or matt white paint finish. White acid-etched blown glass diffuser.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. 209043



3,160 Kg / 0,3975 m<sup>3</sup>  
G9 max 9 x 15W

149622 White  
133393 Chrome



305486



P. 175



## Perlage

Metal frame with round section linear structure or squared section round structure. Blown glass diffusers. Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**




328423



328416




328409



7,520 Kg / 0,1314 m<sup>3</sup>  
G9 max 18 x 15W

328393 White  
328386 Smok.Gra.  
328379 Amber


P. 106 P. 423 P. 473 P. 498



2,780 Kg / 0,0605 m<sup>3</sup>  
G9 max 10 x 15W

327815 White  
309286 Smok.Gra.  
327808 Amber


3000 K  
510 lm  
305486



3,870 Kg / 0,0622 m<sup>3</sup>  
G9 max 9 x 15W

328423 White  
328416 Smok.Gra.  
328409 Amber

3000 K  
510 lm  
305486



1,550 Kg / 0,0385 m<sup>3</sup>  
G9 max 6 x 15W

309279 White  
309262 Smok.Gra.  
327822 Amber


3000 K  
510 lm  
305486





## Triumph

Plated metal base, arm and bulb holder cover. Color: old brass.



IP20

3,270 Kg / 0,0454 m<sup>3</sup>  
E27 max 8 x 42W

160313 Brass

2200 K  
370 lm


151687

P. 098 P. 424

## Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. Color: matt black with satin brass detail.

LED Bulbs LED G9 3W 3000 K included.  
Cod. 209043



IP20

2,800 Kg / 0,1535 m<sup>3</sup>  
G9 max 5 x 15W

273631 Black

3000 K  
510 lm

305486


P. 105 P. 421 P. 473 P. 497





## Multiflex

Metal structure finished with matt paint. Flexible metal arms covered with rubber.



IP20

4,330 Kg / 0,0353 m<sup>3</sup>  
E14 max 8 x 28W

159010 Color

3000 K  
420 lm

101217

## Octopus

Metal base with matt finish. Flexible arms covered with white or multicolor rubber. Blown and sandblasted clear glass diffusers.

LED Bulbs LED G9 3W 3000 K included.  
Cod. 209043



IP20

3,000 Kg / 0,0390 m<sup>3</sup>  
G9 max 6 x 28W

174921 White  
174976 Color

3000 K  
510 lm

305486






## Maracas

Total metal frame with stain brass finish. Adjustable transparent blown glass diffusers.

**LED** Bulbs LED G4 2W 3000 K included.  
Cod. 222257




**P.** 424



## Gourmet

Matt varnished metal ceiling cap and frame. White blown acid-etched glass diffusers. Available finishes: black and satin brass.





## Atlas

Matt varnished metal frame with adjustable arms. Acid-etched white blown glass diffusers. Finishes: white, black, gold.


**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**



328201

311357

311340




2,400 Kg / 0,0591 m<sup>3</sup>  
G9 max 5 x 4W

328225 White  
328218 Black  
311364 Gold

3000 K  
510 lm

305486



1,500 Kg / 0,0397 m<sup>3</sup>  
G9 max 3 x 4W

328201 White  
311357 Black  
311340 Gold

3000 K  
510 lm



305486



## Cosmopolitan

Metal frame with matt varnish finish. White acid-etched blown glass diffusers. Colors: black with satin brass details.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**



7,600 Kg / 0,1787 m<sup>3</sup>  
G9 max 12 x 15W

6,500 Kg / 0,1397 m<sup>3</sup>  
G9 max 10 x 15W

3,040 Kg / 0,0579 m<sup>3</sup>  
G9 max 8 x 15W

273709 Black

273693 Black

328485 Black

3000 K  
510 lm

3000 K  
510 lm

3000 K  
510 lm

305486

305486

305486





## Angolo


Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Available finishes: black or satin brass.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**



284286

284330



IP20

1,650 Kg / 0,0377 m<sup>3</sup>  
G9 max 3 x 28W

284286 ■ Black  
284330 ■ Brass

3000 K  
510 lm  
305486

P. 476 P. 500



## Lingotto

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.



IP20

5,580 Kg / 0,0540 m<sup>3</sup>  
E14 max 4 x 28W

327860 ■ Black  
198156 ■ Brass

3000 K  
420 lm  
101217



IP20

3,370 Kg / 0,0451 m<sup>3</sup>  
E14 max 2 x 28W

304137 ■ Black  
198149 ■ Brass

3000 K  
420 lm  
101217



IP20

1,810 Kg / 0,0183 m<sup>3</sup>  
E14 max 1 x 28W

327853 ■ Black  
198132 ■ Brass

3000 K  
420 lm  
101217

P. 100 P. 477




## Ping Pong

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. Finishes: white, black, brushed brass.



**LED** LED source 3000 K, 50.000 h life.




**P** P P  
P. 428 P. 472 P. 505

## Binomio

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: white, black, brushed brass.

**LED** Bulbs LED G9 3W 3000 K included. Cod. **209043**



**P**  
P. 429







## Hermes

Plated metal base and frame. White blown acid-etched glass diffusers. Available finishes: white or satin brass.

**LED** Bulbs LED G9 3W 3000 K included. Cod. **209043**



316680 288277

316680 White 288277 Brass	322674 White 288260 Brass	322698 White 316697 Brass	322667 White 317007 Brass
3000 K 510 lm	3000 K 510 lm	3000 K 510 lm	3000 K 510 lm
305486	305486	305486	305486

## Ninfea

Plated or powder-coated metal base. White acid-etched blown glass diffusers. Available finishes: white or satin brass.

**LED** Bulbs LED GX53 9W 3000 K included. Cod. **123936**



306957 293653

306964 White 293660 Brass	306957 White 293653 Brass
3000 K 910 lm	3000 K 910 lm
123936	123936

**P. 431** **P. 471**




## Penta

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: brushed gold.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**

**P**  
P. 431




## Lumiere

Matt black varnished metal frame and details. White central tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements.

**LED** LED source 3000 K, 25.000 h life.

**P** **P** **P**  
P. 178 P. 465 P. 496








## Daisy

Metal base with gold leaf finish.  
White acid-etched blown glass  
diffusers with stripes in relief.



IP20

12,000 Kg / 0,1711 m<sup>3</sup>  
E27 max 6 x 52W

247779 Gold

3000 K  
900 lm

123899



## Compo

Chrome or matt white varnished  
metal frame. White overlay acid-  
etched or transparent smoky blown  
glass diffusing elements.



IP20

17,200 Kg / 0,3008 m<sup>3</sup>  
E27 max 10 x 52W

125510 White  
172804 Smoky Grey

3000 K  
910 lm

119571



IP20

9,900 Kg / 0,1918 m<sup>3</sup>  
E27 max 6 x 52W

125503 White  
172828 Smoky Grey

3000 K  
910 lm

119571



125503



172828



## Roma

Chrome metal frame and details.  
Square-shaped crystal elements on sides and sandblasted bottom glass sheet.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**

600	500	400	300
IP20	IP20	IP20	IP20
9,600 Kg / 0,1220 m³ G9 max 12 x 40W	6,800 Kg / 0,0905 m³ G9 max 9 x 40W	4,800 Kg / 0,0588 m³ G9 max 6 x 40W	2,500 Kg / 0,0390 m³ G9 max 4 x 40W
087870 Chrome	087863 Chrome	000657 Chrome	093093 Chrome
3000 K 510 lm	3000 K 510 lm	3000 K 510 lm	3000 K 510 lm
305486	305486	305486	305486

P. 438 P. 486

## Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings. Bottom part closed with sandblasted glass disk.

650	550	400
IP20	IP20	IP20
13,000 Kg / 0,1809 m³ E14 max 14 x 40W	8,800 Kg / 0,1040 m³ E14 max 10 x 40W	6,200 Kg / 0,0529 m³ E14 max 6 x 40W
164991 Chrome 165004 Gold	100746 Chrome 100791 Gold	100784 Chrome 100807 Gold
3000 K 480 lm	3000 K 480 lm	3000 K 480 lm
101200	101200	101200



P. 205 P. 438





## King

Diffuser composed of chrome or golden metal rings with octagonal crystals set inside.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**




073255

073262



P. 200




6,250 Kg / 0,0946 m<sup>3</sup>  
G9 max 9 x 40W

073255 Chrome  
073262 Gold

3000 K  
510 lm

305486




3,200 Kg / 0,0487 m<sup>3</sup>  
G9 max 5 x 40W

075419 Chrome  
073187 Gold

3000 K  
510 lm

305486



1,750 Kg / 0,0240 m<sup>3</sup>  
G9 max 3 x 40W

075389 Chrome  
075402 Gold


3000 K  
510 lm

305486

## Admiral

Diffuser composed of metal rings welded together and of cut crystal parts set inside.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**





7,050 Kg / 0,0731 m<sup>3</sup>  
G9 max 8 x 40W

080352 Chrome

3000 K  
510 lm

305486




4,580 Kg / 0,0486 m<sup>3</sup>  
G9 max 6 x 40W

080345 Chrome

3000 K  
510 lm

305486



3,000 Kg / 0,0318 m<sup>3</sup>  
G9 max 4 x 40W

080338 Chrome

3000 K  
510 lm

305486



# Armony

Matt varnished metal frame.  
Hanging decorative elements  
in metal wire with transparent  
chromed glass beads. Finishes:  
white.

**LED** LED source 3000 K, 30.000 h life.





750	600	500
<b>10,500 Kg / 0,0961 m<sup>3</sup></b> <b>LED 70W / 6700 lm</b>	<b>7,830 Kg / 0,0634 m<sup>3</sup></b> <b>LED 56W / 5450 lm</b>	<b>5,050 Kg / 0,0393 m<sup>3</sup></b> <b>LED 48W / 4700 lm</b>
<b>315812</b> White	<b>315805</b> White	<b>328492</b> White





022239






077802

082783

## Neve

Plated metal frame. Decorative glass balls fixed to nylon strings.  
Frame Color: chrome. Glasses color: clear.





**LED** Bulbs LED G9 3W 3000 K included.  
Cod. 209043

		
800	630	405
IP20	IP20	IP20
11,250 Kg / 0,1524 m <sup>3</sup> G9 max 15 x 40W	7,420 Kg / 0,0920 m <sup>3</sup> G9 max 12 x 40W	3,590 Kg / 0,0344 m <sup>3</sup> G9 max 8 x 40W
030784 Chrome	022239 Chrome	022222 Chrome
3000 K 510 lm	3000 K 510 lm	3000 K 510 lm
305486	305486	305486

## Moonlight

Metal frame available with chrome or gold finish. Pendants with octagons and cut crystals spheres.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. 209043


			
800	600	400	260
IP20	IP20	IP20	IP20
11,800 Kg / 0,1524 m <sup>3</sup> G9 max 15 x 40W	6,000 Kg / 0,0933 m <sup>3</sup> G9 max 12 x 40W	2,900 Kg / 0,0398 m <sup>3</sup> G9 max 8 x 40W	1,500 Kg / 0,0144 m <sup>3</sup> G9 max 5 x 40W
077819 Chrome 082790 Gold	077802 Chrome 082783 Gold	077796 Chrome 080932 Gold	094649 Chrome 094663 Gold
3000 K 510 lm	3000 K 510 lm	3000 K 510 lm	3000 K 510 lm
305486	305486	305486	305486



# Royal

Chrome metal circular frame and bulb socket. Squared, rectangular and octagonal cut crystal pendants and final drops.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**




IP20

5,900 Kg / 0,0881 m<sup>3</sup>  
G9 max 12 x 40W

053004 Chrome

3000 K  
510 lm

305486



IP20

2,840 Kg / 0,0379 m<sup>3</sup>  
G9 max 8 x 40W


052991 Chrome

3000 K  
510 lm

305486

# Rain

Chrome metal frame. Pendants composed of multi-shaped cut crystal beads and final drops.




IP20

3,820 Kg / 0,0225 m<sup>3</sup>  
E14 max 5 x 40W

008455 Chrome

3000 K  
470 lm

101224



IP20

1,800 Kg / 0,0094 m<sup>3</sup>  
E14 max 3 x 40W

008370 Chrome

3000 K  
470 lm

101224




P. 201



# Magnolia

Metal frame with gold finish. Clear cut crystals decorative elements. The upper part is composed alternatively of clear and smoky elements.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**



IP20

9,780 Kg / 0,0984 m<sup>3</sup>  
G9 max 7 x 15W


241296 Gold

3000 K  
510 lm

305486

# Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.




IP20

14,290 Kg / 0,3881 m<sup>3</sup>  
E14 max 24 x 28W

243566 Chrome  
243498 Brass

3000 K  
470 lm

101224




IP20

6,310 Kg / 0,1413 m<sup>3</sup>  
E14 max 6 x 28W

207186 Chrome  
201016 Brass

3000 K  
470 lm

101224



IP20

3,010 Kg / 0,0392 m<sup>3</sup>  
E14 max 3 x 28W

207162 Chrome  
200996 Brass

3000 K  
470 lm

101224



P. 208



P. 439



207186



201016





## Martinez

Chromed or golden metal frame.  
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



166285



213569



IP20

17,500 Kg / 0,0807 m<sup>3</sup>  
E14 max 8 x 40W

166285 Chrome  
213569 Gold

3000 K  
470 lm

101224



P. 202

## Carlton


Chromed or golden metal frame.  
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



168937



213507




IP20

13,840 Kg / 0,1563 m<sup>3</sup>  
E14 max 12 x 40W

168937 Chrome  
213507 Gold

3000 K  
470 lm

101224



IP20

10,200 Kg / 0,1066 m<sup>3</sup>  
E14 max 8 x 40W

168920 Chrome

3000 K  
470 lm

101224



P. 203 P. 439

# Wall lamps

Indoors



## Alphabetical index

Ali	387	Filo	392	Oby	415	Spot	412
Alma	394	Firenze	444	Opera	440	Strauss	443
Balance	371	Fix	366	Ovalino	382	Swan	440
Barber	415	Flash	380	Oz	362	Theo	393
Bean	402	Florian	442	Page	403	Tick	432
Binomio	429	Focus	398	Pan	430	Triplo	386
Birds	421	Frida	419	Pasha'	438	Triumph	424
Bonne Nuit	406	Gea	436	Paul	382	Tudor	387
Book	411	Gim	414	Pegaso	441	Winery	416
Bow	396	Gioconda	443	Peggy	365	Zig Zag	378
Box	367	Goose	400	Penta	431		
Camerino	388	Harem	446	Perlage	423		
Cantina	426	Hotel	437	Peter	445		
Carlton	439	Igor	420	Piano	409		
Carta	385	Io	399	Ping Pong	428		
Chalet	444	Kepler	422	Pipe	404		
Click	370	Komodo	408	Posta	368		
Clip	369	Linus	375	Pouche	365		
Corte	441	Lite	405	Pretty	388		
Cover	364	Look	381	Prive'	389		
Craft	374	Make-Up	395	Probe	410		
Cube	370	Mapa	384	Radio	417		
Delta	372	Maracas	424	Retro'	397		
Desk	374	Minimal	418	Riflesso	395		
Dodo	414	Mirror-10	396	Roma	438		
Dubai	439	Mirror-20	397	Rudy	413		
Dynamo	401	Moris	366	Santa	447		
Echo	376	Mouse	412	Set Up	434		
Eclissi	433	Negresco	442	Shower	427		
Edison	416	Newton	426	Sky	381		
Equinox	425	Ninfea	431	Smarties	385		
Essence	390	Nordik	436	Soda	383		





new




Oz 362 Cover 364



Click 370 Cube 370



FlashGesso 380 Sky 381



Triplo 386 Ali 387



Alma 394 Make Up 395



Goose 400 Dynamo 401



Probe 410 Book 411



Winery 416 Edison 416



Peggy 365 Pouché 365 Fix 366 Moris 366 Box 367 Posta 368 Clip 369



Balance 371 Delta 372 Desk 374 Craft 374 Linus 375 Echo 376 Zig Zag 378



Look 381 Paul 382 Ovalino 382 Soda 383 Mapa 384 Smarties 385 Carta 385



Tudor 387 Camerino 388 Pretty 388 Privè 389 Essence 390 Filo 392 Theo 393



Riflesso 395 Bow 396 Mirror-10 396 Mirror-20 397 Retrò 397 Focus 398 IO 399



Bean 402 Page 403 Pipe 404 Lite 405 Bonne Nuit 406 Komodo 408 Piano 409































Mouse 412 Spot 412 Rudy 413 Gim 414 Dodo 414 Oby 415 Barber 415



Radio 417 Minimal 418 Frida 419 Igor 420 Birds 421 Kepler 422 Perlage 423

# Indoors

## Typology index

						
Triumph 424	Maracas 424	Equinoxe 425	Cantina 426	Newton 426	Shower 427	Ping Pong 428
						
Penta 431	Ninfea 431	Tick 432	Eclissi 433	Set Up 434	Nordik 436	Gea 436
						
Pashà 438	Carlton 439	Dubai 439	Opera 440	Swan 440	Corte 441	Pegaso 441
						
Gioconda 443	Strauss 443	Firenze 444	Chalet 444	Peter 445	Harem 446	Santa 447

	
Binomio 429	Pan 430
	
Hotel 437	Roma 438
	
Negresco 442	Florian 442



Binomio

Pag 429




# Oz new

Plated or powder coated metal base and frame. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.


**LED** LED source 2700 / 3000 / 4000 K, 30.000 h life.

<b>Source</b>	LED SMD	<b>LED life</b>	30.000 h
<b>Power</b>	26W / 28W	<b>Insulation class</b>	II
<b>Driver included</b>	On/Off / DALI / Push	<b>IP</b>	20
<b>Drivers available</b>	No	<b>Material</b>	Aluminum
<b>CCT</b>	2700 K / 3000 K / 4000 K		
<b>CRI</b>	≥90		




### LED SMD Driver included

Power	Driver	Lumen	CCT	Finish	Code	
26 W	On-Off	2450 lm	2700 K	White	342221	<i>new</i>
				Black	342238	<i>new</i>
				Brass	342245	<i>new</i>
		2500 lm	3000 K	White	253695	
				Black	269399	
				Brass	269405	
		2650 lm	4000 K	White	342252	<i>new</i>
				Black	342269	<i>new</i>
				Brass	342276	<i>new</i>
28 W	DALI/Push	2500 lm	3000 K	White	304489	
				Black	304496	
				Brass	304502	







## Cover

White or black powder painted aluminum body. Opal color plastic diffuser. Light source made of integrated LED with mirrored light emission.

**LED** LED source 3000 K, 30.000 h life.

IP20	IP20	IP20	IP20
0,690 Kg / 0,0028 m³ LED 11W / 1000 lm	0,860 Kg / 0,0028 m³ LED 11W / 1000 lm	0,390 Kg / 0,0018 m³ LED 9,5W / 730 lm	0,510 Kg / 0,0018 m³ LED 9,5W / 730 lm
195711 White 195759 Black	195735 White 195773 Black	195704 White 195742 Black	195728 White 195766 Black

## Peggy

Powder coated metal base and frame with white finish. Satin acrylic diffuser. Indirect light emission.

**LED** LED source 3000 K, 50.000 h life.

IP20	IP20
0,710 Kg / 0,0068 m³ LED 15W / 1500 Lm	0,520 Kg / 0,0030 m³ LED 10,5W / 1080 Lm
257242 White	257235 White



## Pouche

Metal frame finished with white powder varnish. Satin clear acrylic diffuser. Indirect light emission.

**LED** LED source 3000 K, 20.000 h life.

IP20	IP20
1,440 Kg / 0,0055 m³ LED 15W / 2000 Lm	1,120 Kg / 0,0055 m³ LED 15W / 2000 Lm
259352 White	259345 White






# Fix

Matt white metal frame. Light diffuser-expander made of 6 mm-thick aluminum sheet. Integrated LED sources.

**LED** LED source 3000 K, 20.000 h life.



■ □ IP20

0,390 Kg / 0,0050 m<sup>3</sup>  
LED 5,5W / 440 lm

117867 White



# Moris

Chrome metal frame. Blown glass diffuser available in white color.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. 209043



■ □ IP20

0,520 Kg / 0,0071 m<sup>3</sup>  
G9 max 2 x 40W

034546 White

3000 K  
510 lm


305486



# Box

Chrome metal frame. Overlay and acid-etched glass diffuser. Color: white.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. 209043



■ □ IP20

0,660 Kg / 0,0100 m<sup>3</sup>  
G9 max 2 x 4W

009537 White

3000 K  
510 lm

305486






## Posta

Metal frame available with brushed aluminum or white enamel finish. Diffuser composed of three frosted transparent glass elements.



051963







009940

		
620	500	360
IP20	IP20	IP20
1,560 Kg / 0,0156 m <sup>3</sup> E14 max 4 x 40W	1,270 Kg / 0,0136 m <sup>3</sup> E14 max 3 x 40W	0,950 Kg / 0,0098 m <sup>3</sup> E14 max 2 x 40W
051987 White 009957 Aluminum	051970 White 009933 Aluminum	051963 White 009940 Aluminum
3000 K 480 lm	3000 K 480 lm	3000 K 480 lm
101200	101200	101200

## Clip

Metal sheet body with different finishes. Small size models supplied with sandblasted Pyrex glass diffusers.

**LED** Bulbs LED G9 3W 3000 K included in models: 049236, 091136, 049229, 091129 and 170923. Cod. 209043


	014166		088273
	031361		088266
	187365		049236
	091136		049229
	091129		170923
			305486
			101279
			305486
			305486



# Click

Total powder coated aluminum body with white finish. Up-and-down reflector inside.

**LED** LED source 3000 K, 20.000 h life.



<p>■  IP20</p> <p>0,600 Kg / 0,0040 m<sup>3</sup></p> <p>LED 12W / 1200 lm</p>	<p>■  IP20</p> <p>0,400 Kg / 0,0019 m<sup>3</sup></p> <p>LED 6W / 520 lm</p>
--	--


017518 White	051444 White
--------------	--------------



# Cube

Heat sink body made of aluminum sheet of 6 mm thickness. Powder coated. Integrated LED.

**LED** LED source 3000 K, 30.000 h life.



<p>■  IP20</p> <p>1,390 Kg / 0,0055 m<sup>3</sup></p> <p>LED 14,5W / 1800 lm</p>	<p>■  IP20</p> <p>0,800 Kg / 0,0028 m<sup>3</sup></p> <p>LED 8W / 900 lm</p>
--	--


161792 White	161785 White
--------------	--------------



# Balance

Powder coated aluminum frame. Adjustable diffuser with clear glass, frosted inside. Finishes: white, black.

**LED** LED source 3000 K, 30.000 h life.



<p>■  IP20</p> <p>2,200 Kg / 0,0111 m<sup>3</sup></p> <p>LED 24W / 3100 lm</p>	<p>■  IP20</p> <p>1,600 Kg / 0,0073 m<sup>3</sup></p> <p>LED 17W / 2200 lm</p>	<p>■  IP20</p> <p>1,200 Kg / 0,0056 m<sup>3</sup></p> <p>LED 12W / 1450 lm</p>
--	--	--


287584 White 321561 Black	287577 White 321554 Black	287560 White 321547 Black
------------------------------	------------------------------	------------------------------

# Delta

Powder-coated aluminum body.  
Shiny opal polycarbonate diffusers.  
Upward and downward light  
emission. Colours: black and white.


Source	LED SMD	Insulation class	I
Power	10W / 37W	IP	20
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K / 4000 K		
CRI	≥90		
LED life	35.000 h		

## LED SMD




Power	Beam	Lumen	CCT	Finish	Code	
10 W	120°+120°	1700 lm	3000K	White	345154	new
				Black	336510	new
		1800 lm	4000 K	White	345161	new
				Black	345178	new

## LED SMD




Power	Beam	Lumen	CCT	Finish	Code	
14 W	120°+120°	1550 lm	3000K	White	316789	new
				Black	345185	new
		1650 lm	4000 K	White	345192	new
				Black	345208	new

## LED SMD




Power	Beam	Lumen	CCT	Finish	Code	
19,5 W	120°+120°	2200 lm	3000 K	White	287645	
				Black	287638	
		2250 lm	4000 K	White	307015	
				Black	307022	

## LED SMD



Power	Beam	Lumen	CCT	Finish	Code	
30 W	120°+120°	3350 lm	3000 K	White	287621	
				Black	287614	
		3500 lm	4000 K	White	307039	
				Black	307046	

## LED SMD



Power	Beam	Lumen	CCT	Finish	Code	
37 W	120°+120°	4300 lm	3000 K	White	287607	
				Black	287591	
		4550 lm	4000 K	White	307053	
				Black	307060	





# Desk

Powder coated aluminium body with white or black finish. Satin acrylic diffusers. Upward and downward light emission.

**LED** LED source 3000 K, 30.000 h life.



■ IP20

0,640 Kg / 0,0045 m<sup>3</sup>  
LED 12,5W / 900 lm

138251 White  
173252 Black




P. 090



# Craft

Matt black varnished metal base. Natural wood body. Satin opal color polycarbonate diffuser. Downward light emission.

**LED** LED source 3000 K, 20.000 h life.



■ IP20

0,800 Kg / 0,0057 m<sup>3</sup>  
LED 12W / 1350 lm

284477 Wood



P. 091



P. 510





# Linus

Linear aluminum lamp with direct and indirect light for wall installation. The lamp is modular and can be used individually or in a continuous line. White or black finish available. Integrated LED, starting binning ≤ 3-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI ≥ 80. Dimmable power supply 1-10V integrated as standard.

**LED** LED source 3000/4000 K, 50.000 h life.

Lamp with dimmer.



■ IP20 Dimmer  
1,250 Kg / 0,0158 m<sup>3</sup>  
LED 32W / 3000/3500 lm

Connector  
Not included  
Optional

233840 White 3000K  
268095 White 4000K  
242019 Black 3000K  
268071 Black 4000K

233666




P. 624

# Echo

Powder coated or plated total aluminum base and diffuser. Indirect light emission. Colors: white, black, satin brass.

**LED** LED source 3000 K, 50.000 h life.



■ IP20

0,930 Kg / 0,0051 m<sup>3</sup>  
LED 30W / 3250 lm

■ IP20

0,640 Kg / 0,0032 m<sup>3</sup>  
LED 20W / 2200 lm

273945 White  
285306 Black  
285313 Brass

273914 White  
285283 Black  
285290 Brass




# Zig Zag new

Plated or powder coated aluminum body. 360° indirect light emission. Colors: white, black or brushed brass.

**LED** LED source 2700 / 3000 / 4000 K, 50.000 h life.

Source	LED SMD	LED life	50.000 h
Power	12,5W / 23W / 30W	Insulation class	I
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		

## LED SMD Driver included




0,450 Kg/0,0020 m<sup>3</sup>

Measure	Power	Driver	Lumen	CCT	Finish	Code
290x50	12,5 W	On-Off	1450 lm	2700 K	White	342641
				3000 K	White	179292
			1600 lm	4000 K	Black	179315
					Brass	282121
					White	277233

new

## LED SMD Driver included




0,770 Kg/0,0033 m<sup>3</sup>

Measure	Power	Driver	Lumen	CCT	Finish	Code
530x50	23 W	On-Off	2800 lm	2700 K	White	342658
				3000 K	White	179308
			3200 lm	4000 K	Black	179322
					Brass	282138
					White	277240

new


## LED SMD Driver included



1,040 Kg/0,0047 m<sup>3</sup>

Measure	Power	Driver	Lumen	CCT	Finish	Code
750x50	30 W	On-Off	3950 lm	2700 K	White	342665
				3000 K	White	277219
			4550 lm	4000 K	Black	277226
					Brass	287072
					White	277257

new



179315

282121



## Flash Gesso


Enameled metal base. Total gypsum body. Double light emission: upward and downward.

Item suitable for painting and varnishing.



214689

214696



IP20

0,710 Kg / 0,0049 m<sup>3</sup>  
G9 max 1x 40W

214689 White

3000 K  
510 lm

305486




IP20

0,770 Kg / 0,0024 m<sup>3</sup>  
G9 max 1x 40W

214672 White

3000 K  
510 lm

305486



IP20

0,950 Kg / 0,0034 m<sup>3</sup>  
G9 max 1x 40W

214696 White


3000 K  
510 lm

305486

## Sky

Metal base and diffuser: plated, matt varnished or decorated with gold leaf.

Bulbs LLED GU10 7W 3000 K included.  
Cod. 123943



IP20 INCLUSA

0,940 Kg / 0,0049 m<sup>3</sup>  
GU10 max 2x 28W

126883 White  
126890 Black  
136899 Gold

3000 K  
540 lm

123943



P. 083 P. 301




126883 126890 136899



## Look

Metal body with copper, chrome, antique brass, matt white or black finish.

Bulbs LED GU10 7W 3000 K included.  
Cod. 123943



IP20 INCLUSA

0,500 Kg / 0,0028 m<sup>3</sup>  
GU10 max 2x 28W

096018 White  
094182 Chrome  
095998 Black  
164847 Copper  
164823 Ant. Brass

3000 K  
540 lm

123943



096018 095998 164823



094182 164847




INCLUSA  
P. 078 P. 300 P. 506 P. 698



# Paul

Metal base with matt varnish finish. Blown acid-etched and overlay glass diffuser. Available with white finish.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**



■ IP20

0,560 Kg / 0,0064 m<sup>3</sup>  
G9 max 2 x 40W

060620 White


3000 K  
510 lm

305486



# Ovalino

Diffuser composed of circular elements created from curved and acid-etched glass sheet.



■ IP20

1,800 Kg / 0,0563 m<sup>3</sup>  
E27 max 2 x 60W

038025 White

3000 K  
340 lm

101286



P. 157




P. 284



# Soda

White chalk body. White enamel coated frame. Frosted clear glass bottom diffuser. Up-and-down light emission.

■ Item suitable for painting and varnishing.



■ IP20

2,630 Kg / 0,0154 m<sup>3</sup>  
E14 max 2 x 40W

105727 White

3000 K  
420 lm

101217

■ IP20

1,100 Kg / 0,0068 m<sup>3</sup>  
E14 max 1 x 40W

105710 White

3000 K  
420 lm


101217



## Smarties

Metal base. White acid-etched blown glass diffuser with fastening system without screws.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**



IP20

0,440 Kg / 0,0079 m<sup>3</sup>  
G9 max 1x 15W

014814 White

3000 K  
510 lm

305486

P. 154 P. 277 P. 469



## Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering.

**LED** Bulbs LED G9 3W 3000 K included in model **317090**. Cod. **209043**



## Mapa

White metal base and fastening system. White blown acid-etched spherical glass diffuser.

**LED** Bulbs LED G9 3W 3000 K included in models: **059808** and **310787**.  
Cod. **209043**

IP20	IP20	IP20	IP20	IP20	IP20
1,660 Kg / 0,0647 m <sup>3</sup> E27 max 1x 42W	0,900 Kg / 0,0259 m <sup>3</sup> E27 max 1x 42W	0,380 Kg / 0,0115 m <sup>3</sup> G9 max 1x 15W	0,230 Kg / 0,0025 m <sup>3</sup> G9 max 1x 4W	0,500 Kg / 0,0127 m <sup>3</sup> E27 max 1x 25W	0,200 Kg / 0,0027 m <sup>3</sup> G9 max 1x 15W
059822 White	059815 White	059808 White	310787 White	317106 White	317090 White
3000 K 430 lm	3000 K 430 lm	3000 K 510 lm	3000 K 510 lm	3000 K 430 lm	3000 K 510 lm
101279	101279	305486	305486	101279	305486

P. 168 P. 282 P. 470




P. 170 P. 282 P. 468 P. 519






## Ali

White acid-etched glass diffuser composed of one frontal and two side elements. Chrome glass holders.



1,410 Kg / 0,0157 m<sup>3</sup>  
E27 max 2 x 60W

026558 White




101286




## Tudor

Chrome metal base. Diffuser composed of cut clear glass sheet and half tube of Pyrex glass, sandblasted in the middle.




2,170 Kg / 0,0181 m<sup>3</sup>  
E27 max 2 x 60W

026480 White




101286




1,260 Kg / 0,0141 m<sup>3</sup>  
E27 max 1 x 60W

026473 White




101286




1,900 Kg / 0,0214 m<sup>3</sup>  
E14 max 4 x 40W

051864 Clear




101217




1,130 Kg / 0,0088 m<sup>3</sup>  
E14 max 2 x 40W

051857 Clear



101217



0,700 Kg / 0,0077 m<sup>3</sup>  
E14 max 1 x 40W

051840 Clear



101217






## Triplo

Triple glass diffuser. One transparent and plate on the base and two frosted and bent on the upper part. Chrome metal glass holders.

# Camerino

Aluminum base. White blown acid-etched glass diffuser closed on both sides with transparent acrylic ends.



		
650	520	370
IP20	IP20	IP20
1,170 Kg / 0,0157 m <sup>3</sup> E14 max 4 x 40W	0,960 Kg / 0,0123 m <sup>3</sup> E14 max 3 x 40W	0,780 Kg / 0,0097 m <sup>3</sup> E14 max 2 x 40W
027104 White	027098 White	027081 White
3000 K 420 lm 101217	3000 K 420 lm 101217	3000 K 420 lm 101217

# Pretty

Powder-coated aluminum base and side elements. Shiny opal color polycarbonate cylindrical diffuser. Available finish: white.

**LED** LED source 3000 K, 50.000 h life.

**IP54** Protection degree IP54.


		
1070	807	605
IP54	IP54	IP54
1,250 Kg / 0,0169 m <sup>3</sup> LED 24W / 3050 lm	1,120 Kg / 0,0137 m <sup>3</sup> LED 18W / 2200 lm	0,960 Kg / 0,0105 m <sup>3</sup> LED 11,5W / 1500 lm
287768 White	287775 White	287782 White



# Privè

Totally metal body with different finishes. The absence of diffuser allows putting on a wide range of E14 bulbs.

	
805	605
IP20	IP20
1,420 Kg / 0,0143 m <sup>3</sup> E14 max 8 x 40W	1,100 Kg / 0,0095 m <sup>3</sup> E14 max 6 x 40W
159423 White 045627 Chrome	159423 White 045627 Chrome 159508 Black 179681 Brass
3000 K 420 lm 101217	3000 K 420 lm 101217









# Essence <sup>new</sup>

Powder coated aluminum base and body. Opal color acrylic diffuser. Indirect lighting emission. Color: white or black.

**LED** LED source 2700/3000/4000 K, 30.000 h life.



265575	White	3000K	285115	White	3000K
341019	Black	2700K <sup>new</sup>	340999	Black	2700K <sup>new</sup>
285108	Black	3000K	265643	Black	3000K
341026	Black	4000K <sup>new</sup>	341002	Black	4000K <sup>new</sup>



## Filo

Powder coated or plated aluminum base and frame. Matt opal polycarbonate diffuser, 45° reclined. Finishes: white, black, brushed brass.

**LED** LED source 3000 K, 20.000 h life.





	<b>310138</b>				
				1150	750
				55°	55°
				110°	110°
				IP20	IP20
				0,610 Kg / 0,0138 m³	0,500 Kg / 0,0093 m³
				LED 16W / 1950 lm	LED 13W / 1400 lm
				327778 White	310138 White
				310152 Black	310145 Black
				327785 Brass	327792 Brass

    
P. 084 P. 456 P. 502

## Theo

Powder coated aluminum base and frame. Shiny opal polycarbonate diffuser. Finishes: white, black

**LED** LED source 3000 K, 30.000 h life.

	<b>311777</b>			
			1150	750
			40°	40°
			120°	120°
			IP20	IP20
			0,600 Kg / 0,0168 m³	0,520 Kg / 0,0112 m³
			LED 20,5W / 1350 lm	LED 13,5W / 900 lm
			327945 White	311777 White
			311784 Black	311760 Black





## Make Up

Powder-coated aluminium base and body. Satin clear acrylic diffuser. Downward light emission. Available finish: white.

**LED** LED source 3000 K, 50.000 h life.

**IP54** Protection degree IP54.

900	600	450
■ □ IP54	■ □ IP54	■ □ IP54
1,400 Kg / 0,0129 m <sup>3</sup> LED 27W / 3250 lm	1,200 Kg / 0,0088 m <sup>3</sup> LED 18W / 2200 lm	1,000 Kg / 0,0067 m <sup>3</sup> LED 12W / 1350 lm
287676 White	287669 White	287652 White



## Alma

Metal body with satin brass or chrome finish or white powder coated. Unmovable plastic diffuser in opal color.

**LED** LED source 3000 K, 30.000 h life.

810	510
■ □ IP20	■ □ IP20
0,660 Kg / 0,0264 m <sup>3</sup> LED 18W / 2050 lm	0,650 Kg / 0,0162 m <sup>3</sup> LED 12,5W / 1350 lm
225029 White 224992 Chrome 225005 Brass	224985 White 224930 Chrome 224954 Brass

## Riflesso new

Matt painted or plated metal frame. Satin clear acrylic diffuser inclined at 45°. Colors: white, chrome or black.

**LED** LED source 3000 K, 20.000 h life.

**IP54** Protection degree IP54.

820	620	420
■ ⊕ IP54	■ ⊕ IP54	■ ⊕ IP54
0,980 Kg / 0,0050 m <sup>3</sup> LED 19W / 2150 lm	0,750 Kg / 0,0192 m <sup>3</sup> LED 16W / 1750 lm	0,600 Kg / 0,0143 m <sup>3</sup> LED 10W / 1050 lm
331690 White 345130 Chrome 345147 Black	<small>new</small> 142289 White <small>new</small> 142265 Chrome <small>new</small> 302232 Black	142296 White 142272 Chrome 302225 Black




142296 142272 302225

# Bow

Metal frame available with antique brass, chrome or satin brass finish. Reclining LED diffuser. Switch button on the base.


**LED** LED source 3000 K, 20.000 h life.

**ON OFF** Lamp with integrated switch.



# Retrò

Totally metal base, arm and diffuser with brass finish. Adjustable diffuser.




IP20  
0,790 Kg / 0,0152 m<sup>3</sup>  
E14 max 2 x 28W

144917 Ant. Brass

3000 K  
470 lm


101224



# Mirror-10

Metal frame with antique brass, chrome or satin nickel finish. Adjustable diffuser.

**LED** Bulbs LED G9 3W 3000 K included. Cod. 209043



IP20

1,090 Kg / 0,0181 m<sup>3</sup>  
G9 max 4 x 40W

017303 Chrome  
017297 Nickel  
017310 Ant. Brass

3000 K  
510 lm


305486



# Mirror-20

Plated metal frame. Adjustable diffuser. Colors: antique brass or chrome.

**LED** Bulbs LED G9 3W 3000 K included. Cod. 209043



IP20

0,550 Kg / 0,0077 m<sup>3</sup>  
G9 max 2 x 40W

017334 Chrome  
017327 Ant. Brass

3000 K  
510 lm

305486








## Focus

Metal body with adjustable arm coated with rubber. Finished in white or black matt colour or in grey with chrome details.

**LED** LED source 3000 K, 20.000 h life.


**ON OFF** Lamp with integrated switch.



IP20

0,400 Kg / 0,0025 m<sup>3</sup>  
LED 4W / 310 lm

097183 White  
097206 Chrome  
097190 Black



IP20

0,410 Kg / 0,0020 m<sup>3</sup>  
LED 3,5W / 280 lm


203171 White  
203188 Chrome  
203195 Black

## IO

Recessed fitting with powder coated metal frame. Flexible arm coated with rubber. Diffuser with knurled clear acrylic screen. Integrated switch. Colors: white or black.

**LED** LED source 3000 K, 30.000 h life.

**ON OFF** Lamp with integrated switch.



IP20

0,240 Kg / 0,0027 m<sup>3</sup>  
LED 3W / 300 lm

285320 White  
272030 Black




## Goose

Cast aluminum body and diffuser with colored matt powder coating. Flexible arm covered with silicone rubber.

**LED** LED source 3000 K, 30.000 h life.

**ON OFF** Lamp with integrated switch.



IP20

0,430 Kg / 0,0040 m<sup>3</sup>  
LED 3W / 190 lm


142708 ■ White  
142692 ■ Black

## Dynamo

Metal base and flexible arm available with chrome, nickel or antique brass finish. Freely adjustable diffuser. Switch bottom on the base.

**LED** LED source 4000 K, 20.000 h life.

**ON OFF** Lamp with integrated switch.



IP20

0,500 Kg / 0,0031 m<sup>3</sup>  
LED 3,5W / 190 lm

031460 ■ Chrome  
031477 ■ Nickel  
121352 ■ Ant. Brass





## Bean

Directable plated or powder coated metal base and diffuser. White, black, brass or nickel color with black switch and junction.

**LED** LED source 3000 K, 30.000 h life.

**ON OFF** Lamp with integrated switch.

<b>260600</b>	<b>260631</b>	<b>260617</b>	<b>260624</b>
<b>0,180 Kg / 0,0008 m<sup>3</sup></b> <b>LED 3W / 260 lm</b>	<b>0,180 Kg / 0,0005 m<sup>3</sup></b> <b>LED 3W / 260 lm</b>	<b>0,180 Kg / 0,0008 m<sup>3</sup></b> <b>LED 3W / 260 lm</b>	<b>0,180 Kg / 0,0005 m<sup>3</sup></b> <b>LED 3W / 260 lm</b>
<b>260648</b> White <b>260679</b> Nickel <b>260655</b> Black <b>260662</b> Brass	<b>260600</b> White <b>260631</b> Nickel <b>260617</b> Black <b>260624</b> Brass		

## Page

White or black powder coated aluminum body. Adjustable diffuser with lens and jointed chrome metal piece.

**LED** LED source 3000 K, 30.000 h life.

**ON OFF** Lamp with integrated switch.

<b>142586</b>	<b>142579</b>
<b>0,320 Kg / 0,0025 m<sup>3</sup></b> <b>LED 3W / 140 lm</b>	<b>0,420 Kg / 0,0023 m<sup>3</sup></b> <b>LED 3W / 140 lm</b>
<b>142586</b> White <b>142579</b> Black	<b>142258</b> White <b>142241</b> Black





## Pipe

Powder coated aluminum body. Adjustable diffuser with knurled acrylic screen secured with ring. Integrated switch. Colors: white or black.

**LED** LED source 3000 K, 20.000 h life.


**ON OFF** Lamp with integrated switch.



280998



281001



IP20

0,400 Kg / 0,0009 m<sup>3</sup>  
LED 7W / 580 lm

280998 ■ White  
281001 ■ Black

## Lite

Aluminium base and body with white, black, nickel or brass finish. Adjustable diffuser. Integrated switch. Recessed installation on flush-mounting box type 502, not included.

**LED** LED source 3000 K, 20.000 h life.

**ON OFF** Lamp with integrated switch.




250106



250113



250120



IP20

0,340 Kg / 0,0008 m<sup>3</sup>  
LED 3W / 200 lm

250106 ■ White  
250113 ■ Black  
250120 ■ Brass







## Bonne Nuit <sup>new</sup>

Plated or powder coated metal frame. Double light source: one is fixed and the other is positioned on an adjustable cylinder. Two integrated switches for separate ignitions. Colors: white, black, brass and nickel.

**LED** LED source 3000 K, 50.000 h life.

**ON  
OFF** Lamp with integrated switch.



■ □ IP20

0,360 Kg / 0,0015 m<sup>3</sup>  
LED 6,5W / 830 lm

■ □ IP20

0,360 Kg / 0,0015 m<sup>3</sup>  
LED 6,5W / 830 lm

336794	White	new	345499	White	new
336770	Nickel	new	345482	Nickel	new
336787	Black	new	336817	Black	new
336800	Brass	new	345505	Brass	new





## Komodo

Powder-coated metal frame. Adjustable diffuser. Integrated switch and USB socket. Available finishes: white or black.

**LED** LED source 3000 K, 20.000 h life.


**ON OFF** Lamp with integrated switch.

**USB** Lamp with integrated USB socket.



291789


291796



■ □ IP20

0,700 Kg / 0,0060 m<sup>3</sup>  
LED 4,5W / 240 lm

291789 White  
291796 Black



■ □ IP20

0,700 Kg / 0,0060 m<sup>3</sup>  
LED 4,5W / 240 lm

306810 White  
306827 Black



## Piano

Total powder painted aluminium frame. Opal polycarbonate diffuser with emission on the back. Adjustable frontal projector. Colours: white or black

**LED** LED source 3000 K, 20.000 h life.


**ON OFF** Lamp with integrated switch.

**USB** Lamp with integrated USB socket.



287317

287300



■ □ IP20

0,800 Kg / 0,0047 m<sup>3</sup>  
LED 10W / 1150 lm

287317 White  
287300 Black





## Probe

White or black powder coated aluminum body. Double diffuser: upper diffuser made of acrylic, lower diffuser with flexible arm.

**LED** LED source 3000 K, 20.000 h life.


**ON OFF** Lamp with integrated switch.

**USB** Lamp with integrated USB socket.



243160

237930



IP20

0,870 Kg / 0,0021 m<sup>3</sup>  
LED 9,5W / 750 lm

243160 ■ White  
237930 ■ Black

## Book

Powder painted metal frame. Satin glass diffuser. Flexible arm coated with rubber with LED source. Double switch. USB socket.

**LED** LED source 3000 K, 15.000 h life.

**ON OFF** Lamp with integrated switch.

**USB** Lamp with integrated USB socket.



IP20

1,570 Kg / 0,0125 m<sup>3</sup>  
G9 max 1x 28W +  
LED 3W / 220 lm

174792 ■ White  
174808 ■ Black

3000 K  
510 lm  
305486

IP20

1,570 Kg / 0,0125 m<sup>3</sup>  
G9 max 1x 28W +  
LED 3W / 220 lm


174822 ■ White  
174846 ■ Black

3000 K  
510 lm  
305486



# Mouse

Metal base, frame and diffuser finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



IP20

0,910 Kg / 0,0067 m<sup>3</sup>  
GU10 max 2x 50W

073545 White  
156705 Black

3000 K  
410 lm

108292



IP20

0,450 Kg / 0,0034 m<sup>3</sup>  
GU10 max 1x 50W

073521 White  
073569 Black

3000 K  
410 lm

108292




P. 316 P. 694



# Spot

Metal base, frame and diffusers finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



IP20

0,610 Kg / 0,0060 m<sup>3</sup>  
GU10 max 2x 28W

156736 White  
156743 Black

3000 K  
410 lm

108292



IP20

0,410 Kg / 0,0037 m<sup>3</sup>  
GU10 max 1x 28W

156729 White  
115481 Black

3000 K  
410 lm

108292




P. 316 P. 694



# Rudy

White or black powder coated die-cast aluminium frame. Adjustable diffusers: they can be rotated and reclined.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. 123943



IP20

0,570 Kg / 0,0046 m<sup>3</sup>  
GU10 max 2x 35W

0,270 Kg / 0,0017 m<sup>3</sup>  
GU10 max 1x 35W

0,570 Kg / 0,0046 m<sup>3</sup>  
GU10 max 2x 35W

0,270 Kg / 0,0017 m<sup>3</sup>  
GU10 max 1x 35W

229041 White  
229034 Black

229027 White  
229010 Black

294803 White  
321509 Black

294766 White  
321530 Black

3000 K  
540 lm

3000 K  
540 lm

3000 K  
540 lm

3000 K  
540 lm

123943

123943

123943

123943



P. 318




# Gim

Powder painted aluminum frame. Rotating diffuser with satin acrylic screen. Integrated switch. Integrated LED source.

**LED** LED source 3000 K, 15.000 h life.

**ON OFF** Lamp with integrated switch.



IP20

0,450 Kg / 0,0034 m<sup>3</sup>  
LED 6,5W / 480 lm

167152 White  
167121 Black



167152

167121

# Dodo

Powder coated or plated metal base and body. Adjustable diffuser with replaceable LED source. Finishes: white, black, brushed brass.

**LED** Bulbs LED GX53 9W 3000 K included. Cod. 123936



IP20

0,930 Kg / 0,0035 m<sup>3</sup>  
GX53 max 2x 15W

0,450 Kg / 0,0015 m<sup>3</sup>  
GX53 max 1x 15W

314136 White  
327938 Black  
327921 Brass

314105 White  
314099 Black  
314129 Brass

3000 K  
910 lm

3000 K  
910 lm

123936

123936



314105


314129

314099

# Oby

Matt white varnished metal frame with chromed junctions. Adjustable body with white plastic diffuser.


**LED** LED source 3000 K, 20.000 h life.



IP20

0,620 Kg / 0,0030 m<sup>3</sup>  
LED 12W / 1400 lm

196695 White



IP20

0,310 Kg / 0,0020 m<sup>3</sup>  
LED 6W / 700 lm

196688 White


P. 317



# Barber

Total metal base, junction and bulb socket cover. Adjustable body. Available version antique brass.

**LED** Bulbs LED GU10 7W 3000 K included. Cod. 123943



IP20

0,230 Kg / 0,0025 m<sup>3</sup>  
GU10 max 1x 28W

159997 Ant. Brass


3000 K  
540 lm

123943



# Winery

Totally white or black enamelled ceramic body with integrated bulb socket. AP model with downward orientation.



IP20

0,250 Kg / 0,0004 m<sup>3</sup>  
E27 max 1x60W

180298 White  
180304 Black

3000 K  
1050 lm

101323



P. 315




180298

180304

# Edison

Chrome metal frame with white or black matt enamel finish. Electrical cable coated with fabric. Adjustable diffuser.



IP20

0,410 Kg / 0,0134 m<sup>3</sup>  
E27 max 1x42W

138374 White  
148908 Black

3000 K  
1050 lm

101347



P. 120



138374

148908



# Radio

Metal ceiling rose and frame. Adjustable diffuser. Electrical cable coated with fabric. Available with chrome or matt white or black varnish finish.

LED


Bulbs LED E27 8W Globo D125  
trasparente 3000 K included.  
Cod. 101347



119427

119465

119502



IP20

0,450 Kg / 0,0119 m<sup>3</sup>  
E27 max 1x60W

119465 White  
119427 Chrome  
119502 Black

3000 K  
1050 lm

101347






## Minimal

Metal frame with colored varnish finish. Power cable with fabric coating.

**LED** Bulbs LED E27 8W Globo D125 trasparente 3000 K included. Cod. 101347



0,720 Kg / 0,0164 m<sup>3</sup>  
E27 max 1x 60W


045191 ■ White  
045214 ■ Black

3000 K  
1020 lm  
101347



## Frida

Metal ceiling cup and bulb socket cover with antique brass or copper finish. Power cable coated with black fabric.



0,430 Kg / 0,0092 m<sup>3</sup>  
E27 max 1x 60W

163338 ■ Copper  
163321 ■ Ant. Brass

2200 K  
500 lm  
151717




P. 120



## Igor

Metal body with matt black enamel finish. Shade made of clear glass slabs.



IP20

1,590 Kg / 0,0136 m<sup>3</sup>  
E27 max 1 x 42W

092836 ■ Black

2200 K  
440 lm

151694




P. 101

## Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. Color: matt black with satin brass detail.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. 209043



IP20

0,670 Kg / 0,0192 m<sup>3</sup>  
G9 max 1 x 15W

273655 ■ Black

3000 K  
510 lm

305486



P. 105



P. 327



P. 473



P. 497





## Kepler

Matt black varnished metal frame.  
Amber transparent blown glass  
diffusers.



IP20

0,900 Kg / 0,0428 m<sup>3</sup>  
E27 max.3 x 42W

187006 ■ Black

3000 K  
430 lm

101279



P. 111

## Perlage

Metal frame. Blown glass diffusers.  
Finishes: Matt black with amber or  
smoky Pyrex glasses or satin brass  
with etched white glasses.

LED Bulbs LED G9 3W 3000 K included.  
Cod. 209043


317809



292403



292410




IP20

0,800 Kg / 0,0173 m<sup>3</sup>  
G9 max 3 x 15W

283784 ■ White  
271439 ■ Smok. Gra.  
322742 ■ Amber

3000 K  
510 lm

305486



IP20

0,400 Kg / 0,0062 m<sup>3</sup>  
G9 max 1 x 15W

292410 ■ White  
292403 ■ Smok. Gra.  
317809 ■ Amber

3000 K  
510 lm

305486



P. 106



P. 324



P. 473




P. 498

# Triumph

Plated metal base, arm and bulb holder cover. Color: old brass.

**ON**  
**OFF** Lamp with integrated switch.



IP20

0,710 Kg / 0,0067 m<sup>3</sup>  
E27 max 2x 42W

160245 Brass

2200 K  
370 lm

151687

IP20

0,490 Kg / 0,0083 m<sup>3</sup>  
E27 max 1x 42W

160214 Brass

2200 K  
370 lm

151687




P. 098 P. 326



# Maracas

Plated metal base and body. Adjustable borosilicate clear blown glass diffusers. Color: satin brass.

**LED** Bulbs LED G4 2W 3000 K included. Cod. 222257



IP20

0,280 Kg / 0,0034 m<sup>3</sup>  
G4 max 1x 2W

200330 Brass

3000 K  
200 lm

222257



P. 330




# Equinoxe <sup>new</sup>

Plated metal frame. Clear borosilicate glass diffusers. Colors: chrome structure with clear or faded smoky glass, antique brass structure with clear glass or faded amber glass.

**LED** Bulbs LED G4 2W 3000 K included. Cod. 222257



P. 108 P. 499



IP20

0,990 Kg / 0,0243 m<sup>3</sup>  
G4 max 1x 2W

200132 Chrome  
200149 Brass  
345338 ShadedSm<sup>new</sup>  
345321 Shad. amb.<sup>new</sup>


3000 K  
200 lm

222257



# Cantina

Metal frame, diffuser and bulb socket cover, available with antique brass or copper finish. Electrical cable covered with fabric.



IP20

0,520 Kg / 0,0184 m<sup>3</sup>  
E14 max 1x40W

112695 ■ Copper  
112626 ■ Ant. Brass

3000 K  
480 lm



101200

P. 137




112695

112626

# Newton

Chrome metal frame and diffuser. Available with satin nickel, antique brass or matt black varnish finish. Adjustable arm. Adjustable diffuser with white enamel coating inside.



IP20

0,600 Kg / 0,0093 m<sup>3</sup>  
E27 max 1x42W

016399 ■ Nickel  
027852 ■ Black  
027876 ■ Ant. Brass

3000 K  
900 lm



123899

P. 516



016399



027852




027876

# Shower

Black matt varnished metal frame. Articulated chrome element. Adjustable diffuser. Power cable coated with fabric with switch and plug included.



Lamp with integrated switch.



IP20

0,760 Kg / 0,0391 m<sup>3</sup>  
E27 max 1x60W

179643 ■ Black

3000 K  
900 lm

123899





## Ping Pong


Powder coated or plated metal frame. Satin acrylic sphere diffuser. Model with adjustable cylindrical diffuser, with independent switching. Colors: white, black, brushed brass.



**LED** LED source 3000 K, 50.000 h life.

**ON OFF** Lamp with integrated switch.  
Cod. 336534, 336664, 336671

P. 336 P. 472 P. 505




## Binomio

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: white, black, brushed brass.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. 209043

P. 337








## Penta

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: brushed gold.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**



0,600 Kg / 0,0060 m<sup>3</sup>  
G9 max 1x 4W

314334 **Gold**

**3000 K**  
510 lm

305486




P. 340



## Pan

Diffuser composed of plated metal decorative tubes of different measures. Upward and downward light emission.



6,340 Kg / 0,0461 m<sup>3</sup>  
E14 max 2x 40W

208794 **Gold**

**3000 K**  
470 lm

101224




P. 191

## Ninfea

Plated or powder-coated metal base. White overlay, acid-etched blown glass diffusers. Available finishes: white or satin brass.

**LED** Bulbs LED GX53 9W 3000 K included.  
Cod. **123936**



0,800 Kg / 0,0063 m<sup>3</sup>  
G9 max 2x 4W

327716 **White**  
346533 **Brass**

**3000 K**  
510 lm

305486



0,800 Kg / 0,0084 m<sup>3</sup>  
GX53 max 1x 15W

**new** 306940 **White**  
**new** 293646 **Brass**

**3000 K**  
910 lm

123936



P. 339




P. 471



306940

293646






## Tick

Powder coated metal body with gold or silver leaf finish. The diffuser can be reclined up to 90°.


**LED** LED source 3000 K, 30.000 h life.



## Eclissi

Metal frame with powder coated and golden leaf finish. By changing the position of the upper diffuser, the refraction of the light can be whiter or more golden.

**LED** LED source 3000 K, 17.500 h life.







## Set up new

Powder coated or plated metal frame. Two-light version with rubber-coated flexible arm and independent switches. Lampshades made of fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass with black details. Lampshade colors: beige, white, black, dove grey, wood.



**LED** LED source 3000 K in model **259819**, **259826**, **259833** and **259857**, 20.000 h life.

**ON OFF** Lamp with integrated switch in models: **259819**, **259826**, **259833** and **259857**.



 210 120 205	 190 85 160	 300 300 200	 165 140 165	 200 200 150	 160 140 160
IP20	IP20				
0,900 Kg / 0,0063 m <sup>3</sup> E27 max 1x 42W + LED 3W / 200 lm	0,370 Kg / 0,0032 m <sup>3</sup> E27 max 1x 42W	0,460 Kg / 0,0228 m <sup>3</sup>	0,120 Kg / 0,0180 m <sup>3</sup>	0,130 Kg / 0,0180 m <sup>3</sup>	0,110Kg / 0,0180 m <sup>3</sup>
259819 White 259833 Nickel 259826 Black 259857 Brass	259765 White 259796 Nickel 259772 Black 259802 Brass	260433 White 304618 Dove Grey 270005 Black 260440 Beige 345888 Wood <span style="color: #e67e22;">new</span>	260327 White 304601 Dove Grey 269986 Black 260334 Beige 345871 Wood <span style="color: #e67e22;">new</span>	260068 White 304113 Dove Grey 260075 Black 260082 Beige 345956 Wood <span style="color: #e67e22;">new</span>	260341 White 293004 Dove Grey 270036 Black 260358 Beige 345949 Wood <span style="color: #e67e22;">new</span>
 3000 K 900 lm 123899	 3000 K 900 lm 123899				


# Nordik

Matt black varnished metal frame. One single switch to control independently both lighting sources.

**LED** LED source 3000 K, 20.000 h life.

IP20

0,630 Kg / 0,0156 m<sup>3</sup>  
E14 max 1x 40W +  
LED 1,5W / 130 lm



158242 ■ Black

3000 K  
480 lm



101200

P. 189 P. 480 P. 532



# Gea

White or black powder coated aluminum body. Adjustable diffuser with integrated led. PVC shade coated with fabric. USB socket. Independent switches.

**LED** LED source 3000 K, 20.000 h life.

**ON OFF** Lamp with integrated switch.

**USB** Lamp with integrated USB socket.



IP20

0,500 Kg / 0,0022 m<sup>3</sup>  
E27 max 1x 60W +  
LED 3W / 230 lm

0,140 Kg / 0,0180 m<sup>3</sup>

239521 ■ White  
239545 ■ Black

239576 ■ White  
239590 ■ Black  
239606 ■ Canvas

3000 K  
900 lm

123899




# Hotel

Fabric shade with satin glasses. Double light model with adjustable external light and separated ignition. Colors: total white, total black, chrome body with white, canvas or black shade.

**LED** LED source 3000 K, 20.000 h life.

**ON OFF** Lamp with integrated switch.



IP20

1,410 Kg / 0,0166 m<sup>3</sup>  
E27 max 1x 60W +  
LED 1,5W / 50 lm

215693 ■ Total White  
035949 ■ White  
215709 ■ Total Black  
035956 ■ Black  
103204 ■ Canvas

3000 K  
900 lm


123899



# Roma

Chrome metal frame and details.  
Square-shaped crystal elements on  
sides and sandblasted bottom glass  
sheet.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**



**1,200 Kg / 0,0147 m³**  
G9 max 2x 40W

093086 Chrome

3000 K / 510 Lm  
305486




P. 344 P. 486



# Pashà

Metal Frame. Diffuser composed of  
cut crystal pearl strings.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**



**1,110 Kg / 0,0057 m³**  
G9 max 3x 40W

082264 Chrome  
082288 Gold

3000 K / 510 Lm  
305486



P. 205 P. 345




082264



082288

# Carlton

Chromed or golden metal frame.  
Decorative elements with fob-  
chains composed of octagons and  
transparent cut-crystals bars.



**2,570 Kg / 0,0154 m³**  
E14 max 3x 40W

168913 Chrome  
213491 Gold



3000 K  
470 lm  
101224



P. 203 P. 355




168913



213491

# Dubai

Metal frame with chrome or  
brass finish. Decorative elements  
composed of transparent cut  
crystals pearls, octagons and  
prisms.



**1,190 Kg / 0,0084 m³**  
E14 max 2x 28W

207155 Chrome  
201023 Brass



3000 K  
470 lm  
101224



P. 208 P. 353



207155




201023

# Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.

**LED** LED source 3000 K, 15.000 h life.

**ON OFF** Lamp with integrated switch.



IP20

1,550 Kg / 0,0220 m<sup>3</sup>  
E14 max 1x 40W +  
LED 1,5W / 50 Lm

068268 White

3000 K  
420 Lm




101217 P. 198 P. 486 P. 534



# Corte

Totally handcrafted metal frame. Hand painted finish with antiqued effect. Available versions: white or rusty effect.



IP20

1,060 Kg / 0,0329 m<sup>3</sup>  
E14 max 2 x 40W

028460 White  
057200 Rust


3000 K  
470 lm



101224 P. 215

# Pegaso

Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.



IP20

1,600 Kg / 0,0302 m<sup>3</sup>  
E14 max 2 x 28W

059211 White  
197708 Brass


3000 K  
370 lm



101231 P. 212 P. 489

# Swan

Chrome metal frame. Hand-shaped blown glass body. Cut crystal decorative elements. Pleated organza shade.



IP20

2,470 Kg / 0,0517 m<sup>3</sup>  
E14 max 2 x 40W

035864 White

3000 K  
420 Lm




101217 P. 199





# Negresco

Plated metal frame and details. Clear blown glass arms with golden inner part. Decorative elements in clear glass and cut crystal. Color: gold.



IP20

2,380 Kg / 0,0189 m<sup>3</sup>  
E14 max 2 x 28W

087757 Gold

3000 K  
430 lm


101248



P. 218

# Florian

Metal frame with decorative glass elements. Pendants composed of cut crystal octagons and final drops. Available versions: clear glass with golden or silvery metal.



IP20

1,430 Kg / 0,0189 m<sup>3</sup>  
E14 max 2 x 40W

035642 Chrome  
035659 Gold

3000 K  
470 lm

101224



P. 220




035642

035659

# Gioconda

Casted metal body with gold or antique silver finish. Octagonal and round cut crystal pendants.



IP20

1,310 Kg / 0,0111 m<sup>3</sup>  
E14 max 2 x 40W

044910 Silver  
060491 Gold

3000 K  
470 lm

101224



P. 224




044910

060491

# Strauss

Metal frame and details with rose gold finish. Blown clear glass arms. Amber crystal decorative elements.



IP20

2,080 Kg / 0,0431 m<sup>3</sup>  
E14 max 2 x 40W

140599 Gold

3000 K  
430 lm


101248



P. 225

# Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.



■ IP20

2,050 Kg / 0,0405 m<sup>3</sup>  
E14 max 2x40W

012902 White  
020846 Gold

3000 K  
430 lm

101248



P. 230 P. 485 P. 535




012902

020846

# Chalet

Metal frame and bearing structure. Handcrafted and hand painted resin decorative elements. An accurate reproduction of horns and carved wood.



■ IP20

1,770 Kg / 0,0759 m<sup>3</sup>  
E14 max 2x40W

115511 Beige

3000 K  
470 lm

101224




P. 234 P. 484



# Peter

Handcrafted resin body; a faithful copy of carved wood. PVC foil shade covered with canvas.



■ IP20

4,160 Kg / 0,0371 m<sup>3</sup>  
E14 max 2x40W

075211 Canvas

3000 K  
480 lm

101200







## Harem

Antique brass metal frame with decorations in relief and embedded crystals. Lightly amber blown glass diffusers. Tassel pendants.



IP20

0,900 Kg / 0,0273 m<sup>3</sup>  
E27 max 1x 42W

115962 Ant. Brass

3000 K  
910 lm

119571


## Santa

Hand-crafted and blown clear glass chandelier. Chrome metal details. Gold model available with grit on the glass.



087368

087375




IP20

2,900 Kg / 0,0380 m<sup>3</sup>  
E14 max 1x 40W

087368 Clear  
087375 Gold

3000 K  
470 lm

101224



IP20

1,200 Kg / 0,0184 m<sup>3</sup>  
E14 max 1x 40W

013060 Clear  
013046 Gold

3000 K  
470 lm

101224





# Table lamps


Indoors



## Alphabetical index

Angolo	476	Nordik	480
Axel	478	Opera	486
Birds	473	Oz	452
Candy	469	Pegaso	489
Carta	468	Perlage	473
Chalet	484	Ping Pong	472
Diamond	466	Pivot	455
Diesis	459	Prato	474
Driftwood	484	Queen	488
Duchessa	487	Roma	486
Easy	458	Sally	463
Edo	475	Set Up	482
Filo	456	Smarties	469
Firenze	485	Wally	463
Futura	460	Yoko	457
Gru	454		
Kali	481		
Kelly	462		
Lawyer	464		
Lingotto	477		
London	479		
Lumiere	465		
Mapa	470		
Mignon	467		
Ninfea	471		





# Mignon

Pag 467

# Indoors

Typology index

<small>new</small>							
	Oz 452	Gru 454	Pivot 455	Filo 456	Yoko 457	Easy 458	Diesis 459
							<small>new</small>
	Futura 460	Kelly 462	Sally 463	Wally 463	Lawyer 464	Lumiere 465	Diamond 466
<small>new</small>						<small>new</small>	
	Mignon 467	Carta 468	Smarties 469	Candy 469	Mapa 470	Ninfea 471	Ping Pong 472
	Birds 473	Perlage 473	Prato 474	Edo 475	Angolo 476	Lingotto 477	Axel 478
	London 479	Nordik 480	Kali 481	Set Up 482	Driftwood 484	Chalet 484	Firenze 485
	Roma 486	Opera 486	Duchessa 487	Queen 488	Pegaso 489		




# Oz new

Plated or powder coated metal base and frame. PVC wires. Opal rubber diffuser. Available finishes: white, black or brushed brass.

**LED** LED source 2700 / 3000 / 4000 K, 30.000 h life.

**ON OFF** Lamp with integrated switch.

<b>Source</b>	LED SMD	<b>LED life</b>	30.000 h
<b>Power</b>	22W	<b>Insulation class</b>	II
<b>Driver included</b>	On/Off	<b>IP</b>	20
<b>Drivers available</b>	No	<b>Material</b>	Aluminum
<b>CCT</b>	2700 K / 3000 K / 4000 K		
<b>CRI</b>	≥90		



0,890 Kg / 0,0096 m<sup>3</sup>

### LED SMD Driver included

Power	Driver	Lumen	CCT	Finish	Code	
22W	On-Off	2500 lm	2700 K	White	342467	new
				Black	342474	new
				Brass	342481	new
		2600 lm	3000 K	White	269474	
				Black	269481	
				Brass	269498	
		2800 lm	4000 K	White	342498	new
				Black	342504	new
				Brass	342511	new







## Gru

Total metal structure. Pole finished in chrome. Base and diffuser with matt white or black enamel. Swivel and adjustable in height diffuser.

**LED** LED source 3000 K, 15.000 h life.

**ON OFF** Lamp with integrated switch.



## Pivot

Matt varnished aluminium frame. Base coated with plastic with dimmer. Adjustable diffuser with satin opal color PC screen. PVC cable with driver and plug.

**LED** LED source. Settable CCT: 3000, 4000, 6500 K. 25.000 h life.

**ON OFF** Lamp with integrated switch.

**+** Lamp with dimmer.

**☞** Lamp with touch dimmer.






## Filo

Metal base, powder coated or plated aluminum body. Matt opal polycarbonate diffuser. PVC cable with switch and driver integrated in the plug. Finishes: white, black, brushed brass.

**LED** LED source 3000 K, 20.000 h life.

**ON OFF** Lamp with integrated switch.



IP20

0,500 Kg / 0,0093 m<sup>3</sup>  
LED 10W / 1100 lm

310107 White  
310114 Black  
310121 Brass




P. 084 P. 392 P. 502

## Yoko

Matt varnished metal base and frame. Opal polycarbonate diffuser. PVC electrical cable with socket-power supply. Colors: white or black.

**LED** LED source 3000 K, 30.000 h life.

**ON OFF** Lamp with integrated switch.



IP20

0,860 Kg / 0,0247 m<sup>3</sup>  
LED 5W / 500 lm

258881 White  
258911 Black



P. 089 P. 503





## Easy

Matt varnished or plated metal frame. Adjustable diffuser with satin acrylic optic. PVC cable with switch and driver integrated on the plug. Finishes: white, black, brushed brass.

**LED** LED source 3000 K, 50.000 h life.


**ON OFF** Lamp with integrated switch.



295510

295534

295541



IP20

1,200 Kg / 0,0193 m<sup>3</sup>  
LED 3,5W / 420 lm

295510 White  
295534 Black  
295541 Brass



P. 511

## Diesis

Powder coated or plated metal frame. Adjustable diffuser: it can be rotated or inclined. PVC cable with switch. Color: black, satin nickel or satin brass.

**LED** LED source 3000 K, 30.000 h life.

**+** Lamp with dimmer.

**Hand** Lamp with touch dimmer.



P. 126 P. 511



291093

283333

291109



IP20

1,700 Kg / 0,0637 m<sup>3</sup>  
LED 6,5W / 500 lm

291093 Nickel  
283333 Black  
291109 Brass



## Futura

Articulated aluminum and plastic arm with PVC exposed wire. Adjustable LED diffuser and integrated switcher. Plug with power supply.




**LED** LED source 4000 K, 25.000 h life.

**ON/OFF** Lamp with integrated switch.

**+** Lamp with dimmer.

**Hand icon** Lamp with touch dimmer.



IP20

1,830 Kg / 0,0069 m<sup>3</sup>  
LED 12,5W / 1050 lm

272078 White  
204895 Aluminum  
204888 Black



P. 514





## Kelly

Metal technical lamp with white or matt black finish. Jointed and spring balanced arm. Adjustable diffuser.

**ON**  
**OFF** Lamp with integrated switch.



108117 108094




IP20

1,510 Kg / 0,0065 m<sup>3</sup>  
E27 max 1x 42W

108117 White  
108094 Black

3000 K  
340 lm

101286



## Sally

Metal technical lamp with white, matt black finish or black with copper joints. Jointed and spring balanced arm. Adjustable diffuser.

**ON**  
**OFF** Lamp with integrated switch.



IP20

2,600 Kg / 0,0132 m<sup>3</sup>  
E27 max 1x 42W


193946 White  
265285 Black  
061160 Black Copper

3000 K  
900 lm

123899



193946 265285 061160



## Wally

Metal technical lamp with white, matt black finish or black with copper joints. Jointed and spring balanced arm. Adjustable diffuser.

**ON**  
**OFF** Lamp with integrated switch.



IP20

2,450 Kg / 0,0111 m<sup>3</sup>  
E27 max 1x 42W


193991 White  
265278 Black  
061191 Black Copper

3000 K  
340 lm

101286



193991 265278 061191



**ON**  
**OFF** P. 517



## Lawyer

Metal frame available with brass, chrome or antique brass finish. Blown overlay glass diffuser.

**ON**  
**OFF** Lamp with integrated switch.



464

## Lumiere

Matt black varnished metal frame and details. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements. PVC cable.

**LED** LED source 3000 K, 25.000 h life.

**ON**  
**OFF** Lamp with integrated switch.



465





## Diamond new


Table lamp with rechargeable battery. Clear acrylic diffuser with cut crystal processing effect. Integrated tactile switch.



**LED** LED source 3000 K, 20.000 h life.

**ON OFF** Lamp with integrated switch.

**Hand icon** Lamp with touch dimmer.



0,800 Kg / 0,0041 m<sup>3</sup>  
LED 2W / 240 lm

343488 Clear new



P. 102

## Mignon new

Portable lamp with rechargeable battery. Powder coated or plated metal base. Satin opal acrylic diffuser. Switch with dimmer. Colors: white, black, coffee, brass, nickel and copper.

**LED** LED source 3000 K, 30.000 h life.

**ON OFF** Lamp with integrated switch.

**Hand icon** Lamp with touch dimmer.



0,360 Kg / 0,0012 m<sup>3</sup>  
LED 5W / 460 lm

334998 White new  
335001 Nickel new  
334974 Black new  
335018 Coffee new  
334981 Brass new  
335025 Copper new






## Smarties

Metal base. White acid-etched blown glass diffuser. Electrical cable with plug and switch.

**LED** Bulbs LED G9 3W 3000 K included in **032078** model. Cod. **209043**

**ON/OFF** Lamp with integrated switch.




IP20

2,600 Kg / 0,0810 m<sup>3</sup>  
E27 max 1x 42W

**327914** White

3000 K  
430 lm  
**101279**




IP20

1,400 Kg / 0,0392 m<sup>3</sup>  
E27 max 1x 42W

**327907** White

3000 K  
430 lm  
**101279**



IP20

0,470 Kg / 0,0079 m<sup>3</sup>  
G9 max 1x 15W

**032078** White

3000 K  
510 Lm  
**305486**




P. 154 P. 277 P. 385

## Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering.

**LED** Bulbs LED G9 3W 3000 K included in **317151** model. Cod. **209043**

**ON/OFF** Lamp with integrated switch.



IP20

0,950 Kg / 0,0127 m<sup>3</sup>  
E27 max 1x 25W

**317168** White

3000 K  
430 lm  
**101279**




IP20

0,400 Kg / 0,0025 m<sup>3</sup>  
G9 max 1x 15W

**317151** White

3000 K  
510 Lm  
**305486**



IP20

1,200 Kg / 0,0287 m<sup>3</sup>  
G9 max 1x 40W

**086804** White

3000 K  
510 Lm  
**305486**

P. 158 P. 280



469

P. 170 P. 282 P. 385 P. 519





## Mapa

White metal base and fastening system. White blown acid-etched spherical glass diffuser.

**LED** Bulbs LED G9 3W 3000 K included in 310817 model. Cod. 209043

**ON OFF** Lamp with integrated switch.

IP20	IP20	IP20	IP20
3,520 Kg / 0,1354 m³ E27 max 1x 42W	1,880 Kg / 0,0515 m³ E27 max 1x 42W	1,050 Kg / 0,0214 m³ E27 max 1x 42W	0,280 Kg / 0,0026 m³ G9 max 1x 4W
000206 White	009131 White	009155 White	310817 White
3000 K 910 lm 119571	3000 K 910 lm 119571	3000 K 910 lm 119571	3000 K 510 Lm 305486

P. 168 P. 282 P. 384

## Ninfea <sup>new</sup>

Plated or powder-coated metal base. White overlay, acid-etched blown glass diffusers. PVC cable with switch and plug. Available finishes: white or satin brass.

**LED** Bulbs LED GX53 9W 3000 K included. Cod. 123936

**ON OFF** Lamp with integrated switch.

P. 339 P. 431

346526	318325
IP20	IP20
1,100 Kg / 0,0158 m³ GX53 max 1x 15W	1,100 Kg / 0,0158 m³ GX53 max 1x 15W
346526 Brass	318325 White <sup>new</sup>
3000 K 910 lm 123936	3000 K 910 lm 123936



## Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC cable with switch and plug. Color: matt black with satin brass detail.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**

**ON/OFF** Lamp with integrated switch.

130x160



IP20

0,900 Kg / 0,0163 m<sup>3</sup>  
G9 max 1x 15W

273679 ■ Black

305486  
3000 K  
510 lm

305486



P. 105 P. 327 P. 421 P. 497

## Perlage

Metal frame. Blown glass diffusers. Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

**LED** Bulbs LED G9 3W 3000 K included.  
Cod. **209043**


**ON/OFF** Lamp with integrated switch.



IP20  
2,000 Kg / 0,0227 m<sup>3</sup>  
G9 max 3 x 15W

292472 ■ White  
292465 ■ Smok. Gra.  
322759 ■ Amber

305486  
3000 K  
510 lm



IP20  
0,600 Kg / 0,0062 m<sup>3</sup>  
G9 max 1x 15W

292458 ■ White  
292441 ■ Smok. Gra.  
317823 ■ Amber

305486  
3000 K  
510 lm



317823



292441



292458



P. 106 P. 324 P. 423 P. 498

## Ping Pong

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. PVC cable with switch. Finishes: white, black, brushed brass.

**LED** LED source 3000 K, 50.000 h life.

**ON/OFF** Lamp with integrated switch.



328294

313320

328300



IP20  
1,150 Kg / 0,0232 m<sup>3</sup>  
LED 6W / 500 lm

328294 ■ White  
313320 ■ Black  
328300 ■ Brass

P. 336 P. 428 P. 505






## Prato

White blown overlay acid-etched glass diffuser. Electrical cable with plug and switch.

**ON**  
**OFF** Lamp with integrated switch.




474



## Edo

Chrome metal frame inside. White acid-etched overlay blown glass diffuser.

**ON**  
**OFF** Lamp with integrated switch.



475





## Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Black PVC cable with switch and plug. Available finishes: black or satin brass.

**LED** Bulbs LED G9 3W 3000 K included. Cod. **209043**

**ON OFF** Lamp with integrated switch.



284316



284361



0,600 Kg / 0,0063 m<sup>3</sup>  
G9 max 1x28W

284316 ■ Black  
284361 ■ Brass

3000 K  
510 lm  
305486

P. 334 P. 500

## Lingotto

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.

**LED** Bulbs LED G9 3W 3000 K included in models: **304151** and **259222**. Cod. **209043**

**ON OFF** Lamp with integrated switch.



259222



304151



1,320 Kg / 0,0199 m<sup>3</sup>  
E14 max 1x28W

327877 ■ Black  
251127 ■ Brass

3000 K  
420 lm  
101217



0,750 Kg / 0,0084 m<sup>3</sup>  
G9 max 1x4W

304151 ■ Black  
259222 ■ Brass

3000 K  
510 lm  
305486

P. 100 P. 335






## Axel

Powder coated metal base and junctions. Natural wood stem. PVC shade coated with fabric can be adjusted in height. PVC cable with switch. Colors: white or black.

**ON**  
**OFF** Lamp with integrated switch.



IP20

1,970 Kg / 0,0183 m<sup>3</sup>  
E27 max 1x 60W

282091 White  
272238 Black

3000 K  
910 lm  
119571

P. 526

## London

Metal frame with chrome finish or with matt white or black varnish. PVC foil shade coated with fabric. The chrome model has chrome semi-transparent PVC foil shade.

**ON**  
**OFF** Lamp with integrated switch.



110530 032368 110554




IP20

1,910 Kg / 0,0645 m<sup>3</sup>  
E27 max 1x 60W

110448 White  
032375 Chrome  
110455 Black

3000 K  
910 lm  
119571



IP20

1,270 Kg / 0,0253 m<sup>3</sup>  
E27 max 1x 60W

110530 White  
032368 Chrome  
110554 Black

3000 K  
910 lm  
119571


P. 529



## Nordik

Matt black varnished metal frame.  
Golden PVC foil shade covered with  
black fabric.

**ON**  
**OFF** Lamp with integrated switch.



IP20

1,220 Kg / 0,0504 m<sup>3</sup>  
E27 max 1x 60W

161686 ■ Black

3000 K  
910 lm


119571

    
P. 189 P. 436 P. 532

## Kali

Ceramic body with decorations in  
relief. PVC shade coated with fabric.  
PVC cable with integrated switch.

**ON**  
**OFF** Lamp with integrated switch.




IP20

0,660 Kg / 0,0092 m<sup>3</sup>  
E14 max 1x 40W

245331 ■ White

3000 K  
420 lm

101217




IP20

0,620 Kg / 0,0037 m<sup>3</sup>  
E14 max 1x 40W

245348 ■ White

3000 K  
420 lm

101217



IP20

0,660 Kg / 0,0055 m<sup>3</sup>  
E14 max 1x 40W

245393 ■ White

3000 K  
420 lm

101217





## Set up new

Powder coated or plated metal frame. Lampshades made of fireproof PVC covered with fabric. PVC cable. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, white, black, dove grey, wood.

**ON**  
**OFF** Lamp with integrated switch.



259918 259949 259925 259956 260068 304113 260075 260082 345956



IP20

1,130 Kg / 0,0055 m<sup>3</sup>  
E27 max 1x 42W

259918 White  
259949 Nickel  
259925 Black  
259956 Brass

3000 K  
900 lm  
123899




IP20

0,680 Kg / 0,0061 m<sup>3</sup>  
E27 max 1x 42W


259864 White  
259895 Nickel  
259871 Black  
259901 Brass

3000 K  
900 lm  
123899



0,460 Kg / 0,0228 m<sup>3</sup>


260433 White  
304618 Dove Grey  
270005 Black  
260440 Beige  
345888 Wood new



0,120 Kg / 0,0180 m<sup>3</sup>

260327 White  
304601 Dove Grey  
269986 Black  
260334 Beige  
345871 Wood new


3000 K  
900 lm



0,130 Kg / 0,0180 m<sup>3</sup>

260068 White  
304113 Dove Grey  
260075 Black  
260082 Beige  
345956 Wood

3000 K  
900 lm



0,110 Kg / 0,0180 m<sup>3</sup>


260341 White  
293004 Dove Grey  
270036 Black  
260358 Beige  
345949 Wood new


3000 K  
900 lm



# Driftwood

Metal frame. Natural wood decorative arms. PVC foil diffusers coated with canvas fabric.


 Lamp with integrated switch.



 IP20

2,450 Kg / 0,0709 m<sup>3</sup>  
E27 max 1x60W

129570  Wood

 2200 K  
370 Lm


151687


   
P. 235 P. 526



# Chalet

Metal frame and bearing structure. Handcrafted and hand painted resin decorative elements. An accurate reproduction of horns and carved wood.

 Lamp with integrated switch.



 IP20

3,500 Kg / 0,1650 m<sup>3</sup>  
E27 max 1x60W

128207  Beige

 3000 K  
910 lm


119571

   
P. 234 P. 444



# Firenze


Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.

 Lamp with integrated switch.





012889

020853



 IP20

1,220 Kg / 0,0216 m<sup>3</sup>  
E14 max 1x40W

012889  White  
020853  Gold

 3000 K  
480 lm

101200

    
P. 230 P. 444 P. 535




# Roma

Chrome metal frame and details. Square-shaped crystal elements on sides and sandblasted bottom glass sheet.

**LED** Bulbs LED G9 3W 3000 K included. Cod. **209043**

**ON OFF** Lamp with integrated switch.



IP20

1,930 Kg / 0,0182 m<sup>3</sup>  
G9 max 1x40W

114620 Chrome


3000 K  
510 lm  
305486 [P. 344](#) [P. 438](#)



# Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.

**ON OFF** Lamp with integrated switch.



IP20

1,750 Kg / 0,0392 m<sup>3</sup>  
E27 max 1x60W

068305 White


3000 K  
900 lm  
123899 [P. 198](#) [P. 440](#) [P. 534](#)



# Duchessa

Chrome metal base and details. Blown and hand finished glass elements. Pleated organza shade.

**ON OFF** Lamp with integrated switch.



IP20

3,000 Kg / 0,0652 m<sup>3</sup>  
E27 max 1x60W

044491 Clear

3000 K  
900 lm  
123899

IP20

1,900 Kg / 0,0610 m<sup>3</sup>  
E27 max 1x60W

051406 Clear

3000 K  
900 lm  
123899






## Queen

Gilded metal frame with cut crystal base and decorative elements. PVC foil shade covered with quilted decoration and gold glitters.

Lamp with integrated switch.




P. 534

## Pegaso


Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.

Lamp with integrated switch.



059266

197753



P. 212 P. 441



# Floor lamps

Indoors



## Alphabetical index

Angolo	500	Look	506
Axel	526	Lumiere	496
Birds	497	Mix Up	508
Carta	519	Newton	516
Colonna	533	Nordik	532
Comet	520	Opera	534
Comfort	512	Pagoda	525
Craft	510	Perlage	498
Cylinder	532	Ping Pong	505
Daddy	524	Polly	518
Diesis	511	Queen	534
Dorsale	522	Regol	528
Driftwood	526	Set Up	530
Easy	511	Wally	517
Ego	494	Yoko	503
Equinoxe	499	York	527
Eva	504		
Filo	502		
Firenze	535		
Frame	501		
Futura	514		
Ginger	515		
Klimt	527		
Lift	514		
London	529		

# Indoors

## Typology index



Ego 494 Lumiere 496 Birds 497 Perlage 498 Equinoxe 499 Angolo 500 Frame 501



Filo 502 Yoko 503 Eva 504 Ping Pong 505



Look 506 Mix Up 508 Craft 510 Easy 511 Diesis 511 Comfort 512 Lift 514



Futura 514 Ginger 515 Newton 516 Wally 517



Polly 518 Carta 519 Comet 520 Dorsale 522 Daddy 524




Pagoda 525 Axel 526 Driftwood 526 York 527



Klimt 527 Regol 528 London 529 Set Up 530 Cylinder 532 Nordik 532 Colonna 533



Opera 534 Queen 534 Firenze 535



Look

Pag 506







## Ego <sup>new</sup>

Powder painted aluminum body and structure. Modular sources with light modules from the Ego series (maximum consumption 95 W, maximum total length 1250 mm), non-dimmable or dimmable 1-10 V. Dimmer included, integrated on the track. Plastic profile cover included, which can be cut to size. PVC cable. Black color.

**PRO** High-tech product with high quality materials, intended for professional use.

 Luminaire with dimmer.



 IP20

10,600 Kg / 0,0259 m³

344775 ■ Black <sup>new</sup>



P. 558



## Lumiere

Matt black varnished metal frame and details. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements. PVC cable.

**LED** LED source 3000 K, 25.000 h life.

**ON OFF** Lamp with integrated switch.

    
P. 178 P. 341 P. 465

## Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC cable with switch and plug. Color: matt black with satin brass detail.

**LED** Bulbs LED G9 3W 3000 K included. Cod. **209043**

**ON OFF** Lamp with integrated switch.

     
P. 105 P. 327 P. 421 P. 473



 IP20

10,500 Kg / 0,1515 m<sup>3</sup>  
LED 58W / 7550 lm


314198  White



 IP20

5,640 Kg / 0,1536 m<sup>3</sup>  
G9 max 5 x 15W

273662  Black

 3000 K  
510 lm  
305486





## Perlage

Metal frame. Blown glass diffusers. Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

**LED** Bulbs LED G9 3W 3000 K included. Cod. **209043**

**ON OFF** Lamp with integrated switch.



320  
1640  
250

**IP20**

**4,800 Kg / 0,0612 m³**  
**G9 max 4 x 15W**

277967 White  
306988 Smok. Gra.  
317816 Amber

305486  
3000 K  
510 lm

**P. 106** **P. 324** **P. 423** **P. 473**

## Equinox <sup>new</sup>

Plated metal frame. Clear borosilicate glass diffusers. Colors: chrome structure with clear or faded smoky glass, antique brass structure with clear glass or faded amber glass.

**LED** Bulbs LED G4 2W 3000 K included. Cod. **222257**

**ON OFF** Lamp with integrated switch.



560  
1660  
320

**IP20**

**6,500 Kg / 0,0882 m³**  
**G4 max 4 x 2W**

290959 Chrome  
290966 Brass  
348292 Shaded Sm.<sup>new</sup>  
348285 Shad. amb.<sup>new</sup>

3000 K  
200 lm  
**222257**

**P. 108** **P. 425**






## Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Black PVC cable with switch and plug. Available finishes: black or satin brass.

**LED** Bulbs LED G9 3W 3000 K included. Cod. **209043**

**ON OFF** Lamp with integrated switch.

**P. 334** **P. 476**



2,700 Kg / 0,1772 m<sup>3</sup>  
G9 max 5 x 28W

284309 ■ Black  
284354 ■ Brass

3000 K  
510 lm  
305486


## Frame

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Direct light emission.

**LED** LED source 3000 K, 30.000 h life.

**ON OFF** Lamp with integrated switch.

**P. 076** **P. 247**



10,300 Kg / 0,0525 m<sup>3</sup>  
LED 30W / 3100 lm


299624 ■ White  
299617 ■ Black





## Filo new

Plated or powder-coated metal ceiling cap, body and floor base. Satin opal color PVC diffuser. Black PVC supporting cable. Powered from base by a black PVC cable with plug. Available finishes: white, black or brass.



IP20

1,200 Kg / 0,0124 m<sup>3</sup>  
LED 14W / 1500 lm / 1550 lm

341118	White	2700K	new
301051	White	3000K	
341125	Black	2700K	new
301068	Black	3000K	
341132	Brass	2700K	new
301075	Brass	3000K	

**LED** LED source 2700/3000 K, 20.000 h life.

**ON OFF** Lamp with integrated switch.

P. 084 P. 392 P. 456


## Yoko

Matt varnished metal base and frame. Opal polycarbonate diffuser. PVC electrical cable with socket-power supply. Colors: white or black.

**LED** LED source 3000 K, 30.000 h life.

**ON OFF** Lamp with integrated switch.

P. 089 P. 457



IP20

1,650 Kg / 0,0534 m<sup>3</sup>  
LED 16W / 1700 lm

258874	White
258904	Black






## Eva

Marble base. Powder-coated metal frame. PVC cable with switch and plug. Available finishes: black.

**ON**  
**OFF** Lamp with integrated switch.



IP20

8,500 Kg / 0,0680 m³  
E27 max 1 x 60W

295213 ■ Black

3000 K  
1020 lm

101347




## Ping Pong

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. PVC cable with switch. Finishes: white, black, brushed brass.

**LED** LED source 3000 K, 50.000 h life.

**ON**  
**OFF** Lamp with integrated switch.



IP20

2,500 Kg / 0,0916 m³  
LED 12W / 1000 lm

328317 ■ White  
313313 ■ Black  
328324 ■ Brass



P. 336 P. 428 P. 472







## Look

Powder coated metal base and aluminum body. Clear glass diffusers. PVC cable. Ground driver with dimmer. Finishes: white, black.

**LED** LED source 3000 K, 30.000 h life.

**+** Lamp with dimmer.

**ON  
OFF** Lamp with integrated switch.



IP20

5,080 Kg / 0,0809 m<sup>3</sup>  
LED 24W / 2750 lm

304922 White  
304915 Black



P. 078 P. 300 P. 381 P. 698





# Mix Up

Powder-coated metal frame and interchangeable shades. Finishes: white or black.

**ON**  
**OFF** Lamp with integrated switch.



IP20				
8,500 Kg / 0,0326 m³ E27 max 1x 42W	2,000 Kg / 0,0676 m³	1,100 Kg / 0,0446 m³	0,800 Kg / 0,0147 m³	0,500 Kg / 0,0174 m³
328164 White 328171 Black	288437 White 288420 Black	307404 White 288475 Black	307411 White 288444 Black	307428 White 288451 Black
3000 K 900 lm 123899				





## Craft

Matt black varnished metal base. Natural wood body. Satin opal color polycarbonate diffuser. Black PVC cable with dimmer and plug.




**LED** LED source 3000 K, 20.000 h life.

Lamp with dimmer.

Lamp with integrated switch.


P. 091 P. 374



## Easy

Matt varnished or plated metal frame. Adjustable diffuser with satin acrylic optic. PVC cable with switch and driver integrated on the plug. Finishes: white, black, brushed brass.


**LED** LED source 3000 K, 50.000 h life.



## Diesis

Powder coated or plated metal frame. Adjustable diffuser: it can be rotated or inclined. PVC cable with switch. Color: black, satin nickel or satin brass.

**LED** LED source 3000 K, 20.000 h life.














# Comfort new

Powder-coated aluminum structure. Double source: uplight with diffused emission, downlight available with diffused or concentrated emission. Light sensor. PVC cable with plug. Colors: black or white.

- LED** LED source 3000/4000 K, 50.000 h life.
-  Lamp with dimmer.
- USB** Lamp with integrated USB socket. Cod. **296685, 306452, 296678, 306469**
- UGR** Product with UGR <16.



 <p>1200 1970 330x580</p>	 <p>340x720 1950 340x500</p>
 <p>IP20 </p>	 <p>IP20 </p>
<p><b>19,500 Kg / 0,0638 m³</b> <b>LED 76W / 9800 lm</b></p>	<p><b>12,700 Kg / 0,0326 m³</b> <b>LED 76W / 9700/10800 lm</b></p>
<p><b>345307</b> White <span style="color: red;">new</span> 336220 Black <span style="color: red;">new</span></p>	<p><b>296685</b> White 3000K <b>306452</b> White 4000K <b>296678</b> Black 3000K <b>306469</b> Black 4000K</p>



296685      336220      336220






## Lift

Matt varnished metal frame. Adjustable in height diffuser and directable with opal polycarbonate screen. PVC cable with driver and ground switch. Finishes: white, black.



**LED** LED source 3000 K, 50.000 h life.

**ON/OFF** Lamp with integrated switch.



IP20  
5,150 Kg / 0,0195 m<sup>3</sup>  
LED 17W / 1950 lm

321585 White  
305592 Black



## Futura

Articulated aluminum and plastic arm with PVC exposed wire. Adjustable LED diffuser and integrated switcher. Plug with power supply.



**LED** LED source 4000 K, 25.000 h life.

**Hand icon** Lamp with touch dimmer.



IP20  
4,440 Kg / 0,0095 m<sup>3</sup>  
LED 12,5W / 1050 lm

272085 White  
204956 Aluminum  
204949 Black



P. 460




## Ginger <sup>new</sup>

Powder coated metal base and frame. Adjustable diffuser. PVC cable with switch and plug. Two lights version with double switch for separate ignitions. Colors: white, black.

**LED** Bulbs LED GU10 7W 3000 K included. Cod. 123943

**ON/OFF** Lamp with integrated switch.




345314 White  
326672 Black  
new 326665 White  
new 326658 Black  
new new

3000 K  
540 lm  
123943  
3000 K  
540 lm  
123943




## Newton

Chrome metal frame and diffuser. Available with satin nickel or matt black varnish finish. Adjustable arm. Adjustable diffuser with white enamel coating inside.

 Lamp with integrated switch.

  
P. 426



 IP20


5,270 Kg / 0,0323 m<sup>3</sup>  
E27 max 1x 42W

015286  Nickel  
003528  Black

 3000 K  
900 lm  
123899

## Wally

Powder coated metal frame with black finish, nickel-plated metal details. Adjustable articulated arm structure. Switch integrated in the head of the shade. PVC cable.

 Lamp with integrated switch.

  
P. 463



 IP20

8,500 Kg / 0,0771 m<sup>3</sup>  
E27 max 1x 42W

265292  Black

 3000 K  
950 lm  
101330






## Polly

Diffusers and base in chrome, silver or black enamelled metal. Chrome metal details and joints. Adjustable diffusers.

**ON**  
**OFF** Lamp with integrated switch.



## Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering.

**ON**  
**OFF** Lamp with integrated switch.









# Comet


Powder coated varnished metal base and body. Opal silicon diffuser. Touch switch integrated on the body. Pvc cable with driver and plug. Finishes: white, black.

**LED** LED source 3000 K, 20.000 h life.

 Lamp with dimmer.

 Lamp with touch dimmer.

**ON OFF** Lamp with integrated switch.





3,800 Kg / 0,0574 m<sup>3</sup>  
LED 30W / 2850 lm

304649 ■ White  
304168 ■ Black





# Dorsale

Metal frame with chrome or white or black matt varnish finish. The arm is composed of three elements with square section. PVC foil shade, available in chrome or coated with white or black fabric.

**ON**  
**OFF** Lamp with integrated switch.



2340  
 2280  
 300  
 400  
 500  
 min 1310/max 1650  
 min 2000/max 2340

IP20  
 12,000 Kg / 0,0856 m<sup>3</sup>  
 E27 max 1x 60W  
 0,430 Kg / 0,0709 m<sup>3</sup>

286686	White	046723	White
286662	Chrome	041742	Chrome
286679	Black	046471	Black

3000 K  
 1050 lm  
 101347



## Daddy

Metal frame. Available in black and matt white color with fabric coated shade.

**ON**  
**OFF** Lamp with integrated switch.



## Pagoda

Metal frame and base finished with satin enamel. Shade coated with fabric with the possibility to regulate the incline.

**ON**  
**OFF** Lamp with integrated switch.







## Axel

Powder coated metal base and junctions. Natural wood stem. PVC shade coated with fabric can be adjusted in height. PVC cable with switch. Colors: white or black.

Lamp with integrated switch.

272245 White  
282084 Black

3000 K  
1050 lm  
101347

P. 478

## Driftwood

Metal frame. Natural wood decorative arms. PVC foil diffusers coated with canvas fabric.

Lamp with integrated switch.

148939 Wood  
180946 Wood

2200 K  
370 lm  
151687

2200 K  
370 lm  
151687

P. 235 P. 484

## York

Natural wooden tripod stand with metal details. PVC foil shade coated with fabric. Power cable coated with fabric. Available also with white or black shades and frame.

Lamp with integrated switch.

121406 White  
121437 Black  
089805 Wood

3000 K  
1050 lm  
101347

## Klimt

Natural wood tripod. PVC foil shade covered with fabric, chrome metal support.

Lamp with integrated switch.


137827 Wood


3000 K  
1050 lm  
101347



## Regol

Articulated metal frame. Multi-level adjustable diffuser. Available with satin nickel finish and white fabric shade.


 Lamp with integrated switch.



 IP20

5,420 Kg / 0,0702 m<sup>3</sup>  
E27 max 1 x 60W


014609 White

 3000 K  
1050 lm

101347

## London

Metal frame with chrome finish or with matt white or black varnish. PVC foil shade coated with fabric. The chrome model has chrome semi-transparent PVC foil shade.

 Lamp with integrated switch.



110233

032382

110240



 IP20

7,120 Kg / 0,1879 m<sup>3</sup>  
E27 max 1 x 60W

110233 White  
032382 Chrome  
110240 Black

 3000 K  
1050 lm

101347



P. 479





## Set up new

Powder coated or plated metal frame. Lampshades made of fireproof PVC covered with fabric. PVC cable. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, white, black, dove grey, wood.

**ON**  
**OFF** Lamp with integrated switch.



259963 259994 259970 260006 260136 304120 260235 260242 345956



IP20  
2,640 Kg / 0,0251 m<sup>3</sup> E27 max 1x 42W  
0,470 Kg / 0,0221 m<sup>3</sup>  
0,460 Kg / 0,0709 m<sup>3</sup>

259963 White	260457 White	260136 White
259994 Nickel	304625 Dove Grey	304120 Dove Grey
259970 Black	270012 Black	260235 Black
260006 Brass	260464 Beige	260242 Beige
	345895 Wood	new 345963 Wood new


3000 K  
900 lm  
123899


P. 192 P. 292 P. 434 P. 482



## Cylinder

Matt white varnished metal base. White blown overlay and acid-etched glass diffuser.


 Lamp with integrated switch.



 IP20

10,010 Kg / 0,1145 m<sup>3</sup>  
E27 max 2 x 60W

111452  White


 3000 K  
900 lm


123899



## Nordik

Matt black varnished metal frame. Golden PVC foil shade covered with black fabric.


 Lamp with integrated switch.



 IP20

3,620 Kg / 0,0897 m<sup>3</sup>  
E27 max 1 x 60W

161716  Black


 3000 K  
1050 lm


101347



## Colonna

Matt white or black varnished metal frame. Glass diffuser. Power cable coated with fabric. The lamp fits replaceable LED bulbs.

 Bulbs LED GX53 9W 3000 K included. Cod. 123936

 Lamp with integrated switch.





177199


177205



 IP20

7,740 Kg / 0,0710 m<sup>3</sup>  
GX53 max 4 x 15W

177199  White  
177205  Black

 3000 K  
910 lm

123936






## Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.

Lamp with integrated switch.



IP20

5,720 Kg / 0,0770 m<sup>3</sup>  
E27 max 1x60W

068275 White

3000 K  
950 lm  
101354

P. 198 P. 440 P. 486



## Queen

Gilded metal frame with cut crystal base and decorative elements. PVC foil shade covered with quilted decoration and gold glitters.

Lamp with integrated switch.



IP20

4,900 Kg / 0,0979 m<sup>3</sup>  
E27 max 1x60W

077765 Gold

3000 K  
1050 lm  
101347

P. 488



## Firenze


Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.

Lamp with integrated switch.



002880

020877



IP20

5,600 Kg / 0,1089 m<sup>3</sup>  
E27 max 1x60W

002880 White  
020877 Gold

3000 K  
1050 lm  
101347

P. 230 P. 444 P. 485

# Linear systems





























Indoors



## Alphabetical index

Arca	612
Deva	538
Ego	558
Fluo	626
Linus	624
Office	640
Steel	634
Stick	598

## Typology index

<small>new</small> 	<small>new</small> 	<small>new</small> 	<small>new</small> 	<small>new</small> 
Deva Track 540	Deva Disc 542	Deva Accent 544	Deva Wide Inner 546	Deva Wide Outer 548
<small>new</small> 	<small>new</small> 	<small>new</small> 	<small>new</small> 	<small>new</small> 
Deva Pendant 550	Ego Single 560	Ego Double 566	Ego Zoom 570	Ego Big 572
	<small>new</small> 	<small>new</small> 		<small>new</small> 
Ego Flat 574	Ego Accent 576	Ego Wide 578	Ego Flexible 580	Ego Pendant 582
<small>new</small> 	<small>new</small> 	<small>new</small> 	<small>new</small> 	
Stick Single 600	Stick Double 602	Stick Accent 604	Stick Wide 606	
				
Arca Track 614	Arca Accent 616	Arca Wide 618	Linus 624	
			<small>new</small> 	
Fluo Wide 628	Fluo Biemission 630	Steel 636	Steel Slim 638	Office 640




# Deva <sup>new</sup>

Linear system composed of an extruded aluminum profile and magnetic lighting fixtures. The system is available in coated or anodized matt black, ceiling or suspended installation (SURFACE), quick recessed plasterboard installation (RECESSED EASY) or edgeless recessed installation between two plasterboard panels (RECESSED). Small dimensions of the electrified profile, 10 mm wide and 15 mm high, available in the two lengths, 1000 mm and 2000 mm, or with a 90° horizontal curved connection. Possibility of composition with different light modules, in white or black finish depending on the desired arrangement, modifiable if necessary: fixed or adjustable TRACK modules for spot lighting; ACCENT modules for focused lighting; PENDANT TUBE module for focused lighting; WIDE INNER linear modules hidden inside the profile, WIDE OUTER linear modules showing outside the profile or DISC circular modules, for diffused and uniform lighting. Integrated LED technology with colour temperature of 3000 K with high color rendering CRI  $\geq 90$ , IP20 protection, insulation class III, 24 Vdc power supply, non-dimmable, LED useful life 30,000 h L70B50. Ideal for lighting small environments where minimal size, wide application flexibility and high lighting quality are required, for example RESIDENTIAL, MUSEUM and RETAIL spaces.


Source	LED COB / SMD
Driver included	No
Drivers available	On/Off
MacAdam	SDCM 3
CCT	3000 K
CRI	$\geq 90$
LED life	30.000h
Insulation class	III
IP	20
Material	Aluminum
Warranty	5 years




# Deva Track



## LED COB OSRAM




Power	Beam	Control	Lumen	CCT	Finish	Code	
2,5W	37°	On-Off	150 lm	3000 K	White	332772	new
					Black	332765	new



## LED COB BRIDGELUX

Power	Beam	Control	Lumen	CCT	Finish	Code	
4,5W	34°	On-Off	450 lm	3000 K	White	332796	new
					Black	332789	new




## LED COB BRIDGELUX

Power	Beam	Control	Lumen	CCT	Finish	Code	
8 W	30°	On-Off	750 lm	3000 K	White	332826	new
					Black	332819	new


Required	Beam	Model	Code	
No	15°	TRACK 2,5W	332543	new
		TRACK 4,5W	332505	new
		TRACK 8W	332468	new



## LENS



Light beam: ACCENT



CRI≥90 4,5W 38° 450lm 3000K


540



541




# Deva Disc



0,110 Kg/0,0004 m<sup>3</sup>

## LED COB BRIDGELUX


Power	Beam	Control	Lumen	CCT	Finish	Code	
5W	38°	On-Off	500 lm	3000 K	White	332857	new
					Black	332840	new



0,330 Kg/0,0020 m<sup>3</sup>

## LED SMD


Power	Beam	Control	Lumen	CCT	Finish	Code	
10W	98°	On-Off	1100 lm	3000 K	White	332888	new
					Black	332864	new




0,430 Kg/0,0020 m<sup>3</sup>

## LED SMD


Power	Beam	Control	Lumen	CCT	Finish	Code	
15W	98°	On-Off	1750 lm	3000 K	White	332918	new
					Black	332901	new




Light beam: ACCENT



CRI≥90 5W 38° 500lm 3000K



Light beam: WIDE



CRI≥90 15W 98° 1750lm 3000K

332840




332901



543

542


# Deva Accent



## LED SMD

Power	Beam	Control	Lumen	CCT	Finish	Code
5W	34°	On-Off	350 lm	3000 K	Black	332758


new



## LED SMD OSRAM

Power	Beam	Control	Lumen	CCT	Finish	Code
10W	34°	On-Off	900 lm	3000 K	Black	332734




new



## LED SMD OSRAM

Power	Beam	Control	Lumen	CCT	Finish	Code
14W	34°	On-Off	1400 lm	3000 K	Black	332710

new



CRI≥90 5W 34° 3501m 3000K

CRI≥90 14W 34° 14001m 3000K



Deva Accent 145 mm



Deva Accent 241 mm




Deva Accent 335 mm






# Deva Wide Inner



## LED SMD

Power	Beam	Control	Lumen	CCT	Finish	Code
6W	100°	On-Off	700 lm	3000 K	Black	332949


new



## LED SMD

Power	Beam	Control	Lumen	CCT	Finish	Code
11W	100°	On-Off	1400 lm	3000 K	Black	332925



new




## LED SMD

Power	Beam	Control	Lumen	CCT	Finish	Code
16W	100°	On-Off	2100 lm	3000 K	Black	332895

new



CRI≥90 11W 100° 1400lm 3000K




Deva Wide Inner 300 mm

Deva Wide Inner 600 mm

Deva Wide Inner 900 mm


# Deva Wide Outer



LED SMD

Power	Beam	Control	Lumen	CCT	Finish	Code
8W	100°	On-Off	900 lm	3000 K	Black	332871


new



LED SMD

Power	Beam	Control	Lumen	CCT	Finish	Code
12W	100°	On-Off	1350 lm	3000 K	Black	332833



new



LED SMD

Power	Beam	Control	Lumen	CCT	Finish	Code
21W	100°	On-Off	2700 lm	3000 K	Black	332802

new



CRI≥90 12W 100° 1350lm 3000K



Deva Wide Outer 346 mm



Deva Wide Outer 646 mm




Deva Wide Outer 945 mm





# Deva Pendant



0,280 Kg/0,0009 m<sup>3</sup>


LED COB BRIDGELUX

Power	Beam	Control	Lumen	CCT	Finish	Code
6W	34°	On-Off	550 lm	3000 K	Black	332932

new




Light beam: ACCENT



CRI≥90 6W 34° 550lm 3000K

550



551


# Deva Surface



**PROFILE SURFACE** No mounting kit required, direct ceiling installation  
Maximum length per power source: 10 meters

Length	Weight	Volume	Finish	Code
1000 mm	0,280 Kg	0,0003 m³	Black	332475
2000 mm	0,470 Kg	0,0007 m³	Black	332482


new  
new



**SURFACE CORNER ROUND** Optional

Weight	Volume	Control	Finish	Code
0,056 Kg	0,0014 m³	On-Off	Black	339375

new



**SURFACE CORNER L** Optional

Weight	Volume	Control	Finish	Code
0,020 Kg	0,0002 m³	On-Off	Black	339382


new



**LINEAR CONNECTOR** Required - 1 Kit x linear connection

Weight	Volume	Control	Finish	Code
0,009 Kg	0,0001 m³	On-Off	Black	339368

new



**MAIN CONNECTOR** Required - 1 Kit x power source max 140W

Weight	Volume	Control	Finish	Code
0,001 Kg	0,0002 m³	On-Off	Black	332581

new

Cable length 1500 mm

**DRIVER ON/OFF** Required



Power	Output	Class	Measure(LxHxW)	Code
75 W	24 Vdc	<input type="checkbox"/>	168x30x38 mm	332659
150 W	24 Vdc	<input type="checkbox"/>	227x30x38 mm	332628

new  
new



**END CAP** (2pcs. incl.)

Required	Measure (LxHxW)	Finish	Code
Yes	10 x 7 x 15 mm	Black	332635

new





**KIT PENDANT**

Required	Measure (LxHxW)	Finish	Code
Yes	8 x 7 x 2050 mm	Black	332703

new

# Deva - Assembly plans





# Deva - Recessed



**PROFILE RECESSED** No mounting kit required, direct ceiling installation  
Maximum length per power source: 10 meters

Length	Weight	Volume	Finish	Code
1000 mm	0,370 Kg	0,0017 m³	Black	332529
2000 mm	0,670 Kg	0,0034 m³	Black	332536

new


new



**RECESSED CORNER ROUND** Optional

Weight	Volume	Control	Finish	Code
0,267 Kg	0,0023 m³	On-Off	Black	339405

new



**RECESSED CORNER L** Optional

Weight	Volume	Control	Finish	Code
0,030 Kg	0,0003 m³	On-Off	Black	339412


new



**RECESSED LINEAR CONNECTOR** Required - 1 Kit x linear connection

Weight	Volume	Control	Finish	Code
0,020 Kg	0,0001 m³	On-Off	Black	339399

new



**MAIN CONNECTOR** Required - 1 Kit x power source max 140W

Weight	Volume	Control	Finish	Code
0,060 Kg	0,0002 m³	On-Off	Black	332581

new

Cable length 1500 mm

**DRIVER ON/OFF** Required



Power	Output	Class	Measure (LxHxW)	Code
75 W	24 Vdc	<input type="checkbox"/>	168x30x38 mm	332659
150 W	24 Vdc	<input type="checkbox"/>	227x30x38 mm	332628




new

new

**END CAP (2pcs. incl.)**

Required	Measure (LxHxW)	Finish	Code
Yes	10 x 7 x 15 mm	Black	332635

# Deva - Assembly plans



# Deva - Recessed Easy




**PROFILE RECESSED EASY** No mounting kit required, direct ceiling installation  
Maximum length per power source: 10 meters

Length	Weight	Volume	Finish	Code
1000 mm	0,370 Kg	0,0017 m <sup>3</sup>	Black	332499
2000 mm	0,870 Kg	0,0034 m <sup>3</sup>	Black	332512

new

new

**RECESSED EASY CORNER L** Optional



Weight	Volume	Control	Finish	Code
0,030 Kg	0,0004 m <sup>3</sup>	On-Off	Black	339429

new


**RECESSED LINEAR CONNECTOR** Required - 1 Kit x linear connection



Weight	Volume	Control	Finish	Code
0,020 Kg	0,0001 m <sup>3</sup>	On-Off	Black	339399

new

**MAIN CONNECTOR** Required - 1 Kit x power source max 140W



Weight	Volume	Control	Finish	Code
0,060 Kg	0,0002 m <sup>3</sup>	On-Off	Black	332581

new

Cable length 1500 mm

**DRIVER ON/OFF** Required



Power	Output	Class	Measure (LxHxW)	Code
75 W	24 Vdc	<input type="checkbox"/>	168x30x38 mm	332659
150 W	24 Vdc	<input type="checkbox"/>	227x30x38 mm	332628

new


new

**END CAP (2pcs. incl.)**

Required	Measure (LxHxW)	Finish	Code
Yes	10 x 7 x 15 mm	Black	332635

new

# Deva - Assembly plans





## Ego new

Linear system composed of an extruded aluminum profile and magnetically fastened lighting elements with mechanical safety lock. The system is available in matt black RAL 9005, matt white RAL 9016 or anodized satin brass, in the ceiling or suspension installation mode (LOW and HIGH), recessed without edge that disappears into the plasterboard (RECESSED), rapid recessed into the plasterboard (RECESSED EASY) or recessed with edges for plasterboard or paneled false ceilings (RECESSED TRIM). Reduced section of the profile 26 mm, 27 mm or 52 mm wide, available in two lengths 1000 mm and 2000 mm. Possibility of composition with different light modules depending on the desired arrangement, modifiable if necessary: the TRACK SINGLE, DOUBLE and FLAT SINGLE modules for spot lighting, the TRACK ZOOM module for targeted lighting with adjustment of the beam opening without tools, the ACCENT module with glare control (UGR < 19), the PENDANT TUBE modules for localized lighting and WIDE or PENDANT BALL modules for diffused and uniform lighting. Integrated LED technology with color temperature of 2700K, 3000K or 4000K; color rendering index CRI ≥ 90, initial binning ≤ 3Step MacAdam; IP20 protection, insulation class III, 48 Vdc power supply, LED useful life 50,000 h L70B50; system also available in dimmable 1-10V or DALI-2 version. Ideal for lighting small and large environments where ample flexibility and high quality lighting is required, for example MUSEUM, COMMERCIAL, RESIDENTIAL and RETAIL spaces.

**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR < 19 (Accent, Pendant).

Source	LED COB / SMD
Driver included	No
Drivers available	On/Off
Control	1-10V / DALI
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
UGR	<19 (Accent, Pendant)
LED life	50.000h
Insulation class	III
IP	20
Material	Aluminum
Warranty	5 years




# Ego Track Single



LED SMD OSRAM

Power	Beam	Control	Lumen	CCT	Finish	Code	
3W	30°	On-Off	200 lm	3000 K	White	282978	
					Black	257617	
			220 lm	4000 K	Black	317977	
		1-10V	200 lm	3000 K	White	303673	
					Black	303666	
			DALI	200 lm	3000 K	White	286402
						Black	286396



FILTER HONEYCOMB

LENS


Model	Required	Beam	Finish	Code
Ego 3W	No		Black	260853
Ego 3W	No	18°	Clear	332062
		45°	Clear	332079

new

new





Light beam: ACCENT



CRI≥90 3W 30° 200lm 3000K


560



561



# Ego Track Single




## LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish	Code		
8 W	30°	On-Off	720 lm	2700 K	Black	340388		
			850 lm	3000 K	White	282985		
					Black	257631		
			900 lm	4000 K	Black	317984		
			850 lm	3000 K	White	303697		
		1-10V		DALI	720 lm	2700 K	Black	340364
					850 lm	3000 K	White	286426
							Black	286419

new

new



## LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish	Code		
12 W	30°	On-Off	1000 lm	2700 K	Black	340425		
			1200 lm	3000 K	White	282992		
					Black	257655		
			1250 lm	4000 K	Black	321967		
			1200 lm	3000 K	White	303710		
		1-10V		DALI	1000 lm	2700 K	Black	340401
					1200 lm	3000 K	White	286440
							Black	286433

new



new



Model	Required	Beam	Finish	Code
TRACK8W/12W	No		Black	260860
TRACK8W/12W	No	18°	Clear	332086
		45°	Clear	332093

new


new



CRI≥90 8W 30° 850lm 3000K


CRI≥90 12W 30° 1200lm 3000K

# Ego Track Single



## LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish	Code
19W	35°	On-Off	2200 lm	3000 K	White	307558
			2350 lm	4000 K	Black	305608
		1-10V	2200 lm	3000 K	White	307527
			2200 lm	3000 K	Black	307510
		DALI	2200 lm	3000 K	White	307541
			2200 lm	3000 K	Black	307534



## LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish	Code
26W	35°	On-Off	3050 lm	3000 K	White	307602
			3150 lm	4000 K	Black	305615
		1-10V	3050 lm	3000 K	White	307572
			3050 lm	3000 K	Black	307565
		DALI	3050 lm	3000 K	White	307596
			3050 lm	3000 K	Black	307589



## LENS




Model	Required	Beam	Finish	Code
TRACK19W/26W	No	20°	Clear	332109
		55°	Clear	332116

new

new




Light beam: ACCENT



CRI≥90 19W 35° 2200lm 3000K

CRI≥90 26W 35° 3050lm 3000K






# Ego Track Double



LED SMD OSRAM

Power	Beam	Control	Lumen	CCT	Finish	Code	
5 W	30°	On-Off	400 lm	3000 K	White	282947	
					Black	257624	
			430 lm	4000 K	Black	321714	
					White	303611	
		1-10V	400 lm	3000 K	White	303611	
					Black	303604	
			DALI	400 lm	3000 K	White	286341
						Black	286334



**FILTER HONEYCOMB**  
**LENS\***


Model	Required	Beam	Finish	Code
TRACK5W	No		Black	260853
TRACK5W	No	18°	Clear	332062
		45°	Clear	332079

new

new




Light beam: ACCENT



CRI≥90 5W 30° 400lm 3000K




# Ego Track Double



## LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish	Code		
16 W	30°	On-Off	1400 lm	2700 K	Black	340265	new	
					White	282954		
			1-10V	Black	257648			
				1550 lm	4000 K		Black	321806
				1500 lm	3000 K		White	303635
		DALI	1400 lm	2700 K	Black	303628	new	
					White	340241		
			1500 lm	3000 K	White	286365		
					Black	303628		
					Black	286358		



## LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish	Code		
24 W	30°	On-Off	2400 lm	3000 K	White	282961		
					Black	257662		
			1-10V	2500 lm	4000 K	Black	321844	
				2400 lm	3000 K	White	303659	
				Black	303642			
		DALI	2400 lm	3000 K	White	286389		
					Black	286372		





**FILTER HONEYCOMB**  
**LENS\***

Model	Required	Beam	Finish	Code	
TRACK16W/24W	No		Black	260860	new
TRACK16W/24W	No	18°	Clear	332086	
		45°	Clear	332093	




Light beam: **ACCENT**




CRI≥90 16W 30° 1450lm 3000K

CRI≥90 24W 30° 2000lm 3000K





# Ego Track Zoom




0,500 Kg/0,0035 m<sup>3</sup>

## LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish	Code	
10 W	20°-40°	On-Off	1000 lm	3000 K	Black	■ 330730	new
			1100 lm	4000 K	Black	■ 340197	new
		DALI	1000 lm	3000 K	Black	■ 330754	new
			1100 lm	4000 K	Black	■ 340180	new

**Light beam: from SPOT to WIDE**



CRI≥90 10W 20°-40° 1000lm 3000K




570



571


# Ego Track Big



0,470 Kg/0,0026 m<sup>3</sup>

## LED COB CITIZEN UGR <19

Power	Beam	Control	Lumen	CCT	Finish	Code
10W	38°	On-Off	1000 lm	3000 K	White	327556
					Black	300764





0,750 Kg/0,0026 m<sup>3</sup>

## LED COB CITIZEN UGR <19

Power	Beam	Control	Lumen	CCT	Finish	Code
20W	38°	On-Off	2000 lm	3000 K	White	327549
					Black	316307



Light beam: ACCENT



CRI≥90 10W 38° 1000lm 3000K


CRI≥90 20W 38° 2000lm 3000K

572

573



# Ego Track Flat




## LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish	Code
9W	36°	On-Off	1100 lm	3000 K	White	300504
					Black	290614
		1-10V	1100 lm	3000 K	White	303741
					Black	303727
		DALI	1100 lm	3000 K	White	300535
					Black	300528




Light beam: ACCENT



CRI≥90 9W 36° 1100lm 3000K



# Ego Accent



## LED SMD OSRAM UGR <19

Power	Beam	Control	Lumen	CCT	Finish	Code		
7W	35°	On-Off	630 lm	2700 K	Black	340067		
					White	282633		
			700 lm	3000 K	Black	257792		
					White	303505		
			730 lm	4000 K	Black	323596		
					White	303499		
		1-10V	700 lm	3000 K	3000 K	Black	303499	
						White	303505	
			630 lm	2700 K	Black	340043		
					White	286068		
			DALI	700 lm	3000 K	3000 K	Black	286051
							White	286068

new

new





## LED SMD OSRAM UGR <19

Power	Beam	Control	Lumen	CCT	Finish	Code		
13W	35°	On-Off	1250 lm	2700 K	Black	340104		
					White	282640		
			1400 lm	3000 K	Black	257686		
					White	303529		
			1450 lm	4000 K	Black	317953		
					White	303512		
		1-10V	1400 lm	3000 K	3000 K	Black	303512	
						White	303529	
			DALI	1250 lm	2700 K	2700 K	Black	340081
							White	286082
			DALI	1400 lm	3000 K	3000 K	Black	286075
							White	286082

new

new



CRI≥90 13W 35° 1400lm 3000K

576



Ego Accent 192 mm





Ego Accent 284 mm



577




# Ego Wide




## LED SMD SAMSUNG

Power	Beam	Control	Lumen	CCT	Finish	Code	
7W	110°	On-Off	850 lm	3000 K	White	283029	
					Black	257709	
		1-10V	880 lm	4000 K	Black	317960	
			850 lm	3000 K	White	303796	
		DALI		850 lm	3000 K	White	286501
						Black	286495



## LED SMD SAMSUNG

Power	Beam	Control	Lumen	CCT	Finish	Code	
13W	110°	On-Off	1450 lm	2700 K	Black	340586	
			1700 lm	3000 K	White	283036	
		1-10V		1750 lm	4000 K	Black	257716
			1700 lm	3000 K	White	303819	
		DALI		1450 lm	2700 K	Black	303802
				1700 lm	3000 K	White	340562
				Black	286525		
				Black	286518		




## LED SMD SAMSUNG

Power	Beam	Control	Lumen	CCT	Finish	Code	
26W	110°	On-Off	2900 lm	2700 K	Black	340623	
			3400 lm	3000 K	White	283043	
		1-10V		3500 lm	4000 K	Black	257730
			3400 lm	3000 K	White	322070	
		DALI		3400 lm	3000 K	White	303833
						Black	303826
		2900 lm	2700 K	Black	340609		
		3400 lm	3000 K	White	286549		
				Black	286532		



Light beam: WIDE



CRI≥90 26W 110° 3400lm 3000K



Ego Wide 284 mm




Ego Wide 560 mm



Ego Wide 1120 mm




# Ego Flexible





## LED SMD OSRAM UGR <19

Power	Beam	Lumen	CCT	Control	Finish	Code
13W	35°	1400lm	3000K	On-Off	White	282718
					Black	257846
				DALI	White	286105
					Black	286099





## LED SMD SAMSUNG

Power	Beam	Lumen	CCT	Control	Finish	Code
7W	110°	850lm	3000K	On-Off	White	282725
					Black	257839
				DALI	White	286129
					Black	286112



CRI≥90 13W 35° 1400lm 3000K




CRI≥90 7W 110° 850lm 3000K





# Ego Pendant




0,150 Kg/0,0020 m<sup>3</sup>

## LED COB CITIZEN UGR <19

Power	Beam	Control	Lumen	CCT	Finish	Code
5,5W	66°	On-Off	530 lm	3000 K	Black	332451
		1-10V	530 lm	3000 K	Black	344782
		DALI	530 lm	3000 K	Black	344799


new  
new  
new



0,550 Kg/0,0023 m<sup>3</sup>

## LED COB CITIZEN UGR <19

Power	Beam	Control	Lumen	CCT	Finish	Code
12W	30°	On-Off	1050 lm	3000 K	White	282879
					Black	257747
					Black	321653
		1-10V	White	303598		
			Black	303574		
			DALI	1050 lm	3000 K	White
	Black	286310				



0,900 Kg/0,0125 m<sup>3</sup>

## LED COB CITIZEN


Power	Beam	Control	Lumen	CCT	Finish	Code
10W	-	On-Off	1050 lm	3000 K	White	327532
					Black	327525




Light beam: ACCENT



Light beam: WIDE



CRI≥90 12W 30° 1050lm 3000K



CRI≥90 10W 1050lm 3000K



582



ADJUSTABLE CABLE


583

# Ego - Low




**TRACK LOW** No mounting kit required, direct ceiling installation  
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code
1000 mm	0,68 Kg	0,0013 m³	White	282909
			Black	257877
2000 mm	1,36 Kg	0,0026 m³	White	282916
			Black	266121




**CONNECTOR HORIZONTAL LOW** Optional

Weight	Volume	Control	Finish	Code
0,21 Kg	0,0009 m³	On-Off	White	282848
			Black	257990
		1-10V / DALI	White	286266
			Black	286259



**LINEAR CONNECTOR** Required - 1 Kit x linear connection

Weight	Volume	Control	Finish	Code
0,16 Kg	0,0005 m³	On-Off	White	285993
			Black	283104
		1-10V / DALI	White	285993
			Black	283104



**MAIN CONNECTOR** Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish	Code
0,12 Kg	0,0007 m³	On-Off	White	282862
			Black	265896
		1-10V / DALI	White	286303
			Black	286297

Required	Measure (L x H x W)	Finish	Code
Yes	26 x 11 x 27 mm	White	282688
		Black	267241
Yes	26 x 11 x 27 mm	White	282671
		Black	267258
Yes - 1 Kit x power source max 210 W	2000 mm	White	282749
		Black	276328
Yes - 1 kit x 900 mm	2000 mm	White	282756
		Black	259376
No	1000 x 17 x 18 mm	White	344751
		Black	344768

END CAP NO HOLE

END CAP WITH HOLE



SUSPENSION KIT

KIT SINGLE CABLE

BLINDED COVER


new  
new

# Ego - Assembly plans






# Ego - High




**TRACK HIGH** No mounting kit required, direct ceiling installation  
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code
1000 mm	0,90 Kg	0,0023 m³	White	282886
			Black	258027
2000 mm	1,80 Kg	0,0046 m³	White	282893
			Black	266145




**CONNECTOR HORIZONTAL HIGH** Optional

Weight	Volume	Control	Finish	Code
0,26 Kg	0,0013 m³	On-Off	White	282824
			Black	258140
		1-10V / DALI	White	286228
			Black	286211



**LINEAR CONNECTOR** Required - 1 Kit x linear connection

Weight	Volume	Control	Finish	Code	
0,16 Kg	0,0005 m³	On-Off	White	285993	
			Black	283104	
			1-10V / DALI	White	285993
				Black	283104




**MAIN CONNECTOR** Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish	Code	
0,12 Kg	0,0007 m³	On-Off	White	282862	
			Black	265896	
			1-10V / DALI	White	286303
				Black	286297

Cable length 2000 mm



**END CAP NO HOLE**



**END CAP WITH HOLE**



**SUSPENSION KIT**





**KIT SINGLE CABLE**



**BLINDED COVER**

Required	Measure (L x H x W)	Finish	Code
Yes	26 x 11 x 52 mm	White	282664
		Black	267227
Yes	26 x 11 x 52 mm	White	282657
		Black	267234
Yes - 1 Kit x power source max 210 W	2000 mm	White	282749
		Black	276328
Yes - 1 kit x 900 mm	2000 mm	White	282756
		Black	259376
No	1000 x 5 x 24 mm	White	282770
		Black	258256


# Ego - Assembly plans



PROFILE HIGH




# Ego - Recessed




**TRACK** Kit for assembly profile included  
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code
1000 mm	1,52 Kg	0,0039 m³	White	282923
			Black	258171
2000 mm	2,94 Kg	0,0078 m³	White	282930
			Black	266183




**CONNECTOR HORIZONTAL** Optional

Weight	Volume	Control	Finish	Code
0,32 Kg	0,0013 m³	On-Off	White	282787
			Black	258232
		1-10V / DALI	White	286204
			Black	286167



**LINEAR CONNECTOR** Required - 1 Kit x linear connection


Weight	Volume	Control	Finish	Code
0,16 Kg	0,0007 m³	On-Off	White	283111
			Black	286006
		1-10V / DALI	White	283111
			Black	286006



Cable length 2000 mm

**MAIN CONNECTOR** Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish	Code
0,12 Kg	0,0005 m³	On-Off	White	282862
			Black	265896
		1-10V / DALI	White	286303
			Black	286297



**END CAP NO HOLE**



**END CAP WITH HOLE**

**BLINDED COVER**

**INSTALLATION TOOL**


Required	Measure (L x H x W)	Finish	Code
Yes	36 x 4 x 52 mm	White	282701
		Black	267203
Yes	36 x 4 x 52 mm	White	282695
		Black	267210
No	1000 x 5 x 24 mm	White	282770
		Black	258256
No		Black	292922

# Ego - Assembly plans






# Ego - Recessed Easy




**TRACK** No mounting kit required, direct ceiling installation  
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code
1000 mm	1,16 Kg	0,0058 m³	White	320489
			Black	320472
2000 mm	2,40 Kg	0,0122 m³	White	320502
			Black	320496




**CONNECTOR HORIZONTAL** Optional

Weight	Volume	Control	Finish	Code
0,30 Kg	0,0010 m³	On-Off	White	320748
			Black	320731
		1-10V / DALI	White	320724
			Black	320717



**LINEAR CONNECTOR** Required - 1 Kit x linear connection


Weight	Volume	Control	Finish	Code
0,16 Kg	0,0005 m³	On-Off	White	283111
			Black	286006
		1-10V / DALI	White	283111
			Black	286006



Cable length 2000 mm




**MAIN CONNECTOR** Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish	Code
0,12 Kg	0,0007 m³	On-Off	White	282862
			Black	265896
		1-10V / DALI	White	286303
			Black	286297



Required	Measure (L x H x W)	Finish	Code
Yes	83 x 52 x 30 mm	White	320564
		Black	320557
Yes	83 x 52 x 30 mm	White	320588
		Black	320571
No	1000 x 5 x 24 mm	White	282770
		Black	258256

# Ego - Assembly plans




# Ego - Recessed Trim



**TRACK** Kit for assembly profile included  
Maximum length per power source: 25 meters


Length	Weight	Volume	Finish	Code
1000 mm	1,13 Kg	0,0058 m <sup>3</sup>	White	320441
			Black	320434
2000 mm	2,25 Kg	0,0122 m <sup>3</sup>	White	320465
			Black	320458

**CONNECTOR HORIZONTAL** Optional




Weight	Volume	Control	Finish	Code
0,30 Kg	0,0010 m <sup>3</sup>	On-Off	White	320625
			Black	320618
		1-10V / DALI	White	320601
			Black	320595

**LINEAR CONNECTOR** Required - 1 Kit x linear connection




Weight	Volume	Control	Finish	Code
0,16 Kg	0,0005 m <sup>3</sup>	On-Off	White	283111
			Black	286006
		1-10V / DALI	White	283111
			Black	286006

**MAIN CONNECTOR** Required - 1 Kit x power source max 210 W






Weight	Volume	Control	Finish	Code
0,12 Kg	0,0007 m <sup>3</sup>	On-Off	White	282862
			Black	265896
		1-10V / DALI	White	286303
			Black	286297



Required	Measure (L x H x W)	Finish	Code
Yes	38 x 52 x 17 mm	White	320526
		Black	320519
Yes	38 x 52 x 17 mm	White	320540
		Black	320533
No	1000 x 5 x 24 mm	White	282770
		Black	258256

# Ego - Assembly plans






# Ego - Bi-Emission




**TRACK BI-EMISSION** Maximum length per power source: 13 meters

Length	Weight	Volume	Finish	Code	
1000 mm	1,40 Kg	0,0058 m³	Black	322513	new
2000 mm	2,90 Kg	0,0080 m³	Black	340647	new




**BI-EMISSION LINEAR CONNECTOR** Required - 1 Kit x linear connection

Weight	Volume	Control	Finish	Code	
0,271 Kg	0,0032 m³	On-Off	Black	339863	new
		1-10V / DALI	Black	351346	new



**BI-EMISSION UP/DOWN ELECTRICAL CONNECTOR** Required - 1 Kit x linear connection


Weight	Volume	Control	Finish	Code	
0,100 Kg	0,0016 m³	On-Off	Black	322810	new
		1-10V / DALI	Black	342757	new



Cable length 2000 mm

**MAIN CONNECTOR** Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish	Code	
0,12 Kg	0,0005 m³	On-Off	White	282862	
			Black	265896	
		1-10V / DALI	White	286303	
			Black	286297	



**END CAP NO HOLE**

**END CAP WITH HOLE**


**SUSPENSION KIT**

**KIT SINGLE CABLE**

**BLINDED COVER**

Required	Measure (L x H x W)	Finish	Code	
Yes	26 x 90 x 2 mm	Black	322841	new
Yes	26 x 90 x 2 mm	Black	322858	new
Yes - 1 Kit x power source max 210 W	2100 mm	Black	322476	new
Yes - 1 kit x 900 mm	2085 mm	Black	322490	new
No	1000 x 5 x 24 mm	Black	258256	

# Ego - Assembly plans



# Ego - Drivers

## DRIVER MEANWELL ON/OFF Required



Power	Output	Class	Measure(LxHxW)	Driver box	Code
75 W	48 Vdc	⊕	171x37x62 mm	255x55x75 mm	223155
96 W	48 Vdc	⊕	220x37x68 mm	330x60x80 mm	223162
150 W	48 Vdc	⊕	228x37x68 mm	330x60x80 mm	223179
240 W	48 Vdc	⊕	244x39x68 mm	330x60x80 mm	224275

## DRIVER BOX Optional



Material	Measure(LxHxW)	Color	Code
Metal	255x55x75 mm	White	302379
		Black	302362
	330x60x80 mm	White	302355
		Black	302348

## MAGNETIC DRIVER Required - Cable length 2000 mm It replaces Driver + Main connector



Power	Output	Class	Measure(LxHxW)	Code
100 W	48 Vdc	□	297x20x16 mm	296302
150 W	48 Vdc	□	268x43x16 mm	325750
250 W	48 Vdc	□	268x43x16 mm	325767



\* Codes **325750** and **325767** suggested use with HIGH and RECESSED versions.




## Stick <sup>new</sup>

Dimmable linear system composed of extruded aluminum profile and lighting elements with magnetic fixing. The system is available in matt black for ceiling (SURFACE) or recessed installation that disappears into the plasterboard (RECESSED). Small profile section of 19 mm wide and only 13.5 mm high. Available in two lengths: 1000 mm and 2000 mm. Possibility of composition with different source modules which can be combined following the desired disposition and can be modified when needed: TRACK SINGLE and DOUBLE modules for a spot illumination, ACCENT modules for a localized illumination and WIDE modules for a diffused and uniform illumination. Integrated LED technology with color temperature of 2700K and 3000K; high color rendering CRI  $\geq 90$ ; IP20 protection, insulation class III, 48 Vdc power source,; LED useful life 50.000 h L70B50. The system is also available with 1-10 V dimmable version. Ideal for lighting details or small spaces where great flexibility and high light quality is required, such as MUSEUMS, RESIDENTIAL and RETAIL spaces.

Source	LED COB / SMD
Driver included	No
Drivers available	On/Off / 1-10V
Control	Phase-cut
CCT	2700 K / 3000 K
CRI	$\geq 90$
LED life	50.000h
Insulation class	III
IP	20
Material	Aluminum
Warranty	5 years



# Stick Track Single




## LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code
3W	24°	240 lm	2700 K	Black	345048
		250 lm	3000 K	Black	329505

new

0,070 Kg/0,0006 m<sup>3</sup>




## LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code
5W	30°	420 lm	2700 K	Black	345055
		430 lm	3000 K	Black	329529

new

0,110 Kg/0,0006 m<sup>3</sup>




## LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code
7W	36°	570 lm	2700 K	Black	345062
		600 lm	3000 K	Black	343501

new

new

0,018 Kg/0,0007 m<sup>3</sup>






## LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code
10W	36°	760 lm	2700 K	Black	345079
		800 lm	3000 K	Black	343518


new

new

0,018 Kg/0,0007 m<sup>3</sup>



CRI≥90 3W 24° 250lm 3000K



CRI≥90 5W 30° 430lm 3000K


600



601



# Stick Track Double




## LED COB BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code
6W	24°	480 lm	2700 K	Black	345024
		500 lm	3000 K	Black	329512

new

0,110 Kg/0,0006 m<sup>3</sup>




## LED COB BRIDGELUX


Power	Beam	Lumen	CCT	Finish	Code
10W	30°	840 lm	2700 K	Black	345031
		870 lm	3000 K	Black	329536

new

0,190 Kg/0,0006 m<sup>3</sup>




Light beam: SPOT




CRI≥90 6W 24° 500lm 3000K

602



Light beam: ACCENT




CRI≥90 10W 30° 870lm 3000K



603

# Stick Accent



## LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code
6W	40°	600 lm	2700 K	Black	344980
		630 lm	3000 K	Black	329468

new

0,070 Kg/0,0001 m<sup>3</sup>




## LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code
12W	40°	1200 lm	2700 K	Black	345000
		1250 lm	3000 K	Black	329475

new

0,150 Kg/0,0002 m<sup>3</sup>




## LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code
8W	40°	780 lm	2700 K	Black	344997
		800 lm	3000 K	Black	343525

new

new

0,080 Kg/0,0004 m<sup>3</sup>



## LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code
16W	40°	1550 lm	2700 K	Black	345017
		1600 lm	3000 K	Black	343532


new

new


0,140 Kg/0,0006 m<sup>3</sup>



Light beam: ACCENT




CRI≥90 6W 40° 630lm 3000K





CRI≥90 12W 40° 1250lm 3000K

604





# Stick Wide





## LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code
6W	110°	580 lm	2700 K	Black	345086
		600 lm	3000 K	Black	329444

new

0,070 Kg/0,0001 m<sup>3</sup>





## LED SMD BRIDGELUX


Power	Beam	Lumen	CCT	Finish	Code
12W	110°	1150 lm	2700 K	Black	345093
		1200 lm	3000 K	Black	329451

new

0,130 Kg/0,0002 m<sup>3</sup>



CRI≥90 6W 110° 600lm 3000K



CRI≥90 12W 110° 1200lm 3000K

606



Stick Wide 300 mm



Stick Wide 600 mm




607

# Stick Surface



**TRACK** Kit for profile installation and closing cups included

Length	Weight	Volume	Finish	Code
1000 mm	0,350 Kg	0,0594 m³	Black	329574
2000 mm	0,700 Kg	0,1154 m³	Black	329581



**CONNECTOR HORIZONTAL** Optional

Weight	Volume	Finish	Code
0,10 Kg	0,0015 m³	Black	330358



**BLINDED COVER**

Required	Measure (LxHxW)	Finish	Code
No	1000 x 3 x 16 mm	Black	329635
	2000 x 3 x 16 mm	Black	329642



**STRAIGHT CONNECTOR** Required - 1 Kit x linear connection

Weight	Volume	Finish	Code
0,03 Kg	0,0001 m³	Black	329710



**MAIN CONNECTOR** Required - 1 Kit x power source

Weight	Volume	Finish	Code
0,08 Kg	0,0003 m³	Black	329703

**DRIVER 1-10V** Required


Power	Output	Class	Measure(LxHxW)	Code
150 W	48 Vdc	□	350x18x30 mm	329673

**POWER SUPPLY LINEAR** Required  
It replaces Driver + Main connector

Power	Output	Class	Measure(LxHxW)	Code
120 W	48 Vdc	□	304x32x16 mm	329666

Cable length 2000 mm

# Stick - Assembly plans




BLINDED COVER






# Stick Recessed



**TRACK** Kit for profile installation and closing cups included

Length	Weight	Volume	Finish	Code
1000 mm	0,400 Kg	0,0816 m <sup>3</sup>	Black	329598
2000 mm	0,800 Kg	0,1586 m <sup>3</sup>	Black	329604



**CONNECTOR HORIZONTAL** Optional


Weight	Volume	Finish	Code
0,07 Kg	0,0015 m <sup>3</sup>	Black	330365



**BLINDED COVER**

Required	Measure (LxHxW)	Finish	Code
No	1000 x 3 x 16 mm	Black	329635
	2000 x 3 x 16 mm	Black	329642

**STRAIGHT CONNECTOR** Required - 1 Kit x linear connection



Weight	Volume	Finish	Code
0,03 Kg	0,0001 m <sup>3</sup>	Black	329710

**MAIN CONNECTOR** Required - 1 Kit x power source



Cable length 140 mm

Weight	Volume	Finish	Code
0,08 Kg	0,0003 m <sup>3</sup>	Black	329703

**DRIVER 1-10V** Required



Power	Output	Class	Measure (LxHxW)	Code
150 W	48 Vdc	□	350x18x30 mm	329673


**POWER SUPPLY LINEAR** Required - Cable length 400 mm  
It replaces Driver + Main connector



Cable length 2000 mm

Power	Output	Class	Measure (LxHxW)	Code
150 W	48 Vdc	□	304x32x16 mm	329666

# Stick - Assembly plans



BLINDED COVER



# Arca

Extruded aluminum linear system compatible with a wide range of lighting modules with mechanical fixing. The system is anodized and varnished. It is available in black color and for different kind of installations: ceiling, suspension, or flush in plasterboard ceilings. Modules can be assembled according to the desired arrangement. Two profile lengths available: 1000 mm and 3000 mm. Possibility of assembly with different modules: WIDE diffusing modules, ACCENT modules with UGR < 13 and adjustable TRACK modules for targeted lighting. COB or SMD LED technology, 3000 K or 4000 K color temperature, initial binning  $\leq$  3-Step MacAdam, IP20 protection, insulation class III, LED useful life 50,000 h L70B50. The 48 Vdc power supply gives great versatility and safety, with reversible and modifiable compositions if necessary. The system is suitable for environments where professional and powerful lighting with a minimal design is required, such as OFFICES and COMMERCIAL spaces.

**PRO** High-tech product with high quality materials, intended for professional use.



**UGR** Product with UGR <13 (Accent).

Source	LED COB / SMD
Driver included	No
Drivers available	On/Off
MacAdam	SDCM 3
CCT	3000 K / 4000 K
CRI	$\geq$ 90
UGR	<13 (Accent)
LED life	50.000h
Insulation class	III
IP	20
Material	Aluminum
Warranty	5 years







# Arca Track



0,200 Kg/0,0015 m<sup>3</sup>

## LED SMD CREE

Power	Beam	Lumen	CCT	Finish	Code
5W	34°	430 lm	3000 K	Black	■ 222974
		450 lm	4000 K	Black	■ 223056




0,460 Kg/0,0030 m<sup>3</sup>

## LED COB CITIZEN



Power	Beam	Lumen	CCT	Finish	Code
14W	36°	1250 lm	3000 K	Black	■ 222967
		1300 lm	4000 K	Black	■ 223049



Light beam: ACCENT




CRI≥90 5W 34° 430lm 3000K



CRI≥90 14W 36° 1250lm 3000K




# Arca Accent



LED SMD OSRAM UGR <13

Power	Beam	Lumen	CCT	Finish	Code
15W	35°	1600 lm	3000 K	Black	222929
		1650 lm	4000 K	Black	223001

0,440 Kg/0,0026 m³




LED SMD OSRAM UGR <13

Power	Beam	Lumen	CCT	Finish	Code
29W	35°	3200 lm	3000 K	Black	222936
		3350 lm	4000 K	Black	223018


0,700 Kg/0,0087 m³



Light beam: ACCENT



CRI≥90 15W 35° 1600lm 3000K



CRI≥90 29W 35° 3200lm 3000K

616



LINEAR SYSTEMS



Arca Accent 300 mm





Arca Accent 600 mm



617





# Arca Wide



LED SMD SAMSUNG

Power	Beam	Lumen	CCT	Finish	Code
13W	98°	1550 lm	3000 K	Black	222943
		1650 lm	4000 K	Black	223025

0,410 Kg/0,0025 m<sup>3</sup>




LED SMD SAMSUNG

Power	Beam	Lumen	CCT	Finish	Code
25W	98°	3100 lm	3000 K	Black	222950
		3300 lm	4000 K	Black	223032


0,700 Kg/0,0087 m<sup>3</sup>



Light beam: WIDE



CRI≥90 13W 98° 1550lm 3000K



CRI≥90 25W 98° 3100lm 3000K





Arca Wide 300 mm



Arca Wide 600 mm





# Arca - Suspension



**TRACK** Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code
1000 mm	1,34 Kg	0,0273 m <sup>3</sup>	Black	222745
3000 mm	4,02 Kg	0,0496 m <sup>3</sup>	Black	222752

# Arca - Surface



**TRACK** Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code
1000 mm	1,34 Kg	0,0273 m <sup>3</sup>	Black	222745
3000 mm	4,02 Kg	0,0496 m <sup>3</sup>	Black	222752



**LINEAR CONNECTOR**

Required	Cables Length	Measure (L x H x W)	Code
Yes - 1 Kit x connection		100 x 18 x 38 mm	254944
Yes		20 x 85 x 42 mm	223148
Yes - 1 Kit x 1000 mm	2000 mm	∅ 15 x 2000 mm	276366



**LINEAR CONNECTOR**

**ELECTRIFIED END CAP**



**END CAP**

**KIT SURFACE**

Required	Cables Length	Measure (L x H x W)	Code
Yes - 1 Kit x connection		100 x 18 x 38 mm	254944
Yes - 1 Kit x power source max 210 W	380 mm	86 x 80 x 42 mm	223124
Yes		20 x 85 x 42 mm	223148
Yes - 1 Kit x 1000 mm		1000 x 12 x 42 mm	222899



# Arca - Recessed



**TRACK** Kit for profile installation and closing cups included  
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code
1000 mm	2,90 Kg	0,0269 m <sup>3</sup>	Black	222769
3000 mm	8,70 Kg	0,0496 m <sup>3</sup>	Black	222882



**LINEAR CONNECTOR**

Required	Cables Length	Measure (L x H x W)	Code
Yes - 1 Kit x connection		100 x 18 x 38 mm	254944

**ELECTRIFIED END CAP**

Required	Cables Length	Measure (L x H x W)	Code
Yes - 1 Kit x power source max 210 W	380 mm	86 x 80 x 42 mm	223124



## Arca - Drivers and cover

**DRIVER MEANWELL ON/OFF** Required



Power	Output	Class	Measure (L x H x W)	Driver box	Code
75 W	48 Vdc	⊕	171x37x62 mm	255x55x75 mm	223155
96 W	48 Vdc	⊕	220x37x68 mm	330x60x80 mm	223162
150 W	48 Vdc	⊕	228x37x68 mm	330x60x80 mm	223179
240 W	48 Vdc	⊕	244x39x68 mm	330x60x80 mm	224275

**DRIVER BOX** Optional



Material	Measure (L x H x W)	Color	Code
Metal	255x55x75 mm	White	302379
		Black	302362
	330x60x80 mm	White	302355
		Black	302348

**BLINDED COVER** Optional




Material	Length	Color	Code
PC	990 mm	Black	222912

# Linus

Linear aluminum lamp with direct and indirect light. The lamp is modular and can be used individually or in a continuous line. Integrated LED, starting binning ≤ 3-Step MacAdam; CRI ≥ 90; protection IP20, insulation class I. Dimmable power supply 1-10V integrated as standard.

Source	LED SMD	LED life	50.000 h
Power	32W	Insulation class	I
Driver included	1-10V	IP	20
Drivers available	No	Material	Aluminum
MacAdam	SDCM 3	Warranty	5 years
CCT	3000 K / 4000 K		
CRI	≥90		




## LED SMD Up-light included - Driver 1-10V included

Power	Beam	Lumen	CCT	Finish	Code
32W	104°	1500 lm	3000 K	White	241968
				Black	241975
		1750 lm	4000 K	White	268231
				Black	268217

## UP-LIGHT INFO

Lumen	CCT
1500 lm	3000 K
1750 lm	4000 K

## CORNER Optional - Up-light not included



Power	Beam	Lumen	CCT	Finish	Code
5,5W	104°	640 lm	3000 K	White	241999
				Black	242002
		730 lm	4000 K	White	268149
				Black	268118




## STRUCTURE CONNECTOR

Required	Code
Yes - 1 Kit x connection	241982



Light beam: **BI-EMISSION WIDE**



CRI≥90 32W 104°+104° 1750+1750lm 4000K





# Fluo


Linear system of lamps with extruded aluminum, 50 mm wide and 80 mm high body. Modules available in two lengths: 1200 mm and 1800 mm, which can be assembled according to the desired arrangement. The system is available in two different arrangements: the WIDE diffusing module and the BI-EMISSION module with component for indirect lighting; integrated LEDs, color temperature options of 3000 K or 4000 K, chromatic index CRI  $\geq 90$ , starting binning  $\leq 3$ -Step MacAdam, IP20 protection, insulation class I; LED useful life 50.000 h L70B50. The system is available in white and black colors and it is possible to install it in different ways: single or continuous line for ceiling installation; suspended or flush-mounted in plasterboard ceilings. Included driver, integrated in the lighting fitting, available in 1-10V, DALI and Push dimmable versions. Suitable for locations where professional lighting with minimal design is required, such as COMMERCIAL and RETAIL.

**PRO** High-tech product with high quality materials, intended for professional use.

Source	LED SMD
Driver included	On/Off
Drivers available	1-10V / DALI/Push
MacAdam	SDCM 3
Optics	Accent/Wide/Bi-Emission
CCT	3000 K / 4000 K
CRI	$\geq 90$
LED life	50.000 h
Insulation class	I
IP	20
Material	Aluminum
Warranty	5 years



# Fluo Wide




2,890 Kg/0,0183 m<sup>3</sup>  
Cable length 2150 mm

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
27 W	105°	3350 lm	3000 K	White	192437
				Black	191997
		3600 lm	4000 K	White	192482
				Black	192505

DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code
1-10V	28 W	500 mA	280x21x30 mm	216423
DALI/Push	27 W	500 mA	280x21x30 mm	216287



4,420 Kg/0,0257 m<sup>3</sup>  
Cable length 2150 mm



LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
36 W	105°	4600 lm	3000 K	White	192550
				Black	192567
		4750 lm	4000 K	White	192604
				Black	192628

DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code
1-10V	39 W	700 mA	280x21x30 mm	216416
DALI/Push	38 W	700 mA	280x21x30 mm	216270

MOUNTING KIT Required - Page 641




CRI≥90 27W 105° 3600lm 4000K


\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.



Fluo Wide 1200



Fluo Wide 1800



The single final cup is 2.5 mm width.



# Fluo Bi-Emission\*



## LED SMD SAMSUNG

Up-light included - Driver TRIDONIC ON/OFF included



2,890 Kg/0,0183 m<sup>3</sup>  
Cable length 2150 mm

Power	Beam	Lumen	CCT	Finish	Code
27 W	105°	3300 lm	3000 K	White	192666
				Black	192710
		3550 lm	4000 K	White	192741
				Black	192758

## UP-LIGHT INFO

Power	Beam	Lumen	CCT
13 W	105°	1800 lm	3000 K
		1900 lm	4000 K

## KIT DIMMABLE DRIVER\*

	Code
1-10V	270692
DALI/Push	270876

## LED SMD SAMSUNG

Up-light included - Driver TRIDONIC ON/OFF included



4,420 Kg/0,0269 m<sup>3</sup>  
Cable length 2150 mm

Power	Beam	Lumen	CCT	Finish	Code
36 W	105°	4800 lm	3000 K	White	192703
				Black	192697
		4950 lm	4000 K	White	192673
				Black	192642

## UP-LIGHT INFO

Power	Beam	Lumen	CCT
18 W	105°	2400 lm	3000 K
		2550 lm	4000 K

## KIT DIMMABLE DRIVER\*

	Code
1-10V	270883
DALI/Push	270937



Light beam: BI-EMISSION  
WIDE

m	lx	om
1	512	2,10
2	128	4,21
3	56	6,32
4	32	8,43
5	20	10,54




## MOUNTING KIT Required - Page 641

\* Separate switching on of direct and indirect output (available only for on-off versions). Control of the direct and indirect output in synchrony (versions with 1-10V and Push dimming). The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.

CRI≥90 27+13W 105°+105° 3300+1800lm 3000K



### Fluo Bi-Emission 1200






### Fluo Bi-Emission 1800







The single final cup is 2.5 mm width.

# Fluo - Assembly plans



## Fluo - Mounting kit

	Required	N° Cables	Cables Length	Finish	Code
 <b>KIT SUSPENSION</b>	Yes - 1 Kit x power source	1	2000 mm	White	277929
				Black	277912
		1	5000 mm	White	276342
				Black	276335
 <b>KIT SINGLE CABLE</b>	Yes - 1 Kit x 600 mm	1	2000 mm		220826
		1	5000 mm		243665
 <b>KIT RECESSED</b>	Yes - 1 Kit x 600 mm				191188
 <b>KIT SURFACE</b>	Yes - 1 Kit x 600 mm				191171

**STRUCTURE CONNECTOR** Maximum length per power source: 30 meters

Required	Code
Yes - 1 Kit x connection	191508



# Steel <sup>new</sup>

Linear aluminum lamp with direct and indirect light. The indirect light can be turned on or off thanks to the switch positioned on the edge of the fitting. The lamp is available in WIDE model with diffusing downlight optics made of microprismatized PMMA (UGR < 19) and in ACCENT model with black reflector (UGR < 16). Integrated LED sources, available with CCT 3000 K e 4000 K; CRI ≥ 90; lifetime 50.000 h L70B50; IP20. Suitable for offices, business premises and retail.


**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR <16 (Accent), <19 (Wide).

Source	LED SMD
Driver included	On/Off
Drivers available	No
MacAdam	SDCM 3
Optics	Accent/Wide
CCT	3000 K / 4000 K
CRI	≥90
UGR	<16 (Accent) / <19 (Wide)
LED life	50.000 h
Insulation class	I - II
IP	20
Material	Aluminum
Warranty	5 years




# Steel



## LED SMD SAMSUNG

Up-light included - Driver OSRAM ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish	Code
36 W	70°	3350 lm	3000 K	White	267128
				Black	270197
		3550 lm	4000 K	White	270203
				Black	267135



## LED SMD SAMSUNG

Up-light included - Driver OSRAM ON/OFF included - UGR <16

Power	Beam	Lumen	CCT	Finish	Code
36 W	60°	3000 lm	3000 K	White	270180
				Black	267142
		3200 lm	4000 K	White	267159
				Black	270173

## UP-LIGHT INFO

Beam	Lumen	CCT
110°	1100 lm	3000 K
	1150 lm	4000 K



### KIT SUSPENSION

Required	N° Cables	Cables Length	Finish	Code
Yes - 1 Kit x power source	1	2000 mm	White	276311
			Black	276304



### KIT SINGLE CABLE

Yes - 1 Kit x 500 mm	1	2000 mm		271750
----------------------	---	---------	--	--------





### KIT SURFACE

Yes - 1 Kit x 1000 mm				270210
-----------------------	--	--	--	--------





### KIT CONTINUOS


Yes - 1 Kit x connection				271712
--------------------------	--	--	--	--------




CRI≥90 36W 70°+110° 3550+1150lm 4000K



CRI≥90 36W 60°+110° 3200+1150lm 4000K



### Steel Accent




### Steel Wide





# Steel Slim




## LED SMD SAMSUNG

Up-light included - Driver OSRAM ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish	Code
35W	110°	2900 lm	3000 K	White	348407
				Black	348384

new

new



## LED SMD SAMSUNG

Up-light included - Driver OSRAM ON/OFF included - UGR <16



Power	Beam	Lumen	CCT	Finish	Code
35W	70°	2900 lm	3000 K	White	348414
				Black	348391

new


new

## UP-LIGHT INFO


Beam	Lumen	CCT
110°	1100 lm	3000 K



Steel Slim Accent



Steel Slim Wide




# Office

Aluminum linear lamp with direct light for suspended installation. White or black finish available with black reflectors. Integrated LED sources with glare control (UGR < 16); available with 3000 K and 4000 K color temperature; CRI ≥ 90; 50.000 h of life L70B50; protection IP20, insulation class I.

<b>Source</b>	LED SMD	<b>LED life</b>	50.000 h
<b>Power</b>	30W	<b>Insulation class</b>	I
<b>Driver included</b>	On/Off	<b>IP</b>	20
<b>Drivers available</b>	No	<b>Material</b>	Aluminum
<b>CCT</b>	3000 K / 4000 K	<b>Warranty</b>	5 years
<b>CRI</b>	≥90		
<b>UGR</b>	<16		


**UGR** Product with UGR <16.



LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
30 W	37°	3350 lm	3000 K	White	271194
				Black	271187
		3700 lm	4000 K	White	271217
				Black	271200

**Light beam: ACCENT**



CRI≥90 30W 37° 3700lm 4000K

640



641



# LED strip and supports

Indoors



## Alphabetical index

Slot 652  
Strip Led 644  
Tesi 648

## Typology index

new



Strip 644

new



Tesi 648

new



Slot Recessed 654

new



Slot Surface 656

new



Slot Angular 658


\* No further promotions can be applied to the strip led recommended prices.



# Strip LED and Drivers new


Volt	24 Vdc
Source	LED COB/SMD
Drivers available	On/Off / 1-10V / DALI/Push
Power	5 / 8 / 10 / 15 / 20 / 40 W/m
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
Beam	120°
LED life	50.000 h
Warranty	5 years

## SMD 2835 180 LED/m - 50.000h



Power	IP	Lumen	CCT	Measure	Code	
8 W/m	IP20	670 lm/m	2700 K	5x5000mm	345772	new
		700 lm/m	3000 K	5x5000mm	345789	new
		750 lm/m	4000 K	5x5000mm	345796	new
15 W/m	IP20	1290 lm/m	2700 K	5x5000mm	345765	new
		1340 lm/m	3000 K	5x5000mm	332239	new
		1380 lm/m	4000 K	5x5000mm	332246	new

## SMD 2835 120 LED/m - 50.000h



Power	IP	Lumen	CCT	Measure	Code	
5 W/m	IP20	470 lm/m	2700 K	8x5000mm	346328	new
		490 lm/m	3000 K	8x5000mm	346335	new
		510 lm/m	4000 K	8x5000mm	346359	new
	IP65	460 lm/m	3000 K	8x5000mm	346342	new
		500 lm/m	4000 K	8x5000mm	346366	new
		910 lm/m	2700 K	8x5000mm	346373	new
10 W/m	IP20	940 lm/m	3000 K	8x5000mm	346380	new
		970 lm/m	4000 K	8x5000mm	346403	new
		960 lm/m	3000 K	8x5000mm	346397	new
	IP65	1040 lm/m	4000 K	8x5000mm	346410	new
		1400 lm/m	2700 K	10x5000mm	272498	
		1450 lm/m	3000 K	10x5000mm	272481	
15 W/m	IP20	1600 lm/m	4000 K	10x5000mm	272474	
		1400 lm/m	3000 K	10x5000mm	272504	
		1480 lm/m	4000 K	10x5000mm	287959	




345789

645




# Strip LED and Drivers




**SMD 2835 240 LED/m - 50.000 h**

Power	IP	Lumen	CCT	Measure	Code	
10 W/m	IP20	990 lm/m	2700 K	8x5000mm	346427	new
		1000 lm/m	3000 K	8x5000mm	346434	new
		1060 lm/m	4000 K	8x5000mm	346458	new
15 W/m	IP65	880 lm/m	3000 K	8x5000mm	346441	new
		900 lm/m	4000 K	8x5000mm	346465	new
		1510 lm/m	4000 K	8x5000mm	346502	new
20.5 W/m	IP20	1330 lm/m	2700 K	8x5000mm	346472	new
		1450 lm/m	3000 K	8x5000mm	346489	new
		1510 lm/m	4000 K	8x5000mm	346502	new
	IP65	1400 lm/m	3000 K	8x5000mm	346496	new
		1460 lm/m	4000 K	8x5000mm	346519	new
		2000 lm/m	3000 K	10x5000mm	272535	
20.5 W/m	IP20	2050 lm/m	3000 K	10x5000mm	272528	
		2100 lm/m	4000 K	10x5000mm	272511	
		2000 lm/m	3000 K	10x5000mm	272542	
		2020 lm/m	4000 K	10x5000mm	287966	



**SMD 2835 180 LED/m - 50.000h**

Power	IP	Lumen	CCT	Measure	Code
40 W/m	IP20	4350 lm/m	3000 K	10x3000mm	253886
		4410 lm/m	4000 K	10x3000mm	253893



**COB 180 LED/m - 50.000h**

Power	IP	Lumen	CCT	Measure	Code	
8 W/m	IP20	760 lm/m	2700 K	8x5000mm	325934	new
		790 lm/m	3000 K	8x5000mm	325958	new
		820 lm/m	4000 K	8x5000mm	325972	new
15 W/m	IP20	1350 lm/m	2700 K	8x5000mm	325941	new
		1470 lm/m	3000 K	8x5000mm	325965	new
		1620 lm/m	4000 K	8x5000mm	325989	new



	Required	Code
MAIN CONNECTOR	No	292939
LINEAR CONNECTOR	No	292953

**DRIVER** For indoor installation only



	Power	Output	Class	Measure (LxHxW)	Code
On-Off	30 W	24 Vdc	□	140 x 28 x 45 mm	124070
	60 W	24 Vdc	□	186 x 33 x 50 mm	124087
	150 W	24 Vdc	⊕	268 x 31 x 45 mm	124117
1-10V/Push	36 W	24 Vdc	□	293 x 30 x 43 mm	244556
1-10V	100 W	24 Vdc	⊕	210 x 34 x 67 mm	244570
1-10V/Push	150 W	24 Vdc	⊕	352 x 30 x 43 mm	244594
	36 W	24 Vdc	□	175 x 30 x 44 mm	244549
DALI/Push	80 W	24 Vdc	⊕	295 x 35 x 45 mm	244563
	150 W	24 Vdc	⊕	273 x 37 x 57 mm	244587

# Tesi 8mm new

Flexible steel tape for wall-to-wall tension application, to be used as a support for the application of LED strips for indirect lighting. Tape available in two widths of 8 mm and 20 mm, maximum length of 5 or 10 meters that can be cut to size, aluminum supports with locking system, available in steel, white or black finishes. Ideal for environments with an historical and architectural character that are already highly personalized, with its minimal section it disappears inside the environment to guarantee a result of extreme formal cleanliness.

## STRIP LED SUPPORT

Length	Width	Finish	Code	
5000 mm	8 mm	Steel	344935	<span style="color: red;">new</span>
		White	344928	<span style="color: red;">new</span>
		Black	344911	<span style="color: red;">new</span>
0,060 Kg/0,0029 m <sup>3</sup>				

Length	Width	Finish	Code	
10000 mm	8 mm	Steel	344904	<span style="color: red;">new</span>
		White	344898	<span style="color: red;">new</span>
		Black	344881	<span style="color: red;">new</span>
0,080 Kg/0,0029 m <sup>3</sup>				

## RECOMMENDED STRIP LED AND DRIVER


### SMD 2835 180 LED/m - 50.000h

Power	IP	Lumen	CCT	Measure	Code	
8 W/m	IP20	670 lm/m	2700 K	5x5000mm	345772	<span style="color: red;">new</span>
		700 lm/m	3000 K	5x5000mm	345789	<span style="color: red;">new</span>
		750 lm/m	4000 K	5x5000mm	345796	<span style="color: red;">new</span>

## DRIVER ON/OFF

Power	Output	Class	Measure(LxHxW)	Driver box	Code
30 W	24 Vdc	□	140 x 28 x 45 mm	255 x 55 x 75 mm	124070
60 W	24 Vdc	□	186 x 33 x 50 mm	255 x 55 x 75 mm	124087
150 W	24 Vdc	⊕	268 x 31 x 45 mm	330 x 60 x 80 mm	124117

 Light beam: **INDIRECT**







# Tesi 20mm new



## STRIP LED SUPPORT




Length	Width	Finish	Code
5000 mm	20 mm	Steel	258300
		White	302256
		Black	302263



Length	Width	Finish	Code
10000 mm	20 mm	Steel	302270
		White	302287
		Black	302294

## RECOMMENDED STRIP LED AND DRIVER

### SMD 2835 120 LED/m - 50.000h



Power	IP	Lumen	CCT	Measure	Code	
5 W/m	IP20	470 lm/m	2700 K	8x5000mm	346328	new
		490 lm/m	3000 K	8x5000mm	346335	new
		510 lm/m	4000 K	8x5000mm	346359	new
10 W/m	IP65	460 lm/m	3000 K	8x5000mm	346342	new
		500 lm/m	4000 K	8x5000mm	346366	new
		910 lm/m	2700 K	8x5000mm	346373	new
15 W/m	IP20	940 lm/m	3000 K	8x5000mm	346380	new
		970 lm/m	4000 K	8x5000mm	346403	new
		1040 lm/m	4000 K	8x5000mm	346410	new
15 W/m	IP65	1400 lm/m	2700 K	10x5000mm	272498	
		1450 lm/m	3000 K	10x5000mm	272481	
		1600 lm/m	4000 K	10x5000mm	272474	
	IP65	1400 lm/m	3000 K	10x5000mm	272504	
		1480 lm/m	4000 K	10x5000mm	287959	

## DRIVER ON/OFF

Power	Output	Class	Measure(LxHxW)	Driver box	Code
30 W	24 Vdc	□	140x28x45 mm	255x55x75 mm	124070
60 W	24 Vdc	□	186x33x50 mm	255x55x75 mm	124087
150 W	24 Vdc	⊕	268x31x45 mm	330x60x80 mm	124117




Light beam: **INDIRECT**



650



LED STRIP AND SUPPORTS



651

# Slot


Extruded aluminum body with anodized or powder coated surface, available in white, black, aluminum finishes, PMMA satin diffuser. Bars with different optional sections and length are available for the RECESSED version for plasterboard ceilings installation and SURFACE version for wall or ceiling installation. The ANGULAR models in the round and square version are designed with an internal angle of inclination of the light source for optimal illumination inside luminous veils and grooves. The linear modules are available in different lengths: 2000 and 3000 mm. They can be assembled according to the desired design and can be sectioned to size. Led and driver to be combined for a correct installation.

<b>Model</b>	Recessed/Surface/Angular
<b>Width</b>	6/31 mm
<b>Material</b>	Aluminum





# Slot Recessed




**6 x 9 mm** Mounting kit included - Not compatible with strip LED IP65

Length	Weight	Volume	Finish	Code
2000 mm	0,14 Kg	0,0082 m <sup>3</sup>	White	346212
3000 mm	0,21 Kg	0,0122 m <sup>3</sup>	White	346229

new

new


**STRIP LED AND DRIVER** Recommended Strip LED max 8 W/m



**12 x 5 mm** Mounting kit included - Not compatible with strip LED IP65

Length	Weight	Volume	Finish	Code
2000 mm	0,35 Kg	0,0020 m <sup>3</sup>	White	203102
3000 mm	0,54 Kg	0,0029 m <sup>3</sup>	White	204611

**STRIP LED AND DRIVER** Recommended Strip LED max 15 W/m




**10,6 x 14 mm** Not compatible with strip LED IP65

Length	Weight	Volume	Finish	Code
2000 mm	0,60 Kg	0,0031 m <sup>3</sup>	White	346274
3000 mm	0,89 Kg	0,0068 m <sup>3</sup>	White	346281

new

new

**STRIP LED AND DRIVER** Recommended Strip LED max 8 W/m



**21 x 14 mm**

Length	Weight	Volume	Finish	Code
2000 mm	0,71 Kg	0,0049 m <sup>3</sup>	White	346762
3000 mm	1,06 Kg	0,0039 m <sup>3</sup>	White	346779

new

new

**STRIP LED AND DRIVER** Recommended Strip LED max 15 W/m



**KIT PROFILE 21 x 14 mm**

Required	Code
Yes - 1 Kit x connection	223766
Yes - 1 Kit x connection	223759
Yes - 1 Kit x connection	223742

**KIT LINEAR**

**KIT RIGHT-LEFT**

**KIT VERTICAL-HORIZONTAL**




Mounting kit PROFILE 12 mm.



346762  
346779

# Slot Surface




**6 x 9 mm** Mounting kit included - Not compatible with strip LED IP65

Length	Weight	Volume	Finish	Code
2000 mm	0,14 Kg	0,0082 m <sup>3</sup>	White	346243
	0,14 Kg	0,0082 m <sup>3</sup>	Black	346236
3000 mm	0,21 Kg	0,0122 m <sup>3</sup>	White	346267
	0,21 Kg	0,0122 m <sup>3</sup>	Black	346250

new  
new  
new  
new


**STRIP LED AND DRIVER** Recommended Strip LED max 8 W/m



**11 x 5 mm** Mounting kit included - Not compatible with strip LED IP65


Length	Weight	Volume	Finish	Code
2000 mm	0,20 Kg	0,0020 m <sup>3</sup>	White	203089
	0,20 Kg	0,0020 m <sup>3</sup>	Aluminu.	203072
3000 mm	0,34 Kg	0,0029 m <sup>3</sup>	White	204598
	0,34 Kg	0,0029 m <sup>3</sup>	Aluminu.	204581

**14 x 15 / 22 mm** Mounting kit included - Not compatible with strip LED IP65



Measure	Weight	Volume	Finish	Code
2000x15mm	0,20 Kg	0,0015 m <sup>3</sup>	White	307145
2000x22mm	0,40 Kg	0,0021 m <sup>3</sup>	White	307152

**STRIP LED AND DRIVER** Recommended Strip LED max 15 W/m



**31 x 37 mm** Mounting kit included

Length	Weight	Volume	Finish	Code
2000 mm	1,40 Kg	0,0032 m <sup>3</sup>	White	270524
	1,40 Kg	0,0032 m <sup>3</sup>	Black	270517
3000 mm	2,10 Kg	0,0048 m <sup>3</sup>	White	270548
	2,10 Kg	0,0048 m <sup>3</sup>	Black	270531

Required	N° Cables	Cables Length	Code
No - 1Kit x 2000 mm	2	3000 mm	270449
Yes - 1Kit x connection			270463



**STRIP LED AND DRIVER** Recommended Strip LED max 40 W/m



**SUSPENSION KIT**



**STRUCTURE CONNECTOR**



Mounting kit 11 x 5 mm.




307145



270517



# Slot Angular Surface



ROUND 10 x 10 mm

Length	Weight	Volume	Finish	Code
2000 mm	0,16 Kg	0,0027 m <sup>3</sup>	White	346298
3000 mm	0,24 Kg	0,0055 m <sup>3</sup>	White	346304

new  
new





ROUND 16 x 16 mm

Length	Weight	Volume	Finish	Code
2000 mm	0,30 Kg	0,0020 m <sup>3</sup>	White	203126
3000 mm	0,44 Kg	0,0029 m <sup>3</sup>	White	204635

STRIP LED AND DRIVER Recommended Strip LED max 15 W/m

# Slot Angular Recessed



17,2 x 11 mm

Length	Weight	Volume	Finish	Code
2000 mm	0,92 Kg	0,0031 m <sup>3</sup>	White	339788
3000 mm	1,38 Kg	0,0082 m <sup>3</sup>	White	339795


new  
new

STRIP LED AND DRIVER Recommended Strip LED max 15 W/m

KIT PROFILE 21 x 14 mm / 17,2 x 11 mm

-  KIT LINEAR
-  KIT RIGHT-LEFT
-  KIT VERTICAL-HORIZONTAL

Required	Code
Yes - 1 Kit x connection	223766
Yes - 1 Kit x connection	223759
Yes - 1 Kit x connection	223742



Mounting kit  
PROFILE ROUND 10x10 mm.



339788  
339795

# Spotlights and Tracks

Indoors



## Alphabetical index

Byte	696
Display	700
Eos	686
Fox	678
Glim	695
Link	708
Link Mono	714
Look	698
Mouse	694
Pov	692
Quick	662
Smile	670
Spike	697
Spot	694

## Typology index

<small>new</small>			<small>new</small>		
	Quick 662	Smile 670		Fox 678	
<small>new</small>			<small>new</small>		
	Eos 686	Pov 692		Mouse 694	
<small>new</small>			<small>new</small>		
	Spot 694	Glim 695		Byte 696	
<small>new</small>					
	Spike 697	Look 698			
<small>new</small>		<small>new</small>		<small>new</small>	
	Display Accent 702	Display Wide 704		Display UGR 706	
		<small>new</small>			
	Link 3-Phase 708		Link 1-Phase 714		



# Quick

Extruded aluminum cylindrical tracklight suitable for installation on three-phase track. White or black powder coating, 355° turning head and 90° adjustable, the power driver is included and located in the cylindrical body of the projector itself. Light source with integrated COB LED technology for maximum efficiency, available with a color temperature of 3000 K or 4000 K; Energy efficient LED with high color rendering, up to CRI ≥ 90; starting binning ≤3-Step MacAdam; symmetrical beam optic with three different emission angles and glare control (UGR <19); assembly and disassembly without tools; IP20 protection; insulation class I; LED useful life 50.000 h L80B50. Ideal for installation in big rooms, where great flexibility and color rendering is required, such as MUSEUM, COMMERCIAL and RETAIL spaces.

**PRO** High-tech product with high quality materials, intended for professional use.


Source	LED COB
Power	15W / 21W / 28W
Driver included	On/Off
Drivers available	No
Track	3-Phase
MacAdam	SDCM 3
CCT	3000 K / 4000 K
CRI	≥80 / ≥90
LED life	50.000 h
Insulation class	I
IP	20
Material	Aluminum
Warranty	5 years



Link 3-Phase - Page 708



# Quick 15W



## 3-PHASE LED COB CITIZEN

### CRI ≥80

Power	Beam	Lumen	CCT	Finish	Code
15 W	30°	1800 lm	3000 K	White	222509
				Black	222523
		1950 lm	4000 K	White	222530
				Black	222547

### CRI ≥90

Power	Beam	Lumen	CCT	Finish	Code
15 W	30°	1500 lm	3000 K	White	222554
				Black	222561
		1600 lm	4000 K	White	222578
				Black	222585



FILTER HONEYCOMB



LENS\*




SINGLE CONNECTION

Required	Beam	Finish	Code
No		Black	222608
No	15°	Clear	222592
No	45°	Clear	253558
No		White	170145
No		Black	170152



Light beam: ACCENT




CRI ≥80 15W 30° 1800lm 3000K

\* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.





# Quick 21W



## 3-PHASE LED COB CITIZEN

### CRI ≥80

Power	Beam	Lumen	CCT	Finish	Code
21W	30°	2450 lm	3000 K	White	247946
				Black	247939
		2700 lm	4000 K	White	247960
				Black	247953

### CRI ≥90

Power	Beam	Lumen	CCT	Finish	Code
21W	30°	2000 lm	3000 K	White	247977
				Black	225364
		2150 lm	4000 K	White	247991
				Black	247984



FILTER HONEYCOMB



LENS\*




SINGLE CONNECTION

Required	Beam	Finish	Code
No		Black	222608
No	15°	Clear	222592
No	45°	Clear	253558
No		White	170145
No		Black	170152



Light beam: ACCENT




CRI ≥80 21W 30° 2450lm 3000K

\* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.



# Quick 28W




## 3-PHASE LED COB CITIZEN

### CRI ≥80



Power	Beam	Lumen	CCT	Finish	Code
28 W	30°	3550 lm	3000 K	White	222615
				Black	222622
		3800 lm	4000 K	White	222639
				Black	222646

### CRI ≥90

Power	Beam	Lumen	CCT	Finish	Code
28 W	30°	3100 lm	3000 K	White	222653
				Black	222660
		3300 lm	4000 K	White	222677
				Black	222684



Required	Beam	Finish	Code
No		Black	222714
No	18°	Clear	222691
No	45°	Clear	222707
No		White	170145
No		Black	170152



CRI ≥80 28W 30° 3550lm 3000K

\* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.





# Smile

Cylindrical aluminum projector (extrusion + CNC manufacturing + forging) suitable for installation on three-phase track. White or black powder coating, 350 ° rotating head and 90 ° adjustable, the power driver is included and is located in the cylindrical body of the projector itself; light source with integrated LED COB technology, available with a color temperature of 3000 K or 4000 K and with color rendering index up to 90; starting binning ≤ 4-Step MacAdam; symmetrical beam optic with three different emission angles and glare control (UGR <19); assembly and disassembly without tools; IP 20 protection; insulation class II; LED useful life 50.000 h L70B50.

Ideal for the installation in big rooms, where great flexibility and color rendering is required, such as MUSEUM, COMMERCIAL and RETAIL spaces.

**UGR** Product with UGR <19.

Source	LED COB
Power	15W / 20W / 30W
Driver included	On/Off
Drivers available	No
Track	3-Phase
CCT	3000 K / 4000 K
CRI	≥80 / ≥90
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years




Link 3-Phase - Page 708





# Smile 15W



3-PHASE LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥ 80


Power	Beam	Lumen	CCT	Finish	Code
15W	24°	2050 lm	3000 K	White	189574
				Black	189581
	36°	2050 lm	3000 K	White	189758
				Black	189765
	50°	2050 lm	3000 K	White	189932
				Black	189949

Power	Beam	Lumen	CCT	Finish	Code
15W	24°	2250 lm	4000 K	White	189611
				Black	189628
	36°	2250 lm	4000 K	White	189796
				Black	189802
	50°	2250 lm	4000 K	White	189956
				Black	189963

CRI ≥ 90

Power	Beam	Lumen	CCT	Finish	Code
15W	24°	1700 lm	3000 K	White	189598
				Black	189604
	36°	1700 lm	3000 K	White	189772
				Black	189789
	50°	1700 lm	3000 K	White	189970
				Black	189987




FILTER HONEYCOMB

SINGLE CONNECTION

Required	Driver	Finish	Code
No		Black	189536
No	On/Off	White	170145
		Black	170152




Light beam: SPOT



CRI ≥ 80 15W 24° 2050lm 3000K




Light beam: ACCENT



CRI ≥ 80 15W 36° 2050lm 3000K



Light beam: WIDE



CRI ≥ 80 15W 50° 2050lm 3000K





# Smile 20W




3-PHASE LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥ 80

Power	Beam	Lumen	CCT	Finish	Code
20W	24°	3000 lm	3000 K	White	189635
				Black	189642
	36°	3150 lm	4000 K	White	189673
				Black	189680
	50°	3000 lm	3000 K	White	189819
				Black	189826
3150 lm		4000 K	White	189857	
			Black	189864	

CRI ≥ 90



Power	Beam	Lumen	CCT	Finish	Code
20W	24°	2550 lm	3000 K	White	189659
				Black	189666
	36°	2550 lm	3000 K	White	189833
				Black	189840
	50°	2550 lm	3000 K	White	190037
				Black	190044




FILTER HONEYCOMB

SINGLE CONNECTION



Required	Driver	Finish	Code
No		Black	190181
No	On/Off	White	170145
		Black	170152



CRI ≥ 80 20W 24° 3000lm 3000K



CRI ≥ 80 20W 36° 3000lm 3000K



CRI ≥ 80 20W 50° 3000lm 3000K



# Smile 30W




3-PHASE LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥ 80

Power	Beam	Lumen	CCT	Finish	Code
30 W	24°	4000 lm	3000 K	White	189697
				Black	189703
	36°	4000 lm	4000 K	White	189734
				Black	189741
	50°	4000 lm	3000 K	White	189871
				Black	189888
4200 lm		4000 K	White	189895	
			Black	189901	
4200 lm	4000 K	White	190051		
		Black	190068		
4200 lm	4000 K	White	190075		
		Black	190082		

CRI ≥ 90



Power	Beam	Lumen	CCT	Finish	Code
30 W	24°	3500 lm	3000 K	White	189710
				Black	189727
	36°	3500 lm	3000 K	White	189918
				Black	189925
	50°	3500 lm	3000 K	White	190099
				Black	190105





FILTER HONEYCOMB

SINGLE CONNECTION



Required	Driver	Finish	Code
No		Black	190181
No	On/Off	White	170145
		Black	170152



CRI ≥ 80 30W 24° 4000lm 3000K



CRI ≥ 80 30W 36° 4000lm 3000K



CRI ≥ 80 30W 50° 4000lm 3000K





# Fox new

Cylindrical extruded aluminum projector suitable for installation on single-phase and three-phase LINK track. White, black or satin brass powder coating, 350° rotating head and 90° adjustable. 1-10 V or DALI dimmable versions available. Light source with integrated LED COB technology, available with 3 different powers and with color temperatures of 2700 K, 3000 K or 4000 K and with color rendering index CRI ≥ 80 or CRI ≥ 90; starting binning ≤ 3-Step MacAdam; medium beam with accessories optics with narrow beam. Assembly and disassembly without tools. IP 20 protection; LED useful life 50.000 h L70B50. Perfect for lighting the small and medium size environments that require wide flexibility for arrangement, such as COMMERCIAL and RETAIL spaces, and an optimal performance-price ratio.

Source	LED COB
Power	8W / 15W / 25W
Driver included	On/Off / 1-10V / DALI
Drivers available	No
Track	3-Phase / 1-Phase
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥80 / ≥90
LED life	50.000 h
Insulation class	On-Off I, 1-10V / DALI II
IP	20
Material	Aluminum
Warranty	5 years




Link 3-Phase - Page 708



Link 1-Phase - Page 714



# Fox 8W



## 3-PHASE LED COB BRIDGELUX Driver included

### CRI ≥ 80

Power	Beam	Driver	Lumen	CCT	Finish	Code
8 W	41°	On-Off	1050 lm	3000 K	White	250410
					Black	250403
			1100 lm	4000 K	White	271453
					Black	271446

### CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish	Code
8 W	41°	On-Off	800 lm	2700 K	White	340845
					Black	340838
			950 lm	3000 K	White	285368
					Black	285351
			1000 lm	4000 K	White	322339
					Black	322322
		1-10V	900 lm	3000 K	White	302546
					Black	302539
			1050 lm	4000 K	White	340869
					Black	340852

## 1-PHASE LED COB BRIDGELUX Driver included

### CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish	Code
8 W	54°	On-Off	950 lm	3000 K	Black	348308




LENS\*



SINGLE CONNECTION



Light beam: ACCENT




CRI ≥ 90 8W 41° 950lm 3000K

\* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.





# Fox 15W



## 3-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 80

Power	Beam	Driver	Lumen	CCT	Finish	Code
15W	41°	On-Off	1850 lm	3000 K	White	250434
					Black	250427
					Brass	283937
			1900 lm	4000 K	White	267784
					Black	267777

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish	Code			
15W	41°	On-Off	1450 lm	2700 K	White	340883	new		
					Black	340876	new		
					1600 lm	3000 K	White	285382	
							Black	285375	
					1750 lm	4000 K	White	322360	
							Black	322346	
			1-10V	1600 lm	3000 K	White	302560		
						Black	302553		
				1750 lm	4000 K	White	340906	new	
						Black	340890	new	
				DALI	1600 lm	3000 K	White	302584	
							Black	302577	
			1750 lm	4000 K	White	340920	new		
					Black	340913	new		

## 1-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish	Code	
15W	39°	On-Off	1600 lm	3000 K	Black	348315	new




LENS



SINGLE CONNECTION




Light beam: ACCENT



CRI ≥ 80 15W 41° 1850lm 3000K



# Fox 25W



## 3-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 80

Power	Beam	Driver	Lumen	CCT	Finish	Code
25 W	35°	On-Off	2900 lm	3000 K	White	250458
					Black	250441
					Brass	283944
			3050 lm	4000 K	White	267807
					Black	267791

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish	Code			
25 W	35°	On-Off	2800 lm	2700 K	White	340944	new		
					Black	340937	new		
					2950 lm	3000 K	White	285405	
							Black	285399	
					3000 lm	4000 K	White	322391	
							Black	322377	
			1-10V	2900 lm	3000 K	White	302607		
						Black	302591		
				3000 lm	4000 K	White	340968	new	
						Black	340951	new	
				DALI	2900 lm	3000 K	White	302621	
							Black	302614	
			3000 lm	4000 K	White	340982	new		
					Black	340975	new		

## 1-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish	Code	
25 W	35°	On-Off	2950 lm	3000 K	Black	348322	new

Model	Required	Beam	Driver	Finish	Code	
On/Off	No	15°		Clear	349145	new
1-10V/DALI	No			Clear	302768	
	No		On/Off	White	170145	
	No			Black	170152	




LENS



SINGLE CONNECTION



Light beam: ACCENT



CRI ≥ 90 25W 35° 2950lm 3000K





## Eos <sup>new</sup>

Extruded aluminum cylindrical tracklight with variable opening beam from narrow to wide (20°-55°), suitable for single-phase or three-phase LINK track installation. White or black powder coating, 355° turning head and 90° adjustable. Dimmable 1-10 V or DALI versions available. Light source with integrated COB LED technology, available with two different powers and color temperature of 2700 K, 3000 K and 4000 K and chromatic index  $\geq 90$ ; starting binning  $\leq 3$ -Step MacAdam. Assembly, disassembly and adjustment of the beam opening without tools. IP20 protection; LED useful life 30.000 h L70B50. Ideal for installation in big rooms, where great flexibility and high color rendering is required, such as EXHIBITION, MUSEUMS and COMMERCIAL.

Source	LED COB
Power	15W / 25W
Driver included	On/Off / 1-10V / DALI
Drivers available	No
Track	3-Phase / 1-Phase
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	$\geq 90$
LED life	50.000 h
Insulation class	I - II
IP	20
Material	Aluminum
Warranty	5 years




Link 3-Phase - Page 708



Link 1-Phase - Page 714



# Eos 15W



## 3-PHASE LED COB BRIDGELUX Driver included

Power	Beam	Driver	Lumen	CCT	Finish	Code	
15 W	20-55°	On-Off	1400 lm	2700 K	White	340807	
					Black	340791	
			1450 lm	3000 K	White	286594	
					Black	276182	
			1650 lm	4000 K	White	322094	
					Black	322087	
		1-10V	1450 lm	3000 K	White	302959	
					Black	302942	
			DALI	1450 lm	3000 K	White	302997
						Black	302980

new  
new

## 1-PHASE LED COB BRIDGELUX Driver included

Power	Beam	Driver	Lumen	CCT	Finish	Code
15 W	20-55°	On-Off	1450 lm	3000 K	Black	337579


new




## SINGLE CONNECTION

Required	Driver	Finish	Code
No	On/Off	White	170145
No		Black	170152

Light beam: from SPOT to WIDE




CRI≥90 15W 20-55° 1450lm 3000K





# Eos 25W



## 3-PHASE LED COB BRIDGELUX Driver included

Power	Beam	Driver	Lumen	CCT	Finish	Code	
25 W	20-55°	On-Off	2450 lm	2700 K	White	340821	
					Black	340814	
			2500 lm	3000 K	White	286600	
					Black	276243	
			2650 lm	4000 K	White	322124	
					Black	322100	
		1-10V	2500 lm	3000 K	White	302973	
					Black	302966	
			DALI	2500 lm	3000 K	White	303017
						Black	303000

new  
new

## 1-PHASE LED COB BRIDGELUX Driver included


Power	Beam	Driver	Lumen	CCT	Finish	Code
25 W	20-55°	On-Off	2500 lm	3000 K	Black	342740

new

## SINGLE CONNECTION

Required	Driver	Finish	Code
No	On/Off	White	170145
No		Black	170152

Light beam: from SPOT to WIDE




CRI≥90 25W 20-55° 2500lm 3000K

690



TRACKLIGHTS




691

# Pov


Source	LED COB
Power	22W
Driver included	On/Off
Drivers available	No
Track	3-Phase
MacAdam	SDCM 3
CCT	3000 K

CRI	≥95
LED life	30.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years



3-PHASE LED COB CREE Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
22W	36°	2000 lm	3000 K	White	296340
				Black	296333



3-PHASE LED COB CREE Driver PHILIPS ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code
22W	36°	2000 lm	3000 K	White	296364
				Black	296357



Link 3-Phase - Page 708




Light beam: ACCENT



CRI≥95 22W 36° 1750lm 3000K

692




693





## Spot - Mouse Track



0,250 Kg/0,0016 m<sup>3</sup>

GU10 Not included - Recommended bulb 108292

Power	Track	Finish	Code
max 28W	3-Phase	White	229706
		Black	229720
	1-Phase	Black	337517

IP20




P. 316



P. 412

new



0,300 Kg/0,0027 m<sup>3</sup>

GU10 Not included - Recommended bulb 108292

Power	Track	Finish	Code
max 50W	3-Phase	White	229768
		Black	229782

IP20




P. 316



P. 412

## Glim Track



0,320 Kg/0,0180 m<sup>3</sup>

GU10 Bulbs LED GU10 10W 3000 K included. Code 189031

Power	Track	Finish	Code
max 50W	3-Phase	White	229676
		Black	229683

IP20



P. 321



SINGLE CONNECTION

Required	Driver	Finish	Code
No	On/Off	White	170145
		Black	170152



Link 3-Phase - Page 708



Link 1-Phase - Page 714



SINGLE CONNECTION


Required	Driver	Finish	Code
No	On/Off	White	170145
		Black	170152



Link 3-Phase - Page 708



## Byte




GU10 Bulbs LED GU10 7W 3000 K included. Code 123943

Power	Track	Finish	Code
max 28W	3-Phase	White	274508
		Black	274515
	1-Phase	Black	337524

new



## Spike new



GX53 Bulbs LED GX53 9W 3000K CRI80 included. Code 123936

Power	Track	Finish	Code
max 9W	3-Phase	White	344942
		Black	336626
	1-Phase	Black	336626

new

new



SINGLE CONNECTION

Required	Driver	Finish	Code
No	On/Off	White	170145
		Black	170152



Link 3-Phase - Page 708



Link 1-Phase - Page 714



SINGLE CONNECTION

Required	Driver	Finish	Code
No	On/Off	White	170145
		Black	170152




Link 3-Phase - Page 708





# Look Track

IP20



0,930 Kg/0,0037 m³

GU10 Bulbs LED GU10 7W 3000 K included. Code 123943

Power	Track	Finish	Code
max 28W	3-Phase	White	231662
		Black	231631



SINGLE CONNECTION

Required	Driver	Finish	Code
No	On/Off	White	170145
		Black	170152



Link 3-Phase - Page 708





# Display <sup>new</sup>

Varnished aluminum linear projector for LINK three-phase track, white or black finish, PMMA diffuser. Available modules: WIDE diffusing module, microprismatized UGR module and ACCENT module (UGR < 16). SMD LED Technology, CCT 2700 K, 3000 K or 4000 K; CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50.

**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR < 16 (Accent), < 22 (UGR).


Source	LED SMD
Power	14W / 40W
Driver included	On/Off
Drivers available	No
Track	3-Phase
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥ 90
UGR	< 16 (Accent) / < 22 (UGR)
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years



Link 3-Phase - Page 708



# Display Accent




0,750 Kg/0,0035 m<sup>3</sup>

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <16

Power	Beam	Lumen	CCT	Finish	Code
14 W	60°	1250 lm	2700 K	White	339894
				Black	339887
		1350 lm	3000 K	White	283593
				Black	283609
		1600 lm	4000 K	White	283616
				Black	283623

new


new



1,120 Kg/0,0112 m<sup>3</sup>

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <16



Power	Beam	Lumen	CCT	Finish	Code
28 W	60°	2700 lm	3000 K	White	283524
				Black	276267
		3200 lm	4000 K	White	283531
				Black	283548



1,570 Kg/0,0173 m<sup>3</sup>

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <16

Power	Beam	Lumen	CCT	Finish	Code
42 W	60°	3750 lm	3000 K	White	283555
				Black	283562
		4350 lm	4000 K	White	283579
				Black	283586




CRI≥90 14W 60° 1350lm 3000K

CRI≥90 28W 60° 2700lm 3000K

CRI≥90 42W 60° 3750lm 3000K


702



Display Accent 535 mm



Display Accent 1065 mm




Display Accent 1595 mm



703

# Display Wide




3-PHASE LED SMD SAMSUNG Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
21W	125°	2100 lm	2700 K	White	340012
				Black	340005
		2550 lm	3000 K	White	283753
				Black	283760
		2800 lm	4000 K	White	276274
				Black	283777

new

new

0,550 Kg/0,0035 m<sup>3</sup>





3-PHASE LED SMD SAMSUNG Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
40W	125°	4200 lm	2700 K	White	340036
				Black	340029
		4600 lm	3000 K	White	283722
				Black	283050
		5050 lm	4000 K	White	283739
				Black	283746


new

new

0,900 Kg/0,0047 m<sup>3</sup>



CRI≥80 21W 125° 2550lm 3000K



CRI≥80 40W 125° 4600lm 3000K



Display Wide 565 mm




Display Wide 1125 mm






# Display UGR



0,400 Kg/0,0064 m<sup>3</sup>

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <22


Power	Beam	Lumen	CCT	Finish	Code
14 W	70°	1750 lm	3000 K	White	283685
				Black	283692
		1800 lm	4000 K	White	283708
				Black	283715



1,120 Kg/0,0112 m<sup>3</sup>

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <22



Power	Beam	Lumen	CCT	Finish	Code
25 W	70°	3550 lm	3000 K	White	283647
				Black	283630
		3650 lm	4000 K	White	276281
				Black	283258




1,570 Kg/0,0173 m<sup>3</sup>

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <22


Power	Beam	Lumen	CCT	Finish	Code
40 W	70°	5350 lm	3000 K	White	283654
				Black	283067
		5500 lm	4000 K	White	283661
				Black	283678




CRI≥90 14W 70° 1750lm 3000K



CRI≥90 25W 70° 3550lm 3000K




CRI≥90 40W 70° 5350lm 3000K




Display UGR 535 mm



Display UGR 1065 mm



Display UGR 1595 mm



# Link 3-Phase


Three-phase electrified track with extruded aluminum profile; black or white powder coated, optimized for standard 3-Phase or equivalent projectors; available in ceiling, suspension or recessed versions with edge for installation on plasterboard ceilings; suitable for continuous lines systems, standard modules of 1000mm, 2000mm or 3000mm modules length. Ideal for installation in big spaces where flexibility and long connection distances are required, for example MUSEUM, COMMERCIAL and RETAIL spaces.

Insulation class	I
IP	20





# Link 3-Phase Trimless On/Off



## TRACK


Length	Weight	Volume	Finish	Code
1000 mm	0,94 Kg	0,0016 m³	White	243269
			Black	243252
2000 mm	1,72 Kg	0,0074 m³	White	187976
			Black	187983
3000 mm	2,55 Kg	0,0110 m³	White	187990
			Black	188003

Required	N° Cables	Cables Length	Finish	Code
Yes - 1Kitx1000mm			White	169972
			Black	169989
Yes - 1Kitx1000mm	1	3000 mm	White	242705
			Black	243283
	1	5000 mm	White	243245
			Black	243238
Yes			White	169613
			Black	169620

KIT SURFACE


SUSPENSION KIT

END CAP



MAIN CONNECTOR END	MAIN CONNECTOR MIDDLE	MAIN CONNECTOR CORNER	ELECTRIFIED CONNECTOR	TRACK ADAPTOR
0,060 Kg/0,0002 m³	0,120 Kg/0,0004 m³	0,110 Kg/0,0005 m³	0,030 Kg/0,0001 m³	0,080 Kg/0,0002 m³
169583 L 169576 L 169590 R 169606 R	227580 L 227597 R	169705 L 169712 L 169736 R 169729 R	169637 L 169644 R	194257 L 194301 R

# Link 3-Phase Trimless DALI - 1-10V



## TRACK


Length	Weight	Volume	Finish	Code
1000 mm	0,94 Kg	0,0016 m³	White	246468
			Black	246451
2000 mm	1,93 Kg	0,0032 m³	White	247007
			Black	246901
3000 mm	2,87 Kg	0,0048 m³	White	247625
			Black	247618

Required	N° Cables	Cables Length	Finish	Code
Yes - 1Kitx1000mm			White	169972
			Black	169989
Yes - 1Kitx1000mm	1	3000 mm	White	242705
			Black	243283
	1	5000 mm	White	243245
			Black	243238
Yes			White	169613
			Black	169620

KIT SURFACE

SUSPENSION KIT




END CAP



MAIN CONNECTOR END	MAIN CONNECTOR MIDDLE	MAIN CONNECTOR CORNER	ELECTRIFIED CONNECTOR	TRACK ADAPTOR
0,079 Kg/0,0002 m³	0,129 Kg/0,0004 m³	0,130 Kg/0,0006 m³	0,050 Kg/0,0001 m³	0,063 Kg/0,0003 m³
246529 L 246512 L 246543 R 246536 R	246581 L 246574 R	246604 L 246598 L 246628 R 246611 R	246567 L 246550 R	246505 L 246499 R


# Link 3-Phase Trim On/Off

# Link 3-Phase Trim DALI - 1-10V



**TRACK**

Length	Weight	Volume	Finish	Code
2000 mm	1,92 Kg	0,0132 m <sup>3</sup>	White	188010
			Black	188027



**TRACK**






Length	Weight	Volume	Finish	Code
2000 mm	2,11 Kg	0,0048 m <sup>3</sup>	White	246895
			Black	249629








Required	Finish	Code
Yes - 1Kitx1000mm	Aluminum	188195
Yes	White	169613
	Black	169620



Required	Finish	Code
Yes - 1Kitx1000mm	Aluminum	188195
Yes	White	169613
	Black	169620

 L R 64	 98	 L R 78	 68 21	 92 32 65
<b>MAIN CONNECTOR END</b> 0,070 Kg/0,0002 m <sup>3</sup> 188072 L 188089 L 188058 R 188065 R	<b>MAIN CONNECTOR MIDDLE</b> 0,130 Kg/0,0004 m <sup>3</sup> 227689 L 227672 R	<b>MAIN CONNECTOR CORNER</b> 0,120 Kg/0,0006 m <sup>3</sup> 188119 L 188126 L 188096 R 188102 R	<b>ELECTRIFIED CONNECTOR</b> 0,030 Kg/0,0001 m <sup>3</sup> 169637 L 169644 R	<b>TRACK ADAPTOR</b> 0,080 Kg/0,0002 m <sup>3</sup> 194257 L 194301 R

 L R 89	 100	 L R 78	 107 28	 113 34 55
<b>MAIN CONNECTOR END</b> 0,089 Kg/0,0004 m <sup>3</sup> 256085 L 256078 L 256146 R 256122 R	<b>MAIN CONNECTOR MIDDLE</b> 0,150 Kg/0,0005 m <sup>3</sup> 256115 L 256092 R	<b>MAIN CONNECTOR CORNER</b> 0,150 Kg/0,0006 m <sup>3</sup> 256030 L 255996 L 256061 R 256047 R	<b>ELECTRIFIED CONNECTOR</b> 0,050 Kg/0,0001 m <sup>3</sup> 246567 L 246550 R	<b>TRACK ADAPTOR</b> 0,063 Kg/0,0003 m <sup>3</sup> 246505 L 246499 R




## Link 1-Phase **new**

Single-phase electrified track with extruded aluminum profile; black powder coated; available in ceiling or recessed versions with edge for installation on plasterboard ceilings; suitable for continuous lines systems, standard modules of 1000mm, 2000mm or 3000mm length. Ideal for installation in environments where flexibility and compactness are required, for example RESIDENTIAL, COMMERCIAL and RETAIL spaces.

Insulation class	I
IP	20



# Link 1-Phase Surface On/Off



**TRACK** No mounting kit required, direct ceiling installation.




Length	Weight	Volume	Finish	Code	
1000 mm	0,42 Kg	0,0007 m³	Black	337371	new
2000 mm	0,83 Kg	0,0017 m³	Black	342801	new
3000 mm	1,22 Kg	0,0022 m³	Black	344973	new


**END CAP**

Required	Finish	Code	
Yes	Black	337395	new

# Link 1-Phase Recessed On/Off










**TRACK**



Length	Weight	Volume	Finish	Code	
1000 mm	0,49 Kg	0,0013 m³	Black	342818	new
2000 mm	0,94 Kg	0,0027 m³	Black	342825	new
3000 mm	1,39 Kg	0,0041 m³	Black	344966	new

**KIT RECESSED  
END CAP**

Required	Finish	Code	
Yes - 1 Kit x 1000 mm	Aluminum	188195	
Yes	Black	337395	new



**MAIN CONNECTOR**  
0,060 Kg/0,0001 m³  
337388 ■ new

**MAIN CONNECTOR MIDDLE**  
0,070 Kg/0,0001 m³  
337425 ■ new

**LINEAR CONNECTOR**  
0,040 Kg/0,0001 m³  
337418 ■ new

**MAIN CONNECTOR CORNER**  
0,060 Kg/0,0001 m³  
337401 ■ new

**MAIN CONNECTOR**  
0,070 Kg/0,0001 m³  
342832 ■ new

**LINEAR CONNECTOR**  
0,040 Kg/0,0001 m³  
342856 ■ new

**MAIN CONNECTOR CORNER**  
0,100 Kg/0,0001 m³  
342849 ■ new



# Recessed lights



























Indoors



## Alphabetical index

Basic	770
Bento	728
Blues	796
Deep	768
Dynamic	734
Funky	794
Game	742
Groove	776
Jazz	794
Led Panel	782
Lika	784
Lounge	794
Nova	780
Off	764
One	756
Play	778
Polka	797
Quark	760
Room-65	795
Samba	792
Swing	794
Tag	754
Virus	758
Walky	799
Zephyr	798
Zeus	720

## Typology index

			 <small>new</small>	 <small>new</small>
<b>Zeus 720</b>	<b>Bento 728</b>	<b>Dynamic 734</b>	<b>Game 742</b>	<b>Tag 754</b>
		 <small>new</small>		
<b>One 756</b>	<b>Virus 758</b>	<b>Quark 760</b>	<b>Off 764</b>	<b>Deep 768</b>
			 <small>new</small>	
<b>Basic 770</b>	<b>Groove 776</b>	<b>Play 778</b>	<b>Nova 780</b>	<b>Led Panel 782</b>
 <small>new</small>				
<b>Lika 784</b>	<b>Samba 792</b>	<b>Jazz 794</b>	<b>Swing 794</b>	<b>Lounge 794</b>
				 <small>new</small>
<b>Funky 794</b>	<b>Room-65 795</b>	<b>Blues 796</b>	<b>Polka 797</b>	<b>Zephyr 798</b>
				
<b>Walky 799</b>				

# Zeus

Modular system of recessed elements consisting of an adjustable source, reflector and round or square ring, with optional shielding lenses and accessories; white and black finish; ring available in TRIM version with frame or TRIMLESS without frame for installation in plasterboard false ceilings; two different emission angles to choose from. Light source with integrated COB LED technology, available with a color temperature of 2700 K, 3000 K or 4000K and high color rendering CRI  $\geq 90$ ; insulation class II; LED useful life 50.000 h L70B50. Also available in dimmable 1-10V, DALI and PUSH versions. Suitable for installations in indoor environments in the SERVICES and RETAIL sectors.


**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR <19.




Source	LED COB
Power	13W / 21W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	$\geq 90$
UGR	<19
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years







# Zeus - Source




0,300 Kg/0,0014 m<sup>3</sup>

### LED COB CITIZEN Required - Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
13 W	40°	980 lm	2700 K	Grey	324807
		1020 lm	3000 K	Grey	324814
		1050 lm	4000 K	Grey	324821

### DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code
1-10V	21 W	350 mA	122 x 25 x 40 mm	324906
DALI/Push	20 W	350 mA	120 x 29 x 51 mm	324913



0,590 Kg/0,0029 m<sup>3</sup>

### LED COB CITIZEN Required - Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
21 W	40°	1900 lm	2700 K	Grey	324838
		2000 lm	3000 K	Grey	324845
		2200 lm	4000 K	Grey	324852

### DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code
1-10V/Push	20 W	500 mA	110 x 22 x 52 mm	324920
DALI/Push	20 W	500 mA	120 x 29 x 51 mm	324937



LENS 20°

Required	Model	Finish	Code
----------	-------	--------	------

No	13 W	Clear	323688
----	------	-------	--------

	21 W	Clear	323985
--	------	-------	--------




FILTER HONEYCOMB

No	13 W	Black	323671
----	------	-------	--------


	21 W	Black	323961
--	------	-------	--------



Light beam: ACCENT




CRI≥90 13W 40° 1020lm 3000K



CRI≥90 21W 40° 2000lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. \*\* Lens 40° included.


# Zeus Round



## FRAME TRIM


13 W

Finish	Code
White	324869
Black	323527



21 W


Finish	Code
White	324883
Black	324005



## FRAME TRIMLESS


13 W

Finish	Code
White	323541



21 W


Finish	Code
White	323725



## REFLECTOR Required


13 W

Finish	Code
White	323589
Black	323619
Gold	323602




21 W

Finish	Code
White	323763
Black	323770
Gold	323794





# Zeus Square




68 x 68 mm  
0,100 Kg/0,0005 m<sup>3</sup>

## FRAME TRIM

13 W

Finish	Code
White	324876
Black	323534




96 x 96 mm  
0,130 Kg/0,0010 m<sup>3</sup>

21 W

Finish	Code
White	324890
Black	323718


## FRAME TRIMLESS



68 x 68 mm  
0,120 Kg/0,0005 m<sup>3</sup>

13 W

Finish	Code
White	323558




96 x 96 mm  
0,160 Kg/0,0008 m<sup>3</sup>

21 W

Finish	Code
White	323732


## REFLECTOR Required



0,030 Kg/0,0003 m<sup>3</sup>

13 W

Finish	Code
White	323633
Black	323657
Gold	323640



0,050 Kg/0,0007 m<sup>3</sup>

21 W

Finish	Code
White	323800
Black	323817
Gold	323831



# Bento

Modular system of recessed elements consisting of an adjustable source, reflector and ring, with optional shielding lenses and accessories; black and white finish; recessed ring available in single round or square shape, or rectangular in double or triple version for the installation of multiple and independent sources; optional anti-glare band for backward movement of the source in non-adjustable mode; selection of three different emission angles. Light source with integrated COB LED technology for maximum efficiency, available with a color temperature of 3000 K; Energy efficient LED with high color rendering; CRI  $\geq 90$ ; initial binning  $\leq 3$ - Step MacAdam; insulation class II; LED life 50,000 h L70B50. Available in both DALI and 1-10V dimmable versions. Thanks to its compact size and great versatility, it is ideal for DOMESTIC, MANAGERIAL and RETAIL indoor installations.

**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR <19.

Source	LED COB
Power	9W / 13W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	3000 K
CRI	$\geq 90$
UGR	<19
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years





# Bento - Source



LENS

Required	Beam	Finish	Code
No	18°	Clear	287942
	45°	Clear	279626
No		Black	279718
No		Black	279725
No		White	288147
		Black	279695





FILTER HONEYCOMB



DIFFUSER



ANTI-GLARE RING




LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
9W	36°	750 lm	3000 K	Black	279596

DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code
1-10V	12W	250 mA	122x25x40 mm	287843
DALI/ Push	20W	250 mA	120x29x51 mm	287850



LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code
13W	36°	1000 lm	3000 K	Black	279602

DIMMABLE DRIVER\* Optional


	Power	Output	Measure (LxHxW)	Code
1-10V/ Push	20W	350 mA	108x22x52 mm	287867
DALI/ Push	20W	350 mA	120x29x51 mm	287874



Light beam: ACCENT




CRI≥90 9W 36° 750lm 3000K



CRI≥90 13W 36° 1000lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. \*\* Lens 36° included.


# Bento - Frame and Reflector



**ROUND - REFLECTOR** Required

Finish	Code
White	279633
Black	279640


0,020 Kg/0,0001 m<sup>3</sup>



**ROUND - FRAME SINGLE** Required

Finish	Code
White	287898
Black	287881


0,060 Kg/0,0007 m<sup>3</sup>



**SQUARE - REFLECTOR** Required

Finish	Code
White	279671
Black	279688

0,020 Kg/0,0001 m<sup>3</sup>




**SQUARE - FRAME SINGLE** Required

Finish	Code
White	287911
Black	287904

68 x 68 mm

0,050 Kg/0,0002 m<sup>3</sup>




**SQUARE - FRAME TWIN** Required

Finish	Code
White	287935
Black	280233

134 x 71 mm

0,110 Kg/0,0004 m<sup>3</sup>



**SQUARE - FRAME TRIPLE** Required

Finish	Code
White	287928
Black	280240

197 x 71 mm

0,300 Kg/0,0006 m<sup>3</sup>





# Dynamic

Modular system of aluminum recessed elements consisting of source, reflector and seal, with lenses and optional screens; white, black finish; possible recess of round or square shape, three different emission angles options. Light source with integrated LED COB technology for maximum efficiency, available with a color temperature of 2700 K, 3000 K or 4000 K; Energy efficient LED with high color rendering; CRI  $\geq 90$ ; starting binning  $\leq 3$ -Step MacAdam; front protection IP54 (after installation of the product); insulation class II; LED useful life 50.000 h L70B50. Available in both DALI and 1-10V dimmable versions. Thanks to its compact size and great versatility, it is optimal for installation in DOMESTIC, MANAGERIAL and RETAIL indoor locations.

**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR <19.


**IP54** Protection degree IP54.

Source	LED COB
Power	9W / 10W / 15W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	$\geq 90$
UGR	<19
LED life	50.000 h
Insulation class	II
IP	54
Material	Aluminum
Warranty	5 years





# Dynamic - Source



**LED COB CITIZEN** Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
9W	35°	930 lm	2700 K	Black	252971
		950 lm	3000 K	Black	252988
		1000 lm	4000 K	Black	252995

**DIMMABLE DRIVER\*** Optional

	Power	Output	Measure (LxHxW)	Code
1-10V	12 W	200 mA	125 x 27 x 45 mm	253008
DALI/Push	9 W	200 mA	135 x 20 x 30 mm	253015



**LED COB CITIZEN** Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
10 W	35°	1030 lm	2700 K	Black	208541
		1050 lm	3000 K	Black	208558
		1100 lm	4000 K	Black	208565

**DIMMABLE DRIVER\*** Optional

	Power	Output	Measure (LxHxW)	Code
1-10V	10 W	250 mA	135 x 20 x 30 mm	216317
DALI/Push	17 W	250 mA	130 x 30 x 43 mm	216027



**GU10 ADAPTOR WITH LAMPHOLDER INCLUDED - IP20**

Required	Finish	Code
No	White	208640
	Black	208657



**LED COB CITIZEN** Required - Driver TRIDONIC ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code
15 W	35°	1500 lm	2700 K	Black	208572
		1550 lm	3000 K	Black	208589
		1650 lm	4000 K	Black	208596

**DIMMABLE DRIVER\*** Optional



	Power	Output	Measure (LxHxW)	Code
1-10V	20 W	350 mA	101 x 29 x 51 mm	216324
DALI/Push	17 W	350 mA	130 x 30 x 43 mm	216263




Light beam: ACCENT



CRI≥90 9W 35° 950lm 3000K



CRI≥90 10W 35° 1050lm 3000K





CRI≥90 15W 35° 1550lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. \*\* Lens 35° included.




# Dynamic Round



**REFLECTOR** Required  
SYMMETRICAL

Finish	Code
White	211787
Black	211794

0,020 Kg/0,0002 m<sup>3</sup>



**FRAME** Required



Finish	Code
White	208695
Black	208701

⌀ 80 mm

0,060 Kg/0,0004 m<sup>3</sup>




# Dynamic Square



**REFLECTOR** Required  
SYMMETRICAL

Finish	Code
White	211817
Black	211824

0,020 Kg/0,0002 m<sup>3</sup>




**FRAME** Required

Finish	Code
White	208725
Black	208732

① 90 mm

0,050 Kg/0,0004 m<sup>3</sup>





# Game new


Die-cast aluminum recessed spotlight with round or square ring, suitable for installation on plasterboard or paneled ceilings. Available finishes: matt silver, matt white RAL 9001, matt black RAL 9011 and matt gold RAL 1032. Available versions: with external frame (TRIM), retractable without frame for plasterboard (TRIMLESS), or with frame and improved frontal protection (IP65). COB LED technology; available in 2700K, 3000K or 4000K color temperature; SMD LED technology, CCT 2700K, 3000K or 4000K; color rendering index CRI  $\geq$  90, starting binning  $\leq$  3Step MacAdam; IP20 protection; insulation class II; LED useful life 50,000 h L70B50. Dimmable 1-10V, DALI and PUSH versions available. Due to its compact size and great versatility it is ideal for installations in RESIDENTIAL, COMMERCIAL and RETAIL indoor environments.

**UGR** Product with UGR <19.

Source	LED COB
Power	5W / 11W / 20W
Driver included	On/Off
Drivers available	1-10V/Push / DALI/Push
CCT	2700 K / 3000 K / 4000 K
CRI	$\geq$ 90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	20 / 65
Material	Aluminum
Warranty	5 years



# Game Trim Round




LED COB CREE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
5W	36°	650 lm	3000 K	White +	337142
				Gold +	349084

new

new





LED COB CREE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
5W	36°	650 lm	3000 K	Black +	349060
				Gold +	349077

new

new



CRI≥90 5W 36° 650lm 3000K


744



745




# Game Trim Round



LED COB CREE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
11W	36°	900 lm	2700 K	White +	285429
				Gold +	341347
		950 lm	3000 K	Silver +	192284
				White +	192291
				Black +	192277
1100 lm	4000 K	Gold +	192307		
		White +	267975		
				Gold +	341361

new



Power	Beam	Lumen	CCT	Finish	Code
11W	36°	900 lm	2700 K	Black +	285412
				Gold +	341330
		950 lm	3000 K	Silver +	192321
				White +	192338
				Black +	192314
1100 lm	4000 K	Gold +	192345		
		Black +	267968		
				Gold +	341354

new


IP65

Power	Beam	Lumen	CCT	Finish	Code
11W	36°	950 lm	3000 K	White +	313191
				Black +	327754

DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code
1-10V/Push	20 W	250 mA	111x22x52 mm	217253
DALI/Push	12 W	250 mA	132x20x30 mm	202396

Light beam: ACCENT



CRI≥90 11W 36° 950lm 3000K


746

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




747

# Game Trim Round




## LED COB BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code		
20W	24°	2100 lm	2700 K	White	+	341408	new
				Gold	+	341392	new
		2250 lm	3000 K	White	+	273174	
				Gold	+	341422	new




## LED COB BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code		
20W	24°	2100 lm	2700 K	Black	+	341378	new
				Gold	+	341385	new
		2250 lm	3000 K	Black	+	273167	
				Gold	+	341415	new



748




RECESSED LIGHTS



749




# Game Trim Square



75 x 75 mm  
0,310 Kg/0,0016 m<sup>3</sup>

LED COB CREE Driver ON/OFF included - CRI ≥90

Power	Beam	Lumen	CCT	Finish	Code
11W	36°	900 lm	2700 K	White +	285443
		950 lm	3000 K	White +	192376
				Black +	192352



75 x 75 mm  
0,310 Kg/0,0016 m<sup>3</sup>

Power	Beam	Lumen	CCT	Finish	Code
11W	36°	900 lm	2700 K	Black +	285436
		950 lm	3000 K	White +	192406
				Black +	192383

IP65


Power	Beam	Lumen	CCT	Finish	Code
11W	36°	950 lm	3000 K	White +	313207
				Black +	327761

DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code
1-10V/Push	20 W	250 mA	111x22x52 mm	217253
DALI/Push	12 W	250 mA	132x20x30 mm	202396



Light beam: ACCENT



CRI≥90 11W 36° 950lm 3000K


750

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



751

# Game Trimless




LED COB CREE Driver ON/OFF included - CRI ≥90

Power	Beam	Lumen	CCT	Finish	Code
11W	36°	950 lm	3000 K	White	319667
				Black	319650

⌀ 75 mm

0,300 Kg/0,0011 m<sup>3</sup>



LED COB CREE Driver ON/OFF included - CRI ≥90

Power	Beam	Lumen	CCT	Finish	Code
11W	36°	950 lm	3000 K	White	319681
				Black	319674

75 x 75 mm


0,300 Kg/0,0011 m<sup>3</sup>

DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code
1-10V/Push	20 W	250 mA	111 x 22 x 52 mm	217253
DALI/Push	12 W	250 mA	132 x 20 x 30 mm	202396



Light beam: ACCENT



CRI≥80 11W 36° 950lm 3000K

752

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




753





# Tag new

Source	LED SMD	LED life	50.000 h
Power	7W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K	Warranty	5 years
CRI	≥90		



LED SMD Driver ON/OFF included\*

Power	Beam	Lumen	CCT	Finish	Code	
7W	50°	810 lm	2700 K	White	344850	new
				Black	344843	new
		830 lm	3000 K	White	331263	new
				Black	331256	new
		840 lm	4000 K	White	344874	new
				Black	344867	new



CRI≥90 7W 50° 830lm 3000K


754



755


# One

Source	LED SMD	LED life	30.000 h
Power	2W / 3W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90		




LED SMD Driver included (remote installation)\*

Power	Beam	Lumen	CCT	Finish	Code
2W	23°	130lm	3000 K	White	274768



LED SMD Driver included (remote installation)\*

Power	Beam	Lumen	CCT	Finish	Code
2W	30°	130lm	3000 K	White	274775






LED SMD Driver included (remote installation)\*

Power	Beam	Lumen	CCT	Finish	Code
3W	23°	270lm	3000 K	White	274782




\* Measure L 38,3 x H 16,5 x W 19,3 mm






# Virus

Source	LED SMD	LED life	50.000 h
Power	3W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90		




LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
3W	20°	210 lm	3000 K	White	+ 244808
				Gold	+ 244822
				Black	+ 244846
				Gold	+ 244853




# Quark new

Source	LED COB / SMD	LED life	30.000 h
Power	2,8W / 12W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90		




LED SMD BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
2,8W	30°	160lm	3000 K	White	327471
				Black	305844





LED SMD BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
3W	25°	230lm	3000 K	White	327488
				Black	305851



LED SMD BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
5W	30°	320lm	3000 K	White	307756
				Black	327495



CRI≥90 8W 30° 320lm 3000K


760



761



# Quark




LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
9W	25°	950 lm	3000 K	White	344836
				Black	322889

new

new




LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
9W	25°	950 lm	3000 K	White	344829
				Black	322971

new

new




LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
12W	25°	1200 lm	3000 K	White	344812
				Black	322919

new

new





LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
12W	25°	1200 lm	3000 K	White	344805
				Black	323008



new

new



CRI≥90 9W 25° 950lm 3000K

762



CRI≥90 12W 25° 1200lm 3000K



RECESSED LIGHTS

322889



322889



322971

763

# Off

Unmovable aluminum recessed fitting with round ring in three different dimensions, suitable for plasterboard ceilings installation. Matt black RAL 9005 and matt white ral 9016 finishes, Passively cooled integrated LED ; COB (Chip on Board) technology for maximum efficiency; UGR < 19; starting binning  $\leq$  3-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI  $\geq$  90; front protection IP54 (after installation of the product); insulation class II; dimmable options: 1-10V, DALI and Push; LED useful life 50.000 h L80B50. Suited for OFFICES and MANAGERIAL environments and in general where computers are present and there is the necessity to guarantee a great glare control. The high color rendering level makes it ideal even for exhibiting spaces and for the enhancement of the products in a showroom and sales area of the RETAIL sector.

**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR <19.


**IP54** Protection degree IP54.

Source	LED COB
Power	15W / 28W / 42W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	3000 K / 4000 K
CRI	$\geq$ 90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	54
Material	Aluminum
Warranty	5 years






# Off




## LED COB CITIZEN Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
15 W	50°	1350 lm	3000 K	White	266497
				Black	266558
		1450 lm	4000 K	White	266503
				Black	266565



## LED COB CITIZEN Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
28 W	60°	2900 lm	3000 K	White	266510
				Black	266572
		3150 lm	4000 K	White	266527
				Black	266589




## LED COB CITIZEN Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
42 W	60°	4150 lm	3000 K	White	266534
				Black	266596
		4500 lm	4000 K	White	266541
				Black	266602

## DIMMABLE DRIVER\* Optional

Model	Control	Power	Output	Measure (LxHxW)	Code
Off 15 W	1-10V/Push	20 W	350 mA	105x20x50 mm	266657
	DALI	20 W	350 mA	120x29x51 mm	266701
Off 28 W	1-10V/Push	32 W	700 mA	100x20x65 mm	266671
	DALI	32 W	700 mA	108x30x44 mm	266725
Off 42 W	1-10V	42 W	1050 mA	120x20x75 mm	266688
	DALI/Push	45 W	1050 mA	150x30x43 mm	266732

 Light beam: WIDE



CRI≥90 15W 50° 1350lm 3000K

CRI≥90 28W 60° 2900lm 3000K


CRI≥90 42W 60° 4150lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



# Deep


Source	LED SMD	LED life	50.000 h
Power	10W / 20W / 30W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K / 4000 K	Warranty	5 years
CRI	≥90		



LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
10 W	70°	1300 lm	3000 K	White	249018
		1400 lm	4000 K	White	249025


Ø 90 mm  
0,280 Kg/0,0015 m<sup>3</sup>



LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
20 W	77°	2650 lm	3000 K	White	249032
		2850 lm	4000 K	White	249049

Ø 145 mm  
0,360 Kg/0,0037 m<sup>3</sup>




LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
30 W	77°	4000 lm	3000 K	White	248783
		4150 lm	4000 K	White	248790


Ø 200 mm  
0,650 Kg/0,0053 m<sup>3</sup>




Light beam: WIDE



CRI≥80 10W 70° 1300lm 3000K



CRI≥80 20W 77° 2650lm 3000K



CRI≥80 30W 77° 4000lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



# Basic


Die-cast aluminum recessed spotlight with round seal. Suitable for the installation on plasterboard ceiling. Matt white finish; COB Chip on Board and SMD technology; available in different color temperatures 3000 K and with three different optics; CRI  $\geq 90$ ; front protection IP44 (after installation of the product); insulation class II; LED useful life 30.000 h L70B50.

**IP44** Protection degree IP44.

Source	LED COB / SMD
Power	10,5W / 15W / 20W
Driver included	On/Off
Drivers available	No
MacAdam	SDCM $\leq 3$
CCT	3000 K
CRI	$\geq 90$
LED life	30.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years




# Basic Accent



LED COB PHILIPS Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
10,5W	45°	950 lm	3000 K	White	193458

① 90 mm  
0,400 Kg/0,0017 m<sup>3</sup>





LED COB PHILIPS Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
15 W	52°	1400 lm	3000 K	White	193465
20 W		2000 lm	3000 K	White	193472

① 125 mm  
0,660 Kg/0,0027 m<sup>3</sup>



Light beam: ACCENT



CRI≥90 10,5W 45° 950lm 3000K


CRI≥90 15W 52° 1400lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.





# Basic Wide




① 90 mm

0,370 Kg/0,0017 m<sup>3</sup>

LED SMD SAMSUNG Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
10 W	85°	1100 lm	3000 K	White	193519



① 125 mm



0,630 Kg/0,0027 m<sup>3</sup>

LED SMD SAMSUNG Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
15 W	87°	1650 lm	3000 K	White	193526
20 W		2350 lm	3000 K	White	193533



Light beam: WIDE



CRI≥90 10W 85° 1100lm 3000K


CRI≥90 15W 87° 1650lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




# Groove

IP20 CRI ≥ 80 30.000 h ALUMINUM




LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code
10 W	110°	1250 lm	3000 K	White	123974
		1350 lm	4000 K	White	147666




LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code
20 W	110°	2600 lm	3000 K	White	123998
		2700 lm	4000 K	White	147673




LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code
30 W	110°	3800 lm	3000 K	White	124018
		4050 lm	4000 K	White	147680




LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code
10 W	110°	1200 lm	3000 K	White	123981



LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code
20 W	110°	2450 lm	3000 K	White	124001



LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code
30 W	110°	3900 lm	3000 K	White	124025



Light beam: WIDE





# Play

Source LED COB  
 Power 7W  
 Driver included On/Off  
 Drivers available No  
 CCT 3000 K  
 CRI  $\geq 90$

LED life 30.000 h  
 Insulation class II  
 IP 20  
 Material Aluminum  
 Warranty 5 years




LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
7W	17°	520 lm	3000 K	White	258270
				Black	268088



Light beam: SPOT




CRI $\geq 90$  7W 17° 520lm 3000K



# Nova <sup>new</sup>

Source	LED COB	LED life	50.000 h
Power	12W / 30W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	1-10V / DALI / Push	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K	Warranty	5 years
CRI	≥90		



## LED COB PHILIPS Driver ON/OFF included - UGR <19


Power	Beam	Lumen	CCT	Finish	Code
12 W	38°	1100 lm	2700 K	White	341859
				Black	341842
		1200 lm	3000 K	White	248165
				Black	248189
1300 lm	4000 K	White	267937		
		Black	267920		

new

new

## DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code
1-10V / Push	15 W	300 mA	111 x 22 x 52 mm	243993
DALI / Push	12 W	300 mA	132 x 20 x 30 mm	243986



## LED COB PHILIPS Driver ON/OFF included - UGR <22


Power	Beam	Lumen	CCT	Finish	Code
30 W	38°	3000 lm	2700 K	White	341873
				Black	341866
		3150 lm	3000 K	White	248172
				Black	248196
		3300 lm	4000 K	White	267951
				Black	267944

new

new


## DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code
1-10V / Push	36 W	700 mA	167 x 32 x 41 mm	248370
DALI / Push	36 W	700 mA	135 x 24 x 72 mm	248592




## LENS

Model	Required	Beam	Code
Nova 12W	No	15°	244013
Nova 30W	No	15°	248608




CRI≥90 12W 38° 1200lm 3000K



CRI≥90 30W 38° 3150lm 3000K


\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.





# Led Panel

Source	LED SMD	UGR	<19
Power	40W	LED life	25.000 h
Driver included	On/Off	Insulation class	II
Drivers available	1-10V / DALI / Push	IP	20
CCT	3000 K / 4000 K	Material	Aluminum
CRI	≥80 / ≥90	Warranty	5 years



**LED SMD** Driver ON/OFF included

CRI ≥80

Power	Beam	Lumen	CCT	Finish	Code
40W	81°	5500 lm	3000 K	White	249711
		6150 lm	4000 K	White	249728

CRI ≥90

Power	Beam	Lumen	CCT	Finish	Code
40W	81°	5100 lm	3000 K	White	246390
		5450 lm	4000 K	White	244181


**DIMMABLE DRIVER\*** Optional

	Power	Output	Measure (LxHxW)	Code
1-10V	42W	1000 mA	125x26x83 mm	247854
DALI/Push	45W	1000 mA	106x28x69 mm	247847

	Required	N° Cables	Cables Length	Code
	No	4	1000 mm	244198
	No			244204
	No			267692



Light beam: WIDE



CRI≥80 40W 81° 5500lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.

\*\*RECESSED FRAME 607 x 607 mm



# Lika <sup>new</sup>

Rectangular recessed projector in painted die-cast aluminum, with recessed light sources, available in the TRIM version with edge and TRIMLESS version without edge, with shiny black polycarbonate reflector, and SLIM version with reduced dimensions. SMD LED technology; CCT 2700K, 3000K or 4000K; CRI  $\geq$  90, SDCM  $\leq$  3; LED useful life 50,000 h L70B50.


**UGR** Product with UGR <16.

Source	LED COB/SMD
Power	5,5W / 12W / 20W
Driver included	On/Off
Drivers available	DALI / Push
CCT	2700 K / 3000 K / 4000 K
CRI	$\geq$ 90
UGR	<16
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years





# Lika Trim




68 x 37 mm  
0,180 Kg/0,0009 m<sup>3</sup>

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
5,5 W	29°	340 lm	2700 K	Black	+ ■ 341729
		350 lm	3000 K	Black	+ ■ 206196
		400 lm	4000 K	Black	+ ■ 267869

new




140 x 37 mm  
0,320 Kg/0,0013 m<sup>3</sup>

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
12 W	29°	850 lm	2700 K	Black	+ ■ 341736
		880 lm	3000 K	Black	+ ■ 206219
		1000 lm	4000 K	Black	+ ■ 267876

new



273 x 37 mm  
0,580 Kg/0,0022 m<sup>3</sup>

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
20 W	29°	1700 lm	2700 K	Black	+ ■ 341743
		1750 lm	3000 K	Black	+ ■ 206233
		2000 lm	4000 K	Black	+ ■ 267883


new

DIMMABLE DRIVER\* Optional

Model	Control	Power	Output	Measure (LxHxW)	Code
5,5W/12W	DALI	12 W	700 mA	132x20x30 mm	267982
20 W	DALI/Push	25 W	600 mA	135x24x72 mm	268002



Light beam: ACCENT



CRI≥90 12W 29° 880lm 3000K


786

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



787

# Lika Trimless




75 x 70 mm  
0,220 Kg/0,0006 m<sup>3</sup>

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
5,5W	29°	340 lm	2700 K	Black	341750
		350 lm	3000 K	Black	206202
		400 lm	4000 K	Black	267890

new




145 x 70 mm  
0,450 Kg/0,0013 m<sup>3</sup>

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
12W	29°	850 lm	2700 K	Black	341767
		880 lm	3000 K	Black	206226
		1000 lm	4000 K	Black	267906

new



278 x 70 mm  
0,720 Kg/0,0023 m<sup>3</sup>

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
20W	29°	1700 lm	2700 K	Black	341774
		1750 lm	3000 K	Black	206240
		2000 lm	4000 K	Black	267913


new

DIMMABLE DRIVER\* Optional

Model	Control	Power	Output	Measure (LxHxW)	Code
5,5W/12W	DALI	10 W	700 mA	132x20x30 mm	267982
20 W	DALI/Push	25 W	600 mA	135x24x72 mm	268002



Light beam: ACCENT



CRI≥90 12W 29° 880lm 3000K

788


\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



789




# Lika Slim



117 x 23 mm  
0,180 Kg/0,0013 m<sup>3</sup>

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	
10 W	32°	900 lm	2700 K	Black	341644	new
		1000 lm	3000 K	White	327501	
		1200 lm	4000 K	Black	305813	
				White	341675	new
				Black	341668	new




231 x 23 mm  
0,300 Kg/0,0022 m<sup>3</sup>

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	
20 W	32°	1800 lm	2700 K	Black	341682	new
		2000 lm	3000 K	White	327518	
		2400 lm	4000 K	Black	305837	
				White	341712	new
				Black	341705	new



Light beam: ACCENT



CRI≥90 10W 32° 1000lm 3000K


790



791

# Samba

IP20 GYPSUM




GU10 Not included - Recommended bulb 108292

Power	Weight	Volume	Finish	Code
max 35W	0,360 Kg	0,0016 m <sup>3</sup>	White	230580

Power	Weight	Volume	Finish	Code
max 35W	0,240 Kg	0,0018 m <sup>3</sup>	White	150307

Power	Weight	Volume	Finish	Code
max 35W	0,450 Kg	0,0032 m <sup>3</sup>	White	150130

Power	Weight	Volume	Finish	Code
max 50W	0,420 Kg	0,0036 m <sup>3</sup>	White	139012



GU10 Not included - Recommended bulb 108292


Power	Weight	Volume	Finish	Code
max 35W	0,330 Kg	0,0016 m <sup>3</sup>	White	229997

Power	Weight	Volume	Finish	Code
max 35W	0,330 Kg	0,0019 m <sup>3</sup>	White	150291

Power	Weight	Volume	Finish	Code
max 35W	0,600 Kg	0,0037 m <sup>3</sup>	White	150116


Glass diffuser

Power	Weight	Volume	Finish	Code
max 50W	0,430 Kg	0,0023 m <sup>3</sup>	White	139029





# Jazz




⌀ 60 mm  
0,110 Kg/0,0019 m<sup>3</sup>  
Purchase Qty. 3 pieces

GU10 Not included - Recommended bulb 108292

Power	Finish	Code
max 50W	White	083117
	Ant. Brass	083124
	Chrome	083070
	Black	243818
	Nickel	083087

IP20 ZINC

# Swing




45° ⌀ 70 mm  
0,200 Kg/0,0003 m<sup>3</sup>  
Purchase Qty. 3 pieces

GU10 Not included - Recommended bulb 108292

Power	Finish	Code
max 28W	White	083179
	Ant. Brass	083186
	Chrome	083131
	Black	243825
	Nickel	083148

IP20 ZINC

# Lounge




30° ⌀ 70 mm  
0,160 Kg/0,0011 m<sup>3</sup>  
Purchase Qty. 3 pieces

GU10 Not included - Recommended bulb 108292

Power	Finish	Code
max 50W	White	138978

IP20 ZINC

# Funky



80 x 68 mm  
0,300 Kg/0,0006 m<sup>3</sup>

GU10 Not included - Recommended bulb 108292


Power	Finish	Code
max 50W	Aluminum	083223
	White	083230
	Ant. Brass	083247
	Chrome	083193
	Black	243849

IP20 IRON



# Room-65


IP65 CRI ≥90 50.000 h ALUMINUM



⌀ 68 mm  
0,220 Kg/0,0011 m<sup>3</sup>

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
7,5W	38°	750 lm	3000 K	White	252025
				Black	252032



⌀ 68 mm  
0,240 Kg/0,0011 m<sup>3</sup>

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
7,5W	38°	750 lm	3000 K	White	252049
				Black	252056



Light beam: ACCENT




## Blues

IP20 GLASS



GU10 Not included - Recommended bulb 108292

Power	Finish	Code
max 50W	Clear	083254
	White	113999
	Smoky Grey	113982




GU10 Not included - Recommended bulb 108292

Power	Finish	Code
max 50W	Clear	114019

## Polka

IP20



GU10 Not included - Recommended bulb 108292

Power	Material	Finish	Code
max 50W	Gypsum	White	115597
	Aluminum	Brass	115610
	Aluminum	Ant. Brass	115580








331225


## Zephyr new

IP20 GYPSUM




**GU10** Not included - Recommended bulb 108292

Power	Finish	Code
max 35W	White	150284



**GU10** Not included - Recommended bulb 108292

Power	Finish	Code
max 35W	White	155722




**LED COB CREE** Driver ON/OFF included

CRI ≥90 50.000 h

Power	Lumen	CCT	Finish	Code
12W	1200lm	3000K	White	331225 <small>new</small>


## Walky

IP20 CRI ≥90 50.000 h GYPSUM




**LED SMD AND DRIVER** Included

Power	Lumen	CCT	Finish	Code
1W	55lm	3000K	White	249834



**LED SMD AND DRIVER** Included

Power	Lumen	CCT	Finish	Code
1W	55lm	3000K	White	249827



# Suspensions and ceiling

Outdoors



## Alphabetical index

Bubble	812
Clio	806
Fiesta	813
Gun	810
Luna	804
Mib	812
Snow	805
Sole	802
Techo	808
Urano	811

## Typology index

<small>new</small>			<small>new</small>
	<b>Sole 802</b>	<b>Luna 804</b>	<b>Snow 805</b>
			
	<b>Clio 806</b>	<b>Clio 806</b>	<b>Clio 806</b>
			
	<b>Clio 806</b>	<b>Clio 806</b>	<b>Clio 806</b>
<small>new</small>			
	<b>Techo 808</b>	<b>Gun 810</b>	<b>Urano 811</b>
			
	<b>Bubble 812</b>	<b>Mib 812</b>	<b>Fiesta 813</b>





# Sole

Plastic opal color diffuser.  
Aluminum base for the suspended model. PVC electrical wire.

490	390	280	185
500	400	300	200
80	80	80	80
IP44	IP44	IP44	IP44
2,970 Kg / 0,1327 m³ E27 max 1x 42W	1,690 Kg / 0,0776 m³ E27 max 1x 42W	1,360 Kg / 0,0338 m³ E27 max 1x 42W	1,300 Kg / 0,0111 m³ E27 max 1x 42W
136011 White	136004 White	135991 White	318837 White
4000 K 1020 lm	4000 K 1020 lm	4000 K 1020 lm	4000 K 580 lm
151991	151991	151991	151960



P. 877






## Luna

Turned die-cast aluminum body with powder coating. Opal color plastic diffuser.

**LED** Bulbs LED G9 3W 4000 K included in **213200** model. Cod. **209036**

**L**  
P. 878




## Snow <sup>new</sup>

White polycarbonate base and diffuser. Jointed fixing, without visible screws. Color: white.

**LED** LED source 3000 K / 4000 K, 50.000 h life.

**L**  
P. 855



**0,790 Kg / 0,0066 m³**  
**LED 18W / 1900/2350 lm**

**326238** White **3000K<sup>new</sup>**  
**326245** White **4000K<sup>new</sup>**





# Clio

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, grey, black and coffee powder coating. Plastic diffuser with matt white finish.

116716



145068



145020



144252



144238




136073



144245



326801



- 148847 White
- 148854 Grey
- 148861 Anthracit.
- 148878 Black
- 326795 Coffee

- 144252 White
- 144238 Grey
- 136073 Anthracit.
- 144245 Black
- 326801 Coffee

- 145068 White

- 116716 White

- 145020 White

4000 K  
580 lm  
151960


4000 K  
580 lm  
151960





# Techo <sup>new</sup>

Powder-coated die-cast aluminum body. Frosted clear tempered glass diffuser. Colors: anthracite, white, coffee or black.



IP54

1,700 Kg / 0,0049 m<sup>3</sup>  
GU10 max 1x20W

- 251523 White
- 326887 Grey
- 251516 Anthracit.
- 251530 Black
- 251547 Coffee

4000 K  
780 lm  
253398




IP54

0,600 Kg / 0,0012 m<sup>3</sup>  
GU10 max 1x20W

- 251561 White
- 326894 Grey
- 251554 Anthracit.
- 251578 Black
- 251592 Coffee

4000 K  
430 lm  
253497




IP54

1,500 Kg / 0,0052 m<sup>3</sup>  
GU10 max 1x20W

- 342689 White <sup>new</sup>
- 342702 Grey <sup>new</sup>
- 318103 Anthracit. <sup>new</sup>
- 342719 Black <sup>new</sup>
- 342696 Coffee <sup>new</sup>
- 318127 White <sup>new</sup>
- 342726 Grey <sup>new</sup>
- 318110 Anthracit. <sup>new</sup>
- 318141 Black <sup>new</sup>
- 318134 Coffee <sup>new</sup>

4000 K  
780 lm  
253398



IP54

0,550 Kg / 0,0015 m<sup>3</sup>  
GU10 max 1x20W

- 318127 White <sup>new</sup>
- 342726 Grey <sup>new</sup>
- 318110 Anthracit. <sup>new</sup>
- 318141 Black <sup>new</sup>
- 318134 Coffee <sup>new</sup>

4000 K  
430 lm  
253497





## Gun

Aluminum body with brushed natural finish or with varnish or various finishes. Pyrex glass diffuser.



122663 092324 163642 236865 122687 163666



0,490 Kg / 0,0030 m<sup>3</sup>  
GU10 max 1x28W

122663 White  
092324 Aluminum  
163642 Grey  
236865 Anthracit.  
122687 Black  
163666 Coffee

4000 K  
430 lm  
253497



## Urano

Powder painted turned aluminum body with anthracite or white matt finish. Satin and clear acrylic diffuser.



168050



168135



1,200 Kg / 0,0029 m<sup>3</sup>  
GX53 max 1x15W

168050 White  
168135 Anthracit.

4000 K  
1000 lm  
154008



0,630 Kg / 0,0016 m<sup>3</sup>  
GX53 max 1x15W

168036 White  
168111 Anthracit.

4000 K  
1000 lm  
154008




# Bubble

Turned die-cast aluminum body with powder coating. Matt white plastic diffuser.



1,730 Kg / 0,0249 m<sup>3</sup>  
E27 max 1x60W

135250 White



151960


P. 854



# Mib

White powder coated aluminum base. Opal color plastic diffuser. Integrated LED source.

**LED** LED source 3000/4000 K, 35.000 h life.



1,620 Kg / 0,0086 m<sup>3</sup>  
LED 18W / 1850/2150 lm

269115 White 3000K  
202945 White 4000K




1,820 Kg / 0,0086 m<sup>3</sup>  
LED 18W / 1950/2250 lm

269122 White 3000K  
202921 White 4000K




# Fiesta

Black plastic electric cable, bulb socket and grapping eyelets. Supplied with plug for outdoor.



1,530 Kg / 0,0068 m<sup>3</sup>  
E27 max 10 x 15W

246796 Black




101286



0,600 Kg / 0,0049 m<sup>3</sup>  
E27 max 5 x 15W

159836 Black



101286



# Wall lamps

## Outdoors



### Alphabetical index

Andromeda	847	Rex-3	851
Apollo	832	Rubik	842
Argo	845	Sirio	841
Atom	843	Snif Round	830
Base	833	Snif Square	831
Bubble	854	Snow	855
Cima	857	Style	826
Clio	856	Swipe	825
Cometa	852	Terra	822
Dafne	857	Tetris-1	844
Dedra	859	Tetris-2	845
Down	858	Toffee	837
Elio	820	Tronco	828
Etere	829	Twin	846
Febe	858	Up	844
Felix	849	Xeno	824
Gas	823		
Giove	848		
Gun	834		
Iko	840		
Keope	832		
Linea	838		
Litio	821		
Medea	853		
Omega R.	819		
Omega S.	819		
O-Zone	818		
Polar	853		
Punto	836		
Rex-1	850		
Rex-2	851		



# Outdoors

Typology index


new



O-zone 818    Omega R. 819



Style 826    Tronco 828



Punto 836    Toffee 837



Tetris-2 845    Argo 845



Cometa 852    Polar 853



Dafne 857    Down 858



Omega S. 819    Elio 820    Litio 821    Terra 822    Gas 823    Xeno 824    Swipe 825



Etere 829    Snif Round 830    Snif Square 831    Keope 832    Apollo 832    Base 833    Gun 834



Linea 838    Iko 840    Sirio 841    Rubik 842    Atom 843    Up 844    Tetris-1 844



Twin 846    Andromeda 847    Giove 848    Felix 849    Rex-1 850    Rex-2 851    Rex-3 851



Medea 853    Bubble 854    Snow 855    Clio 856    Clio 856    Clio 856    Cima 857



Febe 858    Dedra 859

# O-zone

Pag 818






## Omega Round

Powder painted aluminum body. Reclinable diffuser with glass screen. Available finishes: anthracite, white, coffee or black.

**LED** LED source 3000/4000 K, 25.000 h life.



IP54

0,500 Kg / 0,0012 m<sup>3</sup>  
LED 7W / 560/610 lm


285474	White	3000K
285481	White	4000K
285450	Anthracit.	3000K
285467	Anthracit.	4000K
285504	Black	4000K
285498	Coffee	4000K



## O-zone **new**

Powder coated die-cast aluminum body. Adjustable diffuser with clear tempered glass diffuser. Color: black.

**LED** LED source 3000 K, 50.000 h life.



IP66


0,800 Kg / 0,0060 m<sup>3</sup>  
LED 13W / 1150 lm

337548 **Black** **new**

## Omega Square

Powder painted aluminum body. Reclinable diffuser with glass screen. Available finishes: anthracite, white or black.

**LED** LED source 4000 K, 25.000 h life.



IP54

0,600 Kg / 0,0012 m<sup>3</sup>  
LED 7W / 610 lm

285528	White
285511	Anthracit.
285535	Black








## Elio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.



0,500 Kg / 0,0027 m<sup>3</sup>  
GU10 max 1x6W

096483 ■ White  
096476 ■ Black


4000 K  
430 lm  
253497

**LED** Bulbs LED GU10 3,5W included.  
Settable CCT: 2700 K, 4000 K.

P. 926

## Litio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.



0,690 Kg / 0,0044 m<sup>3</sup>  
GX53 max 1x10W

145303 ■ White  
145327 ■ Grey  
145341 ■ Black

4000 K  
1000 lm  
154008

**LED** Bulbs LED GX53 7W included. Settable  
CCT: 3000 K, 4000 K, 6500 K.


P. 926





## Terra

Cast aluminum painted frame. Adjustable body. Transparent Pyrex glass diffuser.




■ IP65

1,140 Kg / 0,0091 m<sup>3</sup>  
E27 max 1x42W

046167 ■ Anthracit.

4000 K  
580 lm

151960



■ IP65

0,530 Kg / 0,0024 m<sup>3</sup>  
GU10 max 1x28W

046181 ■ Anthracit.

4000 K  
430 lm


253497



P. 925

## Gas

Powder coated die-cast aluminum body. Tempered and sandblasted clear glass diffuser. Available finishes: anthracite, white, coffee or black.



■ IP43

0,320 Kg / 0,0020 m<sup>3</sup>  
GU10 max 1x28W

091518 ■ White  
091525 ■ Anthracit.  
020228 ■ Black  
213095 ■ Coffee

4000 K  
430 lm

253497



091518

091525

020228

213095




P. 891





## Xeno

Aluminum base with matt powder coating. Tempered clear glass adjustable diffusers. Available finishes: white, grey or black.



IP44

0,360 Kg / 0,0014 m<sup>3</sup>  
GU10 max 1x28W

129488 White  
129471 Grey  
129464 Black


4000 K  
430 lm


253497

## Swipe

Powder-coated aluminium body. Adjustable diffuser with shiny opal color polycarbonate screen. Available with twilight and motion sensor. Available finishes: anthracite, white, grey, coffee or black.

**LED** LED source 3000 K, 50.000 h life.

 Lamp with presence detector included PIR (Passive InfraRed).



IP54

1,200 Kg / 0,0055 m<sup>3</sup>  
LED 20,5W / 2300 lm

287690 White  
326863 Grey  
287683 Anthracit.  
287706 Black  
307169 Coffee

IP54

1,300 Kg / 0,0055 m<sup>3</sup>  
LED 21W / 2300 lm

287720 White  
326870 Grey  
287713 Anthracit.  
287737 Black  
307176 Coffee






## Style

Powder coated aluminum body. Opal color plastic shade. Integrated LED source. AP Sensor model with PIR sensor. Available finishes: anthracite, white, coffee, grey or black.

**LED** LED source 3000/4000 K, 30.000 h life.


**PIR** Lamp with presence detector included PIR (Passive InfraRed).



IP54

0,390 Kg / 0,0018 m<sup>3</sup>  
LED 8,5W / 950/1050 lm

269139	White	3000K
221502	White	4000K
322650	Grey	3000K
322643	Grey	4000K
246857	Anthracit.	3000K



IP54

0,400 Kg / 0,0018 m<sup>3</sup>  
LED 9W / 950/1050 lm

269146	White	3000K
209852	White	4000K
246864	Anthracit.	3000K
221519	Anthracit.	4000K

209845	Anthracit.	4000K
322636	Black	3000K
322629	Black	4000K
322704	Coffee	3000K
322681	Coffee	4000K








## Tronco

Varnished die-cast aluminum body with different finishes: anthracite, white, coffee, grey or black. Pyrex glass diffuser with aluminum elements inside.



IP44

1,110 Kg / 0,0070 m<sup>3</sup>  
E27 max 1x 42W


118659 White  
026978 Grey  
027005 Anthracit.  
004716 Black  
326962 Coffee

4000 K  
490 lm  
153957

## Etere

Powder coated die-cast aluminum body. Satin opal polycarbonate glass diffusers. Black PVC cables. Colors: anthracite, coffee or black.

LED LED source 3000/4000 K, 25.000 h life.



IP44

0,590 Kg / 0,0027 m<sup>3</sup>  
LED 9,5W / 1000/1100 lm

246925 Anthracit. 3000K  
172408 Anthracit. 4000K  
322193 Black 3000K  
322209 Black 4000K  
269153 Coffee 3000K  
246949 Coffee 4000K





## Snif Round

Varnished die-cast aluminum body. Transparent Pyrex glass up-and-down double diffuser. Available finishes: anthracite, white, grey or black.



## Snif Square


Varnished die-cast aluminum body. Transparent Pyrex glass up-and-down double diffuser. Available finishes: anthracite, white, grey or black.



# Keope

High performance resin body and diffuser: resistant to corrosion caused by atmospheric agents; colors stabilized during U.V. treatment; thermal shock resistance from -60°C to +90°C. Transparent satin acrylic diffusers.

**LED** Bulbs LED GU10 3,5W included. Settable CCT: 2700 K, 4000 K.



0,450 Kg / 0,0033 m<sup>3</sup>  
GU10 max 2 x 6W

147772 White  
147796 Grey  
147819 Black

3000 K  
410 lm

108292

147765 White

3000 K  
410 lm


108292



# Apollo

Die-cast aluminum reflecting body with matt black powder coating. Up-and-down light emission.

**LED** LED source 4000 K, 30.000 h life.



0,540 Kg / 0,0008 m<sup>3</sup>  
LED 6W / 800 lm

137391 Black




# Base

Powder coated die-cast aluminum body. Clear tempered glass diffusers. Colors: black or white.



129457

129433



0,610 Kg / 0,0016 m<sup>3</sup>  
GU10 max 2 x 28W

129457 White  
129433 Black

4000 K  
430 lm

253497







# Gun

Aluminum body with brushed natural finish or with varnish or various finishes. Pyrex glass diffuser. Up-and-down light emission.



100388

033013



163628



236841

100395

163635



■ IP54

■ IP44

1,350 Kg / 0,0071 m<sup>3</sup>  
E27 max 2 x 60W

0,720 Kg / 0,0024 m<sup>3</sup>  
GU10 max 2 x 35W

- 092300 White
- 033020 Aluminum
- 163604 Grey
- 236858 Anthracit.
- 092317 Black
- 163611 Coffee

- 100388 White
- 033013 Aluminum
- 163628 Grey
- 236841 Anthracit.
- 100395 Black
- 163635 Coffee

4000 K  
580 lm  
151960

4000 K  
430 lm  
253497



P. 810







## Punto

Powder coated aluminum base and body. Glass diffusers. Indirect light emission. Finishes: anthracite, white, coffee, black.

**LED** LED source 3000 K, 30.000 h life.



2,090 Kg / 0,0135 m<sup>3</sup>  
LED 16W / 1750 lm



1,280 Kg / 0,0083 m<sup>3</sup>  
LED 12W / 1250 lm



0,820 Kg / 0,0018 m<sup>3</sup>  
LED 9W / 950 lm

328553 White  
313566 Anthracit.  
328577 Black  
328560 Coffee

328522 White  
313559 Anthracit.  
328546 Black  
328539 Coffee

313528 White  
313511 Anthracit.  
313542 Black  
313535 Coffee




313528 313511 313542 313535

## Toffee <sup>new</sup>

Powder-coated aluminum base and body. Clear tempered glass diffuser. Indirect light emission. Colors: anthracite, white, coffee or black.

**LED** LED source 3000 K, 50.000 h life.



0,400 Kg / 0,0011 m<sup>3</sup>  
LED 8W / 800 lm

347738 White <sup>new</sup>  
321189 Anthracit. <sup>new</sup>  
321196 Black <sup>new</sup>  
321202 Coffee <sup>new</sup>



347738 321189 321196 321202



P. 866 P. 866









# Linea

Powder coated aluminum base and body. Glass diffusers. Indirect light emission. Finishes: anthracite, white, coffee, black.

**LED** LED source 3000 K, 30.000 h life.




 1440 50	 1040 50
 IP54	 IP54
<b>1,750 Kg / 0,0049 m³</b> <b>LED 23W / 2400 lm</b>	<b>1,430 Kg / 0,0036 m³</b> <b>LED 20W / 1950 lm</b>

328584 White	313474 White
313504 Anthracit.	313467 Anthracit.
328607 Black	313498 Black
328591 Coffee	313481 Coffee



## Iko

Powder coated die-cast aluminum body. Tempered and frosted clear glass up-and-down double diffuser. Available finishes: anthracite, white or grey.



IP54


0,600 Kg / 0,0040 m<sup>3</sup>  
E27 max 1x 60W

018522 White  
092218 Grey  
018515 Anthracit.

4000 K  
580 lm  
151960

## Sirio <sup>new</sup>

Powder coated die-cast aluminum body. Clear tempered glass diffuser. GX53 source. Colors: anthracite, white, coffee, gray or black.



IP65

0,820 Kg / 0,0018 m<sup>3</sup>  
GX53 max 1x 9W

318226 White <sup>new</sup>  
345611 Grey <sup>new</sup>  
318202 Anthracit. <sup>new</sup>  
318219 Black <sup>new</sup>  
318196 Coffee <sup>new</sup>

4000 K  
1000 lm  
154008



P. 886 P. 924






## Rubik

Cast aluminum body with powder coating. Up-and-down reflecting internal structure. Available finishes: anthracite, white, coffee, grey or black.

**LED** LED source 3000/4000 K, 30.000 h life.



IP54


0,660 Kg / 0,0022 m<sup>3</sup>  
LED 8,5W / 660/720 lm

269313	White	3000K	149738	Anthracit.	4000K
149745	White	4000K	269320	Black	3000K
326849	Grey	3000K	142302	Black	4000K
326856	Grey	4000K	326627	Coffee	3000K
247083	Anthracit.	3000K	326634	Coffee	4000K

## Atom

Powder coated aluminum body. Glass diffusers. Double light beam, up and down with adjustable width and movable wings.

**LED** LED source 3000 K, 30.000 h life.



IP54

1,160 Kg / 0,0025 m<sup>3</sup>  
LED 25W / 2100 lm

IP54

0,660 Kg / 0,0013 m<sup>3</sup>  
LED 12W / 1050 lm

328652	White	313436	White
313412	Anthracit.	313429	Anthracit.
328676	Black	313450	Black
328669	Coffee	313443	Coffee

# Up

Powder coated die-cast aluminum body. Clear Pyrex glass diffusers. Available finishes: anthracite, white, coffee, grey or black.



IP44

0,520 Kg / 0,0019 m<sup>3</sup>  
G9 max 2 x 15W


115320 White	115290 White
326993 Grey	326986 Grey
115337 Anthracit.	115306 Anthracit.
115344 Black	115313 Black
213354 Coffee	213347 Coffee

4000 K 530 lm	4000 K 530 lm
307879	307879



# Tetris-1

Aluminum body with matt powder coating. Clear tempered glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



IP44

0,390 Kg / 0,0017 m<sup>3</sup>  
G9 max 1 x 15W


114293 White
113760 Grey
113753 Anthracit.
326955 Black
213323 Coffee

4000 K 530 lm
307879



# Tetris-2

Aluminum body with matt anthracite or white powder coating. Clear tempered glass diffuser. Up-and-down light emission.



IP44

0,520 Kg / 0,0018 m<sup>3</sup>  
G9 max 2 x 15W

269221 White
113791 Anthracit.


4000 K 530 lm
307879



# Argo

Powder coated die-cast aluminum body. Clear tempered glass diffuser with white inner reflector. Available in anthracite or white finish.


**LED** LED source 3000/4000 K, 30.000 h life.



IP65

0,600 Kg / 0,0013 m<sup>3</sup>  
LED 11W / 1000/1150 lm


268309 White	3000K
268316 White	4000K
250946 Anthracit.	3000K
268293 Anthracit.	4000K



IP65

0,600 Kg / 0,0011 m<sup>3</sup>  
LED 6W / 550/570 lm

317564 White	3000K
321691 White	4000K
321646 Anthracit.	3000K
317571 Anthracit.	4000K








## Twin

Anthracite, white, coffee, grey or black powder coated die-cast aluminum body. Double, top and bottom, clear frosted Pyrex glass diffuser.



IP44

0,510 Kg / 0,0026 m<sup>3</sup>  
G9 max 1x28W


- 115351 White
- 326979 Grey
- 115368 Anthracit.
- 115375 Black
- 213330 Coffee

4000 K  
530 lm

307879

## Andromeda

Die-cast aluminum body light with varnish finish. Double frosted Pyrex glass, up-and-down. Available finishes: anthracite, white, coffee, grey or black.



IP55

IP55

1,630 Kg / 0,0052 m<sup>3</sup>  
E27 max 2x 60W

1,000 Kg / 0,0039 m<sup>3</sup>  
E27 max 1x 60W

- 100364 White
- 163543 Grey
- 092355 Anthracit.
- 100371 Black
- 163550 Coffee

- 066868 White
- 158822 Grey
- 061580 Anthracit.
- 061597 Black
- 163536 Coffee

4000 K  
580 lm

151960

4000 K  
580 lm



151960





## Giove

Powder coated die-cast aluminum body. Double, top and bottom, frosted tempered clear glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



IP54

0,900 Kg / 0,0041 m<sup>3</sup>  
E27 max 1x 60W

092195 White  
322605 Grey  
092188 Anthracit.  
092201 Black  
163598 Coffee



4000 K  
580 lm

151960

## Felix

High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.


**LED** Bulbs LED E27 8W Goccia included in 123745 model. Settable CCT: 2700 K, 4000 K, 6500 K.



IP66  
0,520 Kg / 0,0050 m<sup>3</sup>  
E27 max 1x 23W

123745 White  
4000 K  
580 lm

151960



IP66  
0,610 Kg / 0,0050 m<sup>3</sup>  
E27 max 1x 23W

123776 White  
123769 Grey  
123783 Black  
4000 K  
580 lm


151960





## Rex-2

Powder coated die-cast aluminum body available in different colors: anthracite or white. White acrylic diffuser.



IP44

0,600 Kg / 0,0065 m<sup>3</sup>  
E27 max 1x 60W

092416 White  
092423 Anthracit.


4000 K  
1020 lm

151991



## Rex-1

Powder coated die-cast aluminum body available in different colors: anthracite, white, coffee, grey or black. White acrylic diffuser.



IP44

0,600 Kg / 0,0065 m<sup>3</sup>  
E27 max 1x 60W


092393 White  
322735 Grey  
092409 Anthracit.  
322728 Black  
213217 Coffee

4000 K  
1020 lm

151991

## Rex-3

Powder coated die-cast aluminum body available in different colors: anthracite or white. White acrylic diffuser.



IP44

0,600 Kg / 0,0065 m<sup>3</sup>  
E27 max 1x 60W

092430 White  
092447 Anthracit.

4000 K  
1020 lm


151991





## Cometa

Powder coated die-cast aluminum body. White PVC diffuser. It is not recommended to expose the article to direct contact with sunlight.  
Color: anthracite



1,500 Kg / 0,0124 m<sup>3</sup>  
E14 max 3 x 28W


082240 ■ Anthracit.

3000 K  
420 lm

101217

## Polar

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.




0,800 Kg / 0,0106 m<sup>3</sup>  
E27 max 1 x 23W

096667 White  
096674 ■ Black

4000 K  
1020 lm

151991



0,800 Kg / 0,0106 m<sup>3</sup>  
E27 max 1 x 23W


096681 White  
096698 ■ Black

4000 K  
1020 lm

151991

## Medea

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.




0,800 Kg / 0,0109 m<sup>3</sup>  
E27 max 1 x 23W

096711 White  
096704 ■ Black

4000 K  
1020 lm

151991



0,800 Kg / 0,0109 m<sup>3</sup>  
E27 max 1 x 23W

096735 White  
096728 ■ Black

4000 K  
1020 lm

151991








## Bubble

Turned die-cast aluminum body with powder coating. Matt white plastic diffuser.



0,480 Kg / 0,0031 m<sup>3</sup>  
G9 max 2x15W

158907 White

4000 K  
530 lm

307879




P. 812



## Snow <sup>new</sup>

White polycarbonate base and diffuser. Jointed fixing, without visible screws. Color: white.

**LED** LED source 3000 K / 4000 K,  
50.000 h life.



0,170 Kg / 0,0013 m<sup>3</sup>  
LED 6W / 550/600 lm

326214 White 3000K<sup>new</sup>  
326221 White 4000K<sup>new</sup>








P. 805



146775 146782 145228 146799 326788

## Clio


Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, grey, black and coffee powder coating. Plastic diffuser with matt white finish.

 90 215	 280 190	 230 245	 300 210
■ IP44			
0,680 Kg / 0,0039 m³ E27 max 1x 42W	0,540 Kg / 0,0171 m³	0,520 Kg / 0,0144 m³	0,610 Kg / 0,0231 m³
146775 White 146782 Grey 145228 Anthracit. 146799 Black 326788 Coffee	145068 White	116716 White	145020 White
 4000 K 580 lm 151960			

    
P. 806 P. 806 P. 908

## Cima


Totally die-cast aluminum frame. Anthracite, coffee or black and gold finish. Transparent acrylic diffuser.



■ IP43

1,840 Kg / 0,0504 m³  
E27 max 1x 52W

246819 Anthracit.  
024134 Black  
246826 Coffee


 4000 K  
980 lm  
153964



P. 910

## Dafne


High performance resin body: resistant to corrosion, colours stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Methacrylate non-yellowing diffuser.



■ IP55

1,000 Kg / 0,0101 m³  
E27 max 1x 23W


120423 White  
101491 Black

 4000 K  
980 lm  
153964

■ IP55

0,600 Kg / 0,0117 m³  
E27 max 1x 23W

120430 White  
101552 Black

 4000 K  
980 lm  
153964



P. 911



246819 024134 246826




120423 101491



# Down

Die-cast aluminum body light with anthracite or white powder coat finish. Acrylic diffuser.



IP44

0,270 Kg / 0,0010 m<sup>3</sup>  
G9 max 1x28W

115382 White  
122045 Anthracit.

4000 K  
530 lm


307879



# Febe

Surface-mounted luminaire with powder-coated die-cast aluminum body. Clear tempered glass diffuser. Color: anthracite.


LED LED source 3000/4000 K, 30.000 h life.



IP65

0,760 Kg / 0,0020 m<sup>3</sup>  
LED 6W / 600/630 lm

250854 Anthracit. 3000K  
322285 Anthracit. 4000K



IP65

0,760 Kg / 0,0020 m<sup>3</sup>  
LED 6W / 500/520 lm

268354 Anthracit. 3000K  
322308 Anthracit. 4000K



268354

# Dedra

Powder coated die-cast aluminum body. Clear acrylic diffuser. Indirect light emission. Finishes: white, anthracite, coffee.


LED LED source 3000 K, 20.000 h life.



316901

328645


316895



IP65

0,200 Kg / 0,0007 m<sup>3</sup>  
LED 1,5W / 160 lm

328638 White  
316871 Anthracit.  
328621 Coffee



IP65

0,170 Kg / 0,0007 m<sup>3</sup>  
LED 1,5W / 160 lm

316901 White  
328645 Anthracit.  
316895 Coffee

# Bollard and Table lamps


Outdoors

## Alphabetical index

Acqua	903	Tifone	892
Agos	882	Titano	888
Arcadia	881	Toffee	866
Atena	900	Torre	906
Boeing	896	Tronco	898
Cima	910	Twiggy	874
Clio	908	Vega	893
Cosmo	907		
Cute	868		
Dafne	911		
Doris	876		
Edo Outdoor	901		
Enya	872		
Etere	904		
Gas	891		
Hub	891		
Ipotesi	873		
Itaca	880		
Jedi	894		
Kurt	889		
Lolita	870		
Luna	878		
Marte	902		
Mercurio	902		
Pulsar	903		
Pure	864		
Sasso	879		
Sirio	886		
Sole	877		
Style	884		
Tesla	890		







Pure 864    Toffee 866    Cute 868    Lolita 870



Enya 872    Ipotesi 873    Twigg 874    Doris 876    Sole 877    Luna 878    Sasso 879



Itaca 880    Arcadia 881    Agos 882    Style 884



Sirio 886    Titano 888    Kurt 889    Tesla 890    Gas 891    Hub 891    Tifone 892



Vega 893    Jedi 894    Boeing 896    Tronco 898



Atena 900    Edo Outdoor 901    Marte 902    Mercurio 902    Pulsar 903    Acqua 903    Etere 904









Torre 906    Cosmo 907    Clio 908    Clio 908    Clio 908    Cima 910    Dafne 911



# Pure







Matt varnished metal base, stem and shade. Acrylic diffuser. Table lamp with rechargeable battery and integrated touch switch. Finishes: white, coffee, black. Battery charging time 6 hours.

-  LED source 3000 K, 30.000 h life.
-  Lamp with integrated switch.
-  Lamp with dimmer.
-  Lamp with touch dimmer.
-  Lamp with rechargeable battery included. 7 hours life.



**1,580 Kg / 0,0058 m³**  
LED 1,5W / 230 lm

**0,840 Kg / 0,0052 m³**  
LED 1,5W / 230 lm

- 311708  White
- 328515  Black
- 328508  Coffee
- 311685  White
- 311678  Black
- 311661  Coffee





# Toffee <sup>new</sup>

Rechargeable battery-operated table lamp. Powder coated aluminum body. Acrylic diffuser. Colors: white, coffee or black.

- LED** LED source 3000 K, 20.000 h life.
- ON OFF** Lamp with integrated switch. Cod. **328614, 311715, 347868**
- Hand** Lamp with touch dimmer. Cod. **328614, 311715, 347868**
- Battery** Lamp with rechargeable battery included. 8 hours life. Cod. **328614, 311715, 347868**



IP65	IP65	IP65	IP65	IP54
<b>1,400 Kg / 0,0200 m³</b> <b>LED 11W / 1200 lm</b>	<b>1,220 Kg / 0,0200 m³</b> <b>LED 11W / 1200 lm</b>	<b>0,950 Kg / 0,0200 m³</b> <b>LED 8W / 800 lm</b>	<b>0,830 Kg / 0,0200 m³</b> <b>LED 8W / 800 lm</b>	<b>0,460 Kg / 0,0050 m³</b> <b>LED 2W / 230 lm</b>



- |                                    |                                    |                                    |                                    |                                |
|------------------------------------|------------------------------------|------------------------------------|------------------------------------|--------------------------------|
| 347837 ■ Anthracit. <sup>new</sup> | 347806 ■ Anthracit. <sup>new</sup> | 347776 ■ Anthracit. <sup>new</sup> | 347745 ■ Anthracit. <sup>new</sup> | 311715 White                   |
| 347851 ■ Black <sup>new</sup>      | 347820 ■ Black <sup>new</sup>      | 347790 ■ Black <sup>new</sup>      | 347769 ■ Black <sup>new</sup>      | 328614 ■ Black <sup>new</sup>  |
| 347844 ■ Coffee <sup>new</sup>     | 347813 ■ Coffee <sup>new</sup>     | 347783 ■ Coffee <sup>new</sup>     | 347752 ■ Coffee <sup>new</sup>     | 347868 ■ Coffee <sup>new</sup> |








# Cute new

Rechargeable lamp with a refill base. Powder coated metal frame. Acrylic diffuser with downward light emission. Colors: white, black, coffee, chrome and gold.

-  LED source 2200 K / 2700 K, 50.000 h life.
-  Lamp with integrated switch.
-  Lamp with dimmer.
-  Lamp with touch dimmer.
-  Lamp with rechargeable battery included.



 IP65       IP20  
 0,440 Kg / 0,0026 m³      1,920 Kg / 0,0092 m³  
 LED 2,5W / 190 lm

- |        |        |     |        |       |     |
|--------|--------|-----|--------|-------|-----|
| 346892 | White  | new | 348377 | Black | new |
| 346922 | Chrome | new |        |       |     |
| 346908 | Black  | new |        |       |     |
| 346915 | Coffee | new |        |       |     |
| 346939 | Gold   | new |        |       |     |













# Lolita

Table lamp with rechargeable battery with white, grey, black or coffee finish. Plastic base. Metal frame. Plastic diffuser. The table lamp has 14 hours autonomy. Battery charging time 7 hours.

-  LED source 3000 K, 25.000 h life.
-  Lamp with integrated switch.
-  Lamp with dimmer.
-  Lamp with touch dimmer.
-  Lamp with rechargeable battery included. 14 hours life.



 IP54

0,550 Kg / 0,0078 m<sup>3</sup>  
LED 1,8W / 150 lm

- 286723 White
- 286730 Grey
- 286716 Black
- 286747 Coffee







## Enya new


Portable lamp with rechargeable battery. Powder coated aluminum body. Black rubber handle. Tempered glass diffuser. Downward light emission. Switch with dimmer. Colors: white, black, coffee.

**LED** LED source 3000 K, 35.000 h life.

**ON OFF** Lamp with integrated switch.

**Hand icon** Lamp with touch dimmer.

**Battery icon** Lamp with rechargeable battery included.



**IP54**

1,490 Kg / 0,0086 m³  
LED 5W / 250 Lm

323251 White new  
323237 Black new  
323244 Coffee new

## Ipotesi


Total powder painted aluminium frame. Opal polycarbonate diffuser. Black rubber cable with switch, external incorporated driver and plug. Colours: white or black.

**LED** LED source 3000 K, 30.000 h life.



282244


282251



**IP44**

5,100 Kg / 0,1041 m³  
LED 16W / 1700 Lm

282244 White  
282251 Black



**IP44**

4,940 Kg / 0,1379 m³  
LED 16W / 1700 Lm

300641 White  
300658 Black





# Twiggy new

Powder coated aluminum frame.  
Satin acrylic diffuser. Equipped  
with spike. Colors: black and coffee.

**LED** LED source 3000 K, 30.000 h life.















<p>18 990</p>	<p>45 900</p>	<p>18 740</p>	<p>45 650</p>	<p>45 30 20</p>
IP65	IP65	IP65	IP65	<b>Driver Not included Required</b>
<b>0,290 Kg / 0,0031 m³</b> LED 1,5W / 130 lm	<b>0,031 Kg / 0,0028 m³</b> LED 1,5W / 130 lm	<b>0,210 Kg / 0,0023 m³</b> LED 1,5W / 130 lm	<b>0,230 Kg / 0,0020 m³</b> LED 1,5W / 130 lm	
<b>348346</b> ■ Black <small>new</small> <b>348339</b> ■ Coffee <small>new</small>	<b>348360</b> ■ Black <small>new</small> <b>348353</b> ■ Coffee <small>new</small>	<b>347882</b> ■ Black <small>new</small> <b>347875</b> ■ Coffee <small>new</small>	<b>347905</b> ■ Black <small>new</small> <b>347899</b> ■ Coffee <small>new</small>	<b>276205</b> <small>new</small>










## Doris

Multi-greys plastic diffuser with granite effect. Supplied with plug and spike for ground installation.

			
780	580	480	300
			
7,600 Kg / 0,5581 m <sup>3</sup> E27 max 1x 60W	4,050 Kg / 0,2306 m <sup>3</sup> E27 max 1x 60W	3,000 Kg / 0,1366 m <sup>3</sup> E27 max 1x 60W	1,210 Kg / 0,0318 m <sup>3</sup> E27 max 1x 60W
195506 White	195490 White	195483 White	214009 White
 4000 K 1020 lm	 4000 K 1020 lm	 4000 K 1020 lm	 4000 K 1020 lm
151991	151991	151991	151991

## Sole

Opal color plastic diffuser. Supplied with cable, plug and picket for the installation on the ground.

			
500	400	300	200
			
4,500 Kg / 0,1460 m <sup>3</sup> E27 max 1x 60W	3,900 Kg / 0,0741 m <sup>3</sup> E27 max 1x 60W	2,700 Kg / 0,0322 m <sup>3</sup> E27 max 1x 60W	1,200 Kg / 0,0139 m <sup>3</sup> E27 max 1x 60W
191614 White	191621 White	191638 White	318820 White
 4000 K 1020 lm	 4000 K 1020 lm	 4000 K 1020 lm	 4000 K 580 lm
151991	151991	151991	151960



P. 802





## Luna

Opal colour plastic frame-diffuser. Supplied with power cable, plug and picket for installation on the ground.

500 500	400 400	300 300
6,700 Kg / 0,1743 m <sup>3</sup> E27 max 1x60W	4,700 Kg / 0,1005 m <sup>3</sup> E27 max 1x60W	2,700 Kg / 0,0356 m <sup>3</sup> E27 max 1x60W
191607 White	191584 White	191577 White
4000 K 1020 lm	4000 K 1020 lm	4000 K 1020 lm
151991	151991	151991

## Sasso

Opal color plastic diffuser. Supplied with power cable, plug and picket for installation on the ground.


410 245	330 190	250 180
1,500 Kg / 0,0444 m <sup>3</sup> E27 max 1x40W	0,900 Kg / 0,0209 m <sup>3</sup> E27 max 1x40W	0,710 Kg / 0,0123 m <sup>3</sup> G9 max 1x15W
161778 White	161761 White	161754 White
4000 K 1020 lm	4000 K 1020 lm	4000 K 530 lm
151991	151991	307879





## Itaca

White powder painted metal base and bar. Plastic conical diffuser in opal color. Supplied with plug.



IP44

8,840 Kg / 0,1405 m<sup>3</sup>  
E27 max 1 x 60W

180953 White


4000 K  
1020 lm

151991



## Arcadia

Powder coated metal base and stem. PMMA white diffuser. Neoprene cable with plug. Finish: anthracite.




IP44

6,500 Kg / 0,0525 m<sup>3</sup>  
E27 max 1 x 42W

298610 Anthracit.

4000 K  
1020 lm

151991



IP44

2,940 Kg / 0,0247 m<sup>3</sup>  
E27 max 1 x 42W

298597 Anthracit.

4000 K  
1020 lm

151991





# Agos

Powder coated die-cast aluminum body. Satin clear acrylic diffuser. Anthracite, coffee or black color.


**LED** LED source 3000/4000 K, 25.000 h life.



254388


326696

326689



IP54

1,100 Kg / 0,0127 m<sup>3</sup>  
LED 6,5W / 670/730 lm



IP54

0,950 Kg / 0,0096 m<sup>3</sup>  
LED 6,5W / 670/730 lm

- 254319 ■ Anthracit. 3000K
- 268422 ■ Anthracit. 4000K
- 326733 ■ Black 3000K
- 326757 ■ Black 4000K
- 326726 ■ Coffee 3000K
- 326740 ■ Coffee 4000K

- 254388 ■ Anthracit. 3000K
- 268439 ■ Anthracit. 4000K
- 326696 ■ Black 3000K
- 326719 ■ Black 4000K
- 326689 ■ Coffee 3000K
- 326702 ■ Coffee 4000K






## Style

Powder coated aluminum body.  
Opal color plastic shade. Integrated  
LED source. Available finishes:  
anthracite, white, coffee, grey or  
black.


**LED** LED source 3000/4000 K, 30.000 h  
life.



IP54

1,680 Kg / 0,0239 m<sup>3</sup>  
LED 8,5W / 950/1050 lm

318707	White	3000K
322483	White	4000K
322384	Grey	3000K
322353	Grey	4000K
246871	Anthracit.	3000K



IP54

1,200 Kg / 0,0122 m<sup>3</sup>  
LED 8,5W / 950/1050 lm

209906	Anthracit.	4000K
322230	Black	3000K
322216	Black	4000K
322452	Coffee	3000K
322438	Coffee	4000K

318691	White	3000K
322582	White	4000K
322551	Grey	3000K
322544	Grey	4000K
322612	Anthracit.	3000K


322599	Anthracit.	4000K
322537	Black	3000K
322506	Black	4000K
322575	Coffee	3000K
322568	Coffee	4000K





# Sirio

Powder coated aluminum body.  
Clear Pyrex glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



IP44

1,880 Kg / 0,0181 m³  
G9 max 2 x 15W

IP44

1,550 Kg / 0,0136 m³  
G9 max 2 x 15W

115085 White  
246963 Grey  
115061 Anthracit.  
115108 Black  
213262 Coffee

115092 White  
246970 Grey  
115078 Anthracit.  
115115 Black  
213279 Coffee

4000 K  
530 lm  
307879

4000 K  
530 lm  
307879

P. 841 P. 924






## Titano

Porous resin body. Matt black varnished metal base and diffuser's detail. Downward light emission. Integrated LED source.




**LED** LED source 3000/4000 K, 50.000 h life.



IP55

9,220 Kg / 0,0540 m<sup>3</sup>  
LED 8,5W / 560/580 lm

246987	■ Granite	3000K
187327	■ Granite	4000K



IP55


6,800 Kg / 0,0377 m<sup>3</sup>  
LED 8,5W / 560/580 lm

246994	■ Granite	3000K
157856	■ Granite	4000K

## Kurt

Powder-coated aluminum base and body. Clear tempered glass diffuser. Downward lights emission. Colors: anthracite, white, coffee or black.

**LED** LED source 3000/4000 K, 30.000 h life.



IP54

1,930 Kg / 0,0060 m<sup>3</sup>  
LED 11W / 1150/1200 lm

306841	■ White	3000K	306872	■ Black	3000K
294049	■ White	4000K	293172	■ Black	4000K
306834	■ Anthracit.	3000K	306858	■ Coffee	3000K
294025	■ Anthracit.	4000K	294001	■ Coffee	4000K




306841    306834    306872    306858





## Gas

Powder coated die-cast aluminum body. Tempered and sandblasted clear glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



IP43

1,790 Kg / 0,0216 m<sup>3</sup>  
GU10 max 1x 35W

139470 ■ Anthracit.  
322421 ■ Black  
213101 ■ Coffee


4000 K  
430 lm  
253497

P. 823



## Tesla


Powder painted aluminum body. White plastic screen diffuser. Downward light emission. Available finishes: anthracite, white, coffee or black.



## Hub

Powder coated aluminum base, pole and body. Orientable diffuser with clear tempered glass screen. Supplied with picket for installation on the ground. Available finish: anthracite.


LED LED source 3000 K, 30.000 h life.



IP54

0,850 Kg / 0,0057 m<sup>3</sup>  
LED 4,5W / 390 lm

251257 ■ Anthracit.



IP54


0,720 Kg / 0,0083 m<sup>3</sup>  
LED 4,5W / 390 lm

251226 ■ Anthracit.

5  
150

Base  
Not included  
Optional

251295 ■ Anthracit.








## Tifone

Powder coated die-cast aluminum base and frame with anthracite finish. Clear tempered glass diffuser. Downward light emission.


**LED** LED source 3000 K, 20.000 h life.



IP65

1,250 Kg / 0,0054 m<sup>3</sup>  
LED 8,5W / 710 Lm

250953 ■ Anthracit.



IP65

1,010 Kg / 0,0029 m<sup>3</sup>  
LED 8,5W / 710 Lm


250977 ■ Anthracit.

## Vega

Aluminum body with matt powder coating. Clear tempered glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



136035 136042 136028 136059 213361




IP44

1,150 Kg / 0,0092 m<sup>3</sup>  
G9 max 1x 15W

136035 ■ White  
136042 ■ Grey  
136028 ■ Anthracit.  
136059 ■ Black  
213361 ■ Coffee

4000 K  
530 lm  
307879





# Jedi


Powder-coated aluminium base and body. Shiny opal color polycarbonate diffuser. Supplied with piquet for ground installation. Available finishes: anthracite or black.

**LED** LED source 3000 K, 30.000 h life.




306803

293202




1,280 Kg / 0,0065 m<sup>3</sup>  
LED 25W / 2600 Lm

306803 ■ Anthracit.  
293202 ■ Black



1,030 Kg / 0,0150 m<sup>3</sup>  
LED 19W / 2050 Lm

306797 ■ Anthracit.  
293196 ■ Black



0,760 Kg / 0,0036 m<sup>3</sup>  
LED 12W / 1250 Lm

306780 ■ Anthracit.  
293189 ■ Black



Base  
Not included  
Optional

308227 ■ Anthracit.  
308234 ■ Black






## Boeing <sup>new</sup>

Powder coated die-cast aluminum body. Diffuser made of an external smoked clear polycarbonate protection and satin opal acrylic inner element which orientate the light downward. Colors: anthracite, coffee, black.


**LED** LED source 3000 K, 50.000 h life.



4,000 Kg / 0,0232 m<sup>3</sup>  
LED 14W / 1200 lm



3,100 Kg / 0,0164 m<sup>3</sup>  
LED 14W / 1200 lm



2,200 Kg / 0,0097 m<sup>3</sup>  
LED 14W / 1200 lm




1,350 Kg / 0,0041 m<sup>3</sup>  
LED 14W / 1200 lm

- |                                    |                                    |                                    |                                    |
|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| 327266 ■ Anthracit. <sup>new</sup> | 327259 ■ Anthracit. <sup>new</sup> | 327242 ■ Anthracit. <sup>new</sup> | 346656 ■ Anthracit. <sup>new</sup> |
| 346731 ■ Black <sup>new</sup>      | 346717 ■ Black <sup>new</sup>      | 346694 ■ Black <sup>new</sup>      | 346670 ■ Black <sup>new</sup>      |
| 346724 ■ Coffee <sup>new</sup>     | 346700 ■ Coffee <sup>new</sup>     | 346687 ■ Coffee <sup>new</sup>     | 346663 ■ Coffee <sup>new</sup>     |




# Tronco

Varnished die-cast aluminum body with different finishes: anthracite, white, coffee, grey or black. Pyrex glass diffuser with aluminum elements inside.




IP65

2,490 Kg / 0,0254 m³  
E27 max 1x 42W



IP65

1,970 Kg / 0,0193 m³  
E27 max 1x 42W



IP65

0,590 Kg / 0,0135 m³  
E27 max 1x 42W

- 109138 White
- 026961 Grey
- 026992 Anthracit.
- 004723 Black
- 163741 Coffee

4000 K  
490 lm  
153957

- 109145 White
- 026954 Grey
- 026985 Anthracit.
- 004730 Black
- 163758 Coffee

4000 K  
490 lm  
153957

- 248264 White
- 248288 Grey
- 248257 Anthracit.
- 248295 Black
- 248271 Coffee

4000 K  
490 lm  
153957



P. 828



## Atena

High performance resin body and diffuser: resistant to corrosion, colors stabilized during U.V. rays treatment, resistant to temperatures between -60° C and +90° C.

**LED** Bulbs LED E27 8W Goccia included. Settable CCT: 2700 K, 4000 K, 6500 K.

198644      198637      198620

800  
155

IP55

1,070 Kg / 0,0220 m<sup>3</sup>  
E27 max 1x23W

198644 White  
198637 Grey  
198620 Black

4000 K  
1020 lm  
151991

## Edo Outdoor

Die-cast aluminum structure finished with anthracite, white or coffee powder coating. White polycarbonate diffuser.

142999      135762      213071

800  
155

IP44

1,600 Kg / 0,0240 m<sup>3</sup>  
GX53 max 1x15W

135755 White  
138510 Anthracit.  
213071 Coffee

4000 K  
1000 lm  
154008

790  
150

IP44

2,670 Kg / 0,0269 m<sup>3</sup>  
GX53 max 1x15W


142999 White  
135762 Anthracit.  
213088 Coffee

4000 K  
1000 lm  
154008



# Marte

Powder coated aluminum body with anthracite finish. White acrylic diffuser.



IP44

2,500 Kg / 0,0193 m<sup>3</sup>  
E27 max 1x 25W

092225 ■ Anthracit.


4000 K  
580 lm

151960



# Pulsar

Cast aluminum body with powder coating. Satin opal polycarbonate diffuser. Colors: anthracite or coffee.



IP44

1,900 Kg / 0,0120 m<sup>3</sup>  
E27 max 1x 42W

135908 ■ Anthracit.  
246888 ■ Coffee

4000 K  
580 lm

151960




135908

246888

# Mercurio

Powder coated aluminum body with anthracite finish. Clear Pyrex glass diffuser.



IP44

1,540 Kg / 0,0057 m<sup>3</sup>  
G9 max 1x 15W

114347 ■ Anthracit.


4000 K  
530 lm

307879



# Acqua

Turned aluminum reflecting body with matt paint, available finishes: anthracite or coffee. Tempered glass diffuser.



IP44

1,500 Kg / 0,0164 m<sup>3</sup>  
G9 max 1x 15W

135205 ■ Anthracit.  
246918 ■ Coffee

4000 K  
530 lm

307879



135205

246918






# Etere

Powder coated die-cast aluminum body. Satin opal polycarbonate glass diffusers. Black PVC cables. Colors: anthracite, coffee or black.

**LED** LED source 3000/4000 K, 25.000 h life.



IP44

1,100 Kg / 0,0103 m<sup>3</sup>  
LED 9,5W / 1000/1100 lm

246932	■ Anthracit.	3000K
172439	■ Anthracit.	4000K
322261	■ Black	3000K
322278	■ Black	4000K
269160	■ Coffee	3000K
246956	■ Coffee	4000K




P. 826





## Torre

Turned powder painted aluminum body with anthracite, white, coffee, grey or black. Plastic diffuser with opal effect.




IP65

2,600 Kg / 0,0307 m<sup>3</sup>  
E27 max 1x15W

321851 Grey  
321882 Anthracit.  
321639 Black  
321868 Coffee

4000 K  
580 lm

151960




IP65

2,100 Kg / 0,0224 m<sup>3</sup>  
E27 max 1x15W

321905 Grey  
162492 Anthracit.  
186955 Black  
321929 Coffee

4000 K  
580 lm

151960



IP44

0,870 Kg / 0,0054 m<sup>3</sup>  
E27 max 1x15W

321950 Grey  
158891 Anthracit.  
186979 Black  
321981 Coffee

4000 K  
580 lm

151960





321950 158891 186979 321981

## Cosmo

Resin body resistant to corrosion, UV and temperature between -60° and +90° C. Anti-yellowing transparent diffuser.

**LED** Bulbs LED GX53 10W included.  
Settable CCT: 3000 K, 4000 K, 6500 K.



IP55

2,150 Kg / 0,0220 m<sup>3</sup>  
GX53 max 1x10W

187877 White  
187884 Grey  
187891 Black

4000 K  
1000 lm

154008

187877 187884 187891





# Clio

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, grey, black and coffee powder coating. Plastic diffuser with matt white finish.



<p>135 600</p>	<p>575 1970 200</p>	<p>280 190</p>	<p>230 245</p>	<p>300 210</p>
<p>IP44</p> <p>1,360 Kg / 0,0087 m³ E27 max 1x 42W</p>	<p>IP44</p> <p>7,250 Kg / 0,0384 m³ E27 max 2 x 42W</p>	<p>0,540 Kg / 0,0171 m³</p>	<p>0,520 Kg / 0,0144 m³</p>	<p>0,610 Kg / 0,0231 m³</p>
<p>249469 White</p> <p>249476 Grey</p> <p>249452 Anthracit.</p> <p>249483 Black</p> <p>328829 Coffee</p>	<p>249506 White</p> <p>249513 Grey</p> <p>249490 Anthracit.</p> <p>249520 Black</p> <p>328836 Coffee</p>	<p>145068 White</p>	<p>116716 White</p>	<p>145020 White</p>
<p>4000 K 580 lm</p> <p>151960</p>	<p>4000 K 580 lm</p> <p>151960</p>			





## Cima


Totally die-cast aluminum frame. Anthracite, coffee or black and gold finish. Transparent acrylic diffuser.



246833

024097

246840



IP43

3,340 Kg / 0,1467 m<sup>3</sup>  
E27 max 2 x 52W

246833 ■ Anthracit.  
024097 ■ Black  
246840 ■ Coffee

4000 K  
980 lm

153964

P. 857


## Dafne

High performance resin body: resistant to corrosion, colours stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Methacrylate non-yellowing diffuser.



120454

101514



IP55

2,500 Kg / 0,0446 m<sup>3</sup>  
E27 max 1 x 23W

120454 ■ White  
101514 ■ Black

4000 K  
980 lm


153964

P. 857



# Spotlights











## Outdoors



### Alphabetical index

Elio	926
Inside	927
Koala	920
Litio	926
O-Zone	916
Sirio	924
Starlight	918
Terra	925
Thor	914
Ulex	922

### Typology index

<small>new</small> 	<small>new</small> 	<small>new</small> 
Thor 914	O-zone 916	Starlight 918
<small>new</small> 		
Koala 920	Ulex 922	Sirio 924
		
Terra 925	Elio 926	Litio 926
		
Inside 927		




# Thor

Adjustable linear projector for surface installation with oblique light effect. Die-cast aluminum body, clear glass diffuser, 24 Vdc power supply DC, IP65 protection index, IK06 impact resistance. SMD LED technology; CCT 3000 K, CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50. Optionally available with anti-glare visor.

**PRO** High-tech product with high quality materials, intended for professional use.

Source	LED SMD	LED life	50.000 h
Power	20W / 40W	Insulation class	III
Driver included	No	IP	65
Drivers available	On/Off	Material	Aluminum
MacAdam	SDCM 3		
CCT	3000 K		
CRI	≥90		


## LED SMD OSRAM Driver not included



Power	Beam	Lumen	CCT	Finish	Code
20 W	28°	1600 lm	3000 K	Anthracite	261331

1,490 Kg/0,0057 m<sup>3</sup>  
Cable length 500 mm

## LED SMD OSRAM Driver not included



Power	Beam	Lumen	CCT	Finish	Code
40 W	28°	2300 lm	3000 K	Anthracite	261355

2,460 Kg/0,0108 m<sup>3</sup>  
Cable length 500 mm

## OPTIONAL Not included



	Power	Finish	Code
Visor	18W	Anthracite	261362
	40W	Anthracite	261379

## ON/OFF DRIVER Not included/Required

Power	Output	Measure	Code
40 W	24 Vdc	171 x 37 x 61 mm	272108
100 W	24 Vdc	220 x 39 x 68 mm	226200
185 W	24 Vdc	220 x 39 x 68 mm	226217



# O-zone new

Powder coated die-cast aluminum body. Adjustable diffuser with clear tempered glass diffuser. Color: black.

**LED** LED source 3000 K, 50.000 h life.



325019

1,250 Kg / 0,0060 m <sup>3</sup> LED 19W / 1700 lm	0,800 Kg / 0,0060 m <sup>3</sup> LED 13W / 1150 lm	0,090 Kg / 0,0012 m <sup>3</sup>
337531 ■ Black	<small>new</small> 325019 ■ Black	<small>new</small> 345673 ■ Black <small>new</small>







# Starlight

Aluminum adjustable tracklight with ceiling or peg installation; dark gray anodized and powder coated surface; integrated energy-efficient LED source with high color rendering; available with 3000k and 4000k color temperature; LED useful life 50.000 h. Optional anti-glare screen.

**PRO** High-tech product with high quality materials, intended for professional use.



0,280 Kg/0,0005 m<sup>3</sup>



0,950 Kg/0,0014 m<sup>3</sup>



Source	LED COB	LED life	50.000 h
Power	5,5W / 10W	Insulation class	III
Driver included	No	IP	68
Drivers available	On/Off	Material	Aluminum
MacAdam	SDCM 3		
CCT	3000 K / 4000 K		
CRI	≥90		

## LED COB BRIDGELUX Driver not included

Power	Beam	Lumen	CCT	Finish	Code
5,5 W	30°	500 lm	3000 K	Dark Gray	248394
		600 lm	4000 K	Dark Gray	245041

## LED COB BRIDGELUX Driver not included

Power	Beam	Lumen	CCT	Finish	Code
10 W	30°	930 lm	3000 K	Dark Gray	248387
		1000 lm	4000 K	Dark Gray	245072

## OPTIONAL Not included


	Power	Finish	Code
Visor	5,5W	Dark Gray	245096
	10W	Dark Gray	245102

	Finish	Code
Peg	Dark Gray	245089

## ON/OFF DRIVER Not included/Required

Power	Output	Measure	Code
20 W	24 Vdc	118 x 26 x 35 mm	226187
40 W	24 Vdc	148 x 30 x 40 mm	226194
100 W	24 Vdc	220 x 39 x 68 mm	226200
185 W	24 Vdc	220 x 39 x 68 mm	226217






# Koala new

Powder coated die-cast aluminum body. Clear tempered glass diffuser. Available with base for wall and floor fixing and with strap for trees and poles fixing. Color: black.

**LED** LED source 3000 K, 35.000 h life.



IP65 0,600 Kg / 0,0014 m³ LED 7W / 570 lm	IP65 0,600 Kg / 0,0014 m³ LED 7W / 570 lm	IP65 0,640 Kg / 0,0014 m³ LED 7W / 570 lm	IP65 0,520 Kg / 0,0014 m³ LED 3W / 300 lm
---	---	---	---

331386 ■ Black    new 349596 ■ Black    new 345666 ■ Black    new 331355 ■ Black    new



331355 / 345666    349596



# Ulex

Orientable projector for surface installation, suited for a general or accent outdoor lighting. Die-cast aluminum body, clear glass diffuser. Light source with integrated led available in two different powers. Protection index IP65, resistance to impact IK06, 3000 K color temperature; LED useful life 50.000 h. Optionally available with wiring base, piquet for ground installation and anti-glare installation.

**PRO** High-tech product with high quality materials, intended for professional use.

<b>Source</b>	LED SMD	<b>Insulation class</b>	I
<b>Power</b>	8,5W / 15W	<b>IP</b>	65
<b>Driver included</b>	On/Off	<b>Material</b>	Aluminum
<b>Drivers available</b>	No		
<b>CCT</b>	3000 K		
<b>CRI</b>	≥90		
<b>LED life</b>	50.000 h		

## LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
8,5 W	30°	600 lm	3000 K	Anthracite	261287



0,660 Kg/0,0025 m<sup>3</sup>  
Cable lenght 2000 mm

## LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code
15 W	30°	1200 lm	3000 K	Anthracite	261294



1,190 Kg/0,0042 m<sup>3</sup>  
Cable lenght 2000 mm

## OPTIONAL Not included



		Finish	Code
<b>Box</b>	8,5 W	Anthracite	268156
	15 W	Anthracite	268187



		Finish	Code
<b>Peg</b>	8,5 W	Anthracite	268163
	15 W	Anthracite	268194



		Finish	Code
<b>Visor</b>	8,5 W	Anthracite	268170
	15 W	Anthracite	268200








## Sirio new

Adjustable powder-coated die-cast aluminum body. Clear tempered glass diffuser. GX53 source. Colors: anthracite, white, coffee, gray or black.



IP65

1,070 Kg / 0,0021m<sup>3</sup>  
GX53 max 1x9W


- 345628 White new
- 345642 Grey new
- 318233 Anthracit. new
- 345659 Black new
- 345635 Coffee new

4000 K  
1000 lm  
154008




## Terra

Cast aluminum painted frame. Adjustable body. Transparent Pyrex glass diffuser.



IP65

1,230 Kg / 0,0086 m<sup>3</sup>  
E27 max 1x42W



IP65

0,520 Kg / 0,0038 m<sup>3</sup>  
GU10 max 1x28W

- 033044 Anthracit.
- 321622 Coffee

- 106205 White
- 033037 Anthracit.
- 046211 Black
- 163727 Coffee

4000 K  
580 lm  
151960


4000 K  
430 lm  
253497



# Elio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.

**LED** Bulbs LED GU10 3,5W included.  
Settable CCT: 2700 K, 4000 K.



0,360 Kg / 0,0027 m<sup>3</sup>  
GU10 max 1x6W

120218 White  
120201 Black

4000 K  
430 lm


253497



# Litio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.

**LED** Bulbs LED GX53 10W included.  
Settable CCT: 3000 K, 4000 K, 6500 K.



0,730 Kg / 0,0044 m<sup>3</sup>  
GX53 max 1x10W

145310 White  
145334 Grey  
145358 Black


4000 K  
1000 lm

154008



# Inside

Powder coated cast aluminum frame with anthracite, coffee or grey finish. Adjustable body. Clear Pyrex glass diffuser. Provided with peg to plant in the ground.



0,370 Kg / 0,0015 m<sup>3</sup>  
G9 max 1x15W

115412 Anthracite  
115429 Black  
247045 Coffee

4000 K  
530 lm

307879



# Downlights






















## Outdoors



### Alphabetical index

Bit	930
Floor	933
Gravity	937
Indio	931
Landing	938
Park	936
Rocket	941
Rocket-Mini	940
Rocket-Ultramini	941
Taurus	934
Thor	932
Way	939
Wire	930

### Typology index


			 <small>new</small>
Bit 930	Wire 930	Indio 931	Thor 932
			
Floor 933	Taurus 934	Park Round 936	Park Square 936
			
Gravity Round 937	Gravity Square 937	Landing 938	Way 939
			
Way 939	Way 939	Rocket Mini 940	Rocket Mini 940
			 <small>new</small>
Rocket Mini 940	Rocket 941	Rocket 941	Rocket Ultramini 941
 <small>new</small>			
Rocket Ultramini 941			



# Bit

Recessed body made of powder coated die-cast aluminum. Clear tempered glass diffuser. Available in anthracite or white finish.

**LED** LED source 3000 K, 35.000 h life.





IP65

0,300 Kg / 0,0006 m<sup>3</sup>  
LED 3W / 450 lm

Driver  
Not included  
Required

269023 White  
269009 Anthracit.


276205



# Wire

Recessed body made of powder coated die-cast aluminum. Clear tempered glass diffuser. Available in anthracite or white finish.

**LED** LED source 3000 K, 20.000 h life.



IP65

0,460 Kg / 0,0018 m<sup>3</sup>  
LED 4W / 180 lm

IP65

0,220 Kg / 0,0009 m<sup>3</sup>  
LED 1,5W / 90 lm

268989 White  
255514 Anthracit.


268996 White  
255521 Anthracit.



# Indio

Recessed body made of powder coated die-cast aluminum. Tempered white screen-printed glass diffuser.

**LED** LED source 3000 K, 35.000 h life.



IP65

1,090 Kg / 0,0023 m<sup>3</sup>  
LED 8W / 920 lm

IP65

0,540 Kg / 0,0011 m<sup>3</sup>  
LED 5W / 420 lm

255804 White

255781 White








## Thor new

Linear projector for floor recessed installation. Die-cast aluminum body, 316L stainless steel ring, glass diffuser, IP67 protection index, IK08 impact resistance, formwork included. Optical block adjustable by +/- 20° for asymmetric light effect. SMD LED technology; CCT 3000K, CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50.


**LED** LED source 3000 K, 50.000 h life.



## Floor

Outdoor unmovable recessed fitting made of die cast aluminum with round ring available in three dimensions. Suitable for ground and floor installation. Anodized aluminum finish with extra-clear tempered glass diffuser. Integrated LED passively cooled with 30° optics; available color temperature of 3000 k and CRI ≥ 80; protection degree IP 67; IK10.

**LED** LED source 3000 K, 25.000 h life.






# Taurus

Recessed projector for floor, wall or ceiling installation. Die-cast aluminum body, 316L stainless steel ring, glass diffuser, walkable (IP67, IK10), formwork included. Light modules individually adjustable +/- 30° using an external pin to narrow or direct the light beam. SMD LED technology; CCT 3000K, CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50.

**S316** Item made of stainless steel 316.


<b>Source</b>	LED SMD	<b>Insulation class</b>	I
<b>Power</b>	6W / 21W	<b>IP</b>	67
<b>Driver included</b>	On/Off	<b>Material</b>	Aluminum
<b>Drivers available</b>	No		
<b>CCT</b>	3000 K		
<b>CRI</b>	≥90		
<b>LED life</b>	50.000 h		



1,460 Kg/0,0129 m<sup>3</sup>

### LED SMD OSRAM Driver ON/OFF included


Power	Lumen	CCT	Finish	Code
6W	400lm	3000 K	Steel	277004



1,980 Kg/0,0071 m<sup>3</sup>

### LED SMD OSRAM Driver ON/OFF included


Power	Lumen	CCT	Finish	Code
11W	790lm	3000 K	Steel	277011



3,250 Kg/0,0133 m<sup>3</sup>

### LED SMD OSRAM Driver ON/OFF included


Power	Lumen	CCT	Finish	Code
12W	1200lm	3000 K	Steel	277028



3,500 Kg/0,0242 m<sup>3</sup>

### LED SMD OSRAM Driver ON/OFF included

Power	Lumen	CCT	Finish	Code
20W	1800lm	3000 K	Steel	277035





## Park

Recessed spotlight. PVC external body. Aluminum reflecting parabola. Glazed steel glass-setting frame. Clear glass.

105 190	75 133	83 120
IP67	IP67	IP54
1,210 Kg / 0,0066 m³ E27 max 1x28W	0,580 Kg / 0,0032 m³ GU10 max 1x20W	0,900 Kg / 0,0032 m³ G9 max 1x15W
032825 Steel	032832 Steel	117881 Steel
4000 K 980 lm 153964	4000 K 430 lm 253497	4000 K 530 lm 307879


## Gravity

High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Resistant to 5000 kg impact.

**LED** Bulbs LED GU10 3,5W and LED GX53 10W included. Settable CCT.

145 111	85 132	145 111	85 132
IP67	IP67	IP67	IP67
0,670 Kg / 0,0043 m³ GX53 max 1x10W	0,270 Kg / 0,0019 m³ GU10 max 1x6W	0,700 Kg / 0,0043 m³ GX53 max 1x10W	0,270 Kg / 0,0019 m³ GU10 max 1x6W
120324 Black	120249 Black	120386 Black	120317 Black
4000 K 1000 lm 154008	4000 K 430 lm 253497	4000 K 1000 lm 154008	4000 K 430 lm 253497







## Landing

High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Resistant to 5000 kg impact.


**LED** Bulbs LED GU10 3,5W and LED GX53 10W included. Settable CCT.



120362




120287



IP67  
0,740 Kg / 0,0043 m³  
GX53 max 1x 10W

120362 ■ Black

4000 K  
1000 lm  
154008



IP67  
0,260 Kg / 0,0020 m³  
GU10 max 1x 6W


120287 ■ Black

4000 K  
430 lm  
253497

## Way


Walkable recessed lamp. High-performance resin body and diffuser: resistant to corrosion, UV and to temperatures between -60° and +90°. Color: black.

**LED** Bulbs LED G9 2W 3000/4000 K included. Cod. 270104/270111




IP67  
0,100 Kg / 0,0007 m³  
G9 max 1x 1,7W

269726 ■ B 3000K  
269733 ■ B 4000K



IP67  
0,080 Kg / 0,0007 m³  
G9 max 1x 1,7W

269504 ■ B 3000K  
269696 ■ B 4000K



IP67  
0,080 Kg / 0,0007 m³  
G9 max 1x 1,7W

269702 ■ B 3000K  
269719 ■ B 4000K



## Rocket Mini

Clear tempered glass diffuser.  
Walkable. Integrated LED source.  
Absence of visible screws. Available  
versions with 1 or 2 lights close to  
the ground or with a unique central  
accent light.

**LED** LED source 4000 K, 50.000 h life.

**IP68** Protection degree IP68.

**S316** Item made of stainless steel 316.

<b>IP68</b>	<b>IP68</b>		
0,280 Kg / 0,0008 m <sup>3</sup> LED 2W / 200 lm	0,330 Kg / 0,0008 m <sup>3</sup> LED 2W / 200 lm	Driver Not included Required	Driver Not included Required
212623 ■ Steel 15° 212647 ■ Steel 40°	222820 ■ Steel 222837 ■ Steel	226187 20W 226194 40W	226200 100W 226217 185W

## Rocket

Walkable recessed fitting. Brushed  
steel body. Tempered glass diffuser.

**LED** LED source 3000/4000 K, 30.000 h  
life.

<b>IP65</b>	<b>IP65</b>
0,560 Kg / 0,0034 m <sup>3</sup> LED 3W / 260/280 lm	0,560 Kg / 0,0034 m <sup>3</sup> LED 3W / 260/280 lm

247144 ■ Steel 3000K	247151 ■ Steel 3000K
122014 ■ Steel 4000K	122021 ■ Steel 4000K




## Rocket Ultramini new

Aluminum body. Clear tempered  
glass diffuser. Color: brushed steel.

**LED** LED source 3000 K, 35.000 h life.

<b>IP67</b>	<b>IP67</b>	
0,210 Kg / 0,0006 m <sup>3</sup> LED 2,5W / 150 lm	0,210 Kg / 0,0006 m <sup>3</sup> LED 1,3W / 80 lm	Driver Not included Required
325156 ■ Steel	<span style="color: red;">new</span> 325132 ■ Steel	<span style="color: red;">new</span> 276205 1W 325163 2.4W <span style="color: red;">new</span>

















# Light bulbs\* and accessories













\* No further promotions can be applied to bulbs recommended prices.




# Bulbs E14











# Bulbs E14






	Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code
	E14	4 W	480 lm	3000 K	80		25.000 h	10	101200
	E14	4 W	380 lm	3000 K	80	TRIAC	15.000 h	10	188935
	E14	4 W	520 lm	4000 K	80		25.000 h	10	153926
	E14	4 W	420 lm	3000 K	90		25.000 h	10	271620
	E14	4 W	300 lm	2200 K	80		15.000 h	10	151656
	E14	4 W	420 lm	3000 K	80	TRIAC	25.000 h	10	101217
	E14	3,7 W	340 lm	3000 K	80		25.000 h	10	289229
	E14	4 W	470 lm	4000 K	80		25.000 h	10	253411
	E14	4 W	340 lm	3000 K	90		25.000 h	10	289212
	E14	6 W	550 lm	3000 K	80		25.000 h	10	151731
	E14	6 W	580 lm	4000 K	80		25.000 h	10	151946
	E14	3,5 W	370 lm	3000 K	80		25.000 h	10	101262
	E14	4 W	300 lm	3000 K	80		25.000 h	10	101255



	Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code
	E14	4 W	430 lm	3000 K	80		25.000 h	10	101248
	E14	4 W	420 lm	3000 K	80	TRIAC	15.000 h	10	188911
	E14	4 W	460 lm	4000 K	80		25.000 h	10	153940
	E14	4 W	400 lm	2200 K	80		15.000 h	10	151663
	E14	4 W	380 lm	3000 K	80		25.000 h	10	151793



	Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code
	E14	4 W	450 lm	2700 K	80		25.000 h	10	270944
	E14	4 W	470 lm	3000 K	80		25.000 h	10	101224
	E14	4 W	430 lm	3000 K	90		25.000 h	10	271644
	E14	3,7 W	320 lm	3000 K	80	TRIAC	15.000 h	10	188928
	E14	4 W	490 lm	4000 K	80		25.000 h	10	153933
	E14	4 W	370 lm	2200 K	80		15.000 h	10	151649
	E14	4 W	370 lm	3000 K	80		25.000 h	10	101231
	E14	4 W	430 lm	3000 K	80		15.000 h	10	326610
	E14	6 W	540 lm	3000 K	80		25.000 h	10	151748
	E14	6 W	560 lm	4000 K	80		25.000 h	10	151953









Plastic 151731      Glass 101217      Glass 151793      Plastic 151748      Glass satin 326610



# Bulbs E27

	Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code
	E27	4 W	490 lm	2700 K	80		25.000 h	10	271637
	E27	4 W	430 lm	3000 K	80		25.000 h	10	101279
	E27	3,9 W	340 lm	3000 K	80	TRIAC	15.000 h	10	188942
	E27	4 W	490 lm	4000 K	80		25.000 h	10	153957
	E27	4 W	380 lm	2200 K	80		15.000 h	10	151861
	E27	4 W	340 lm	3000 K	80		25.000 h	10	101286
	E27	6 W	550 lm	3000 K	80		25.000 h	10	151755
	E27	6 W	580 lm	4000 K	80		25.000 h	10	151960
	E27	4 W	480 lm	3000 K	80		25.000 h	10	101293
	E27	4,3 W	520 lm	4000 K	80		25.000 h	10	253428
	E27	8 W	930 lm	2700 K	80		25.000 h	10	270951
	E27	8 W	910 lm	3000 K	80		25.000 h	10	119571
	E27	8 W	680 lm	3000 K	80	TRIAC	15.000 h	10	188973
	E27	8,3 W	980 lm	4000 K	80		25.000 h	10	153964
	E27	8 W	880 lm	3000 K	90		25.000 h	10	271613
	E27	10 W	1300 lm	3000 K	80		25.000 h	10	256528
	E27	10 W	1380 lm	4000 K	80		25.000 h	10	270920
	E27	10 W	1150 lm	2700 K	90		25.000 h	10	342870
	E27	4 W	530 lm	3000 K	80		25.000 h	10	335261
	E27	4 W	370 lm	2200 K	80		15.000 h	10	151687
	E27	8 W	900 lm	3000 K	80		25.000 h	10	123899
	E27	7,8 W	860 lm	3000 K	80	TRIAC	25.000 h	10	252209
	E27	8 W	1030 lm	4000 K	80		25.000 h	10	253459
	E27	9 W	970 lm	3000 K	80		25.000 h	10	151762
	E27	9 W	1020 lm	4000 K	80		25.000 h	10	151991

# Bulbs E27

	Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code
	E27	8 W	900 lm	3000 K	80		25.000 h	10	305622
	E27	10 W	1150 lm	3000 K	80		25.000 h	10	305639
	E27	8 W	770 lm	3000 K	80		25.000 h	10	123882
	E27	14 W	1250 lm	2700 K	90		25.000 h		345857
	E27	14 W	1500 lm	3000 K	90		25.000 h		337135
	E27	14 W	1550 lm	4000 K	90		25.000 h		345864

new

new

new













new

new



Glass 101286 Plastic 151755 Glass 123899 Plastic 151762 Glass 335261 Satin 305622













# Bulbs E27

	Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code
	E27	8 W	1050 lm	3000 K	80		25.000 h	10	101323
	E27	8 W	860 lm	3000 K	90		25.000 h	10	271606
	E27	8 W	680 lm	3000 K	80	TRIAC	15.000 h	10	188966
	E27	8 W	1120 lm	4000 K	80		25.000 h	10	153971
	E27	4 W	550 lm	3000 K	80		25.000 h	10	345840
	E27	4 W	500 lm	2200 K	80		15.000 h	10	151717
	E27	3,8 W	330 lm	2200 K	80	TRIAC	15.000 h	10	223933
	E27	8 W	950 lm	3000 K	80		25.000 h	10	101330
	E27	7,8 W	860 lm	3000 K	80	TRIAC	25.000 h	10	252186
	E27	8 W	1050 lm	4000 K	80		25.000 h	10	253442
	E27	14 W	1630 lm	3000 K	80		25.000 h	10	151779
	E27	14 W	1820 lm	4000 K	80		25.000 h	10	151977
	E27	8 W	900 lm	3000 K	80	TRIAC	15.000 h	10	277790
	E27	7,9 W	1050 lm	3000 K	80		25.000 h	10	157597
	E27	8 W	900 lm	3000 K	80		25.000 h	10	135526



Glass 101323    Glass 345840    Plastic 101330    Plastic 151779    Glass satin 77790    Glass satin 135526

# Bulbs E27

	Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code
	E27	8 W	1050 lm	3000 K	80		25.000 h	10	101347
	E27	8,2 W	860 lm	3000 K	90		25.000 h	10	271590
	E27	8,2 W	680 lm	3000 K	80	TRIAC	15.000 h	10	188959
	E27	8 W	1070 lm	4000 K	80		25.000 h	10	153988
	E27	4 W	480 lm	2200 K	80		15.000 h	10	151724
	E27	3,8 W	330 lm	2200 K	80	TRIAC	15.000 h	10	223926
	E27	8 W	900 lm	2700 K	90		25.000 h	10	342863
	E27	8 W	950 lm	3000 K	80		25.000 h	10	101354
	E27	8 W	1030 lm	4000 K	80		25.000 h	10	253435
	E27	18 W	2210 lm	3000 K	80		25.000 h	10	151786
	E27	18 W	2300 lm	4000 K	80		25.000 h	10	152004
	E27	8 W	900 lm	3000 K	80	TRIAC	15.000 h	10	277813
	E27	7,8 W	1050 lm	3000 K	80		25.000 h	10	157580



Glass 101347    Glass 101354    Plastic 151786    Glass satin 277813    Glass satin 157580



# Bulbs E27



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code
-------------	-------	------	-----	-----	----------	------	----------	------

E27	4 W	330 lm	2200 K	80		15.000 h	10	151700
E27	4 W	440 lm	2200 K	80		15.000 h	10	151694
E27	3,8 W	330 lm	2200 K	80	TRIAC	15.000 h	10	223919
E27	5,1 W	360 lm	1800 K	80		15.000 h	10	201283
E27	5,5 W	360 lm	1800 K	80		15.000 h	10	201269
E27	4 W	360 lm	1800 K	80		15.000 h	10	201290
E27	5,4 W	360 lm	1800 K	80		15.000 h	10	201276



151700



151694



201283



201269




201290



201276

# Bulbs E27



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code
-------------	-------	------	-----	-----	----------	------	----------	------

E27	7,5 W	600 lm	1800 K	80		15.000 h	10	201252
E27	6 W	320 lm	1800 K	80		15.000 h	1	130170
E27	4 W	320 lm	1800 K	80		15.000 h	1	129877
E27	3,8 W	330 lm	2200 K	80	TRIAC	15.000 h	1	223940
E27	4,1 W	400 lm	2200 K	80		25.000 h	1	130187
E27	3,9 W	330 lm	2200 K	80	TRIAC	15.000 h	1	223834
E27	4,1 W	360 lm	2200 K	80		25.000 h	1	237251
E27	8 W	700 lm	2200 K	80		25.000 h	1	130163



201252



130170



129877



130187



237251



130163



## Nikita new

Bulb with clear glass, opal shaded in the upper part. Unique central linear filament. Glass color: white, smoked.


**LED** Bulbs LED E27.  
CCT: 2200 K, CRI: ≥90



345826



345819



0,237 Kg / 0,0099 m<sup>3</sup>  
LED 3W / 230lm / 100lm



0,160 Kg / 0,0028 m<sup>3</sup>  
LED 3W / 180lm / 80lm



0,280 Kg / 0,0091 m<sup>3</sup>  
LED 3W / 180lm / 80lm


345802 White new 345826 White new 333922 White new  
333915 Smok.Gra new 345819 Smok.Gra new 345833 Smok.Gra new



# Bulbs G4



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code
-------------	-------	------	-----	-----	----------	------	----------	------




G4	1,5W	160 lm	3000 K	80		15.000 h	20	188980
G4	2W	200 lm	3000 K	80		20.000 h	20	222257
G4	2W	200 lm	3000 K	80	Phase-cut	20.000 h	20	266282

# Bulbs G9



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code
-------------	-------	------	-----	-----	----------	------	----------	------




G9	2,5W	170 lm	3000 K	80		25.000 h	20	122168
G9	2,5W	180 lm	4000 K	80		25.000 h	20	253381
G9	3W	350 lm	2700 K	80		15.000 h	20	270968
G9	3W	370 lm	3000 K	80		15.000 h	20	209043
G9	3W	350 lm	3000 K	80	TRIAC	25.000 h	20	288215
G9	3W	390 lm	4000 K	80		15.000 h	20	209036
G9	3,5W	310 lm	3000 K	90		15.000 h	20	288208
G9	4W	470 lm	2700 K	90		15.000 h	20	342887
G9	4W	510 lm	3000 K	80		15.000 h	20	305486
G9	3,5W	420 lm	3000 K	80	TRIAC	15.000 h	20	305431
G9	4W	530 lm	4000 K	80		15.000 h	20	307879
G9	3,5W	440 lm	4000 K	80	TRIAC	15.000 h	20	307886

# Bulbs GX53



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code
-------------	-------	------	-----	-----	----------	------	----------	------




GX53	7W	730 lm	3000 K	80		25.000 h	10	101385
GX53	7W	760 lm	4000 K	80		25.000 h	10	253404
GX53	9W	910 lm	3000 K	80		25.000 h	10	123936
GX53	9W	890 lm	3000 K	80	TRIAC	25.000 h	10	252551
GX53	9W	1000 lm	4000 K	80		25.000 h	10	154008
GX53	9W	900 lm	4000 K	80	TRIAC	25.000 h	10	252568
GX53	9W	880 lm	2700 K	90		25.000 h	10	342900
GX53	9W	940 lm	3000 K	90		25.000 h	10	288383

# Bulbs R7s









Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code
-------------	-------	------	-----	-----	----------	------	----------	------



R7s	6,9W	560 lm	3000 K	80		20.000 h	10	189109
R7s	5,9W	450 lm	3000 K	80	TRIAC	20.000 h	10	266770
R7s	6,9W	580 lm	4000 K	80		20.000 h	10	272375
R7s	5,9W	480 lm	4000 K	80	TRIAC	20.000 h	10	272382
R7s	12,9W	760 lm	3000 K	80		20.000 h	10	189093
R7s	7,9W	580 lm	3000 K	80	TRIAC	20.000 h	10	266763
R7s	12,9W	830 lm	4000 K	80		20.000 h	10	253480
R7s	7,9W	640 lm	4000 K	80	TRIAC	20.000 h	10	266756
R7s	13,5W	1700 lm	3000 K	80		15.000 h	10	307862
R7s	14W	1600 lm	3000 K	80	TRIAC	15.000 h	10	307855
R7s	13,5W	1700 lm	4000 K	80		15.000 h	10	296869
R7s	14W	1650 lm	4000 K	80	TRIAC	15.000 h	10	296876

new




# Bulbs GU10

	Lamp socket	Power	Flux	CCT	CRI	Beam	Dimm.	Life	Min Qty.	Code
	GU10	4 W	340 lm	3000 K	90	62°		25.000 h	10	339771
	GU10	5 W	430 lm	3000 K	90	50°	TRIAC	25.000 h	10	266251
	GU10	5 W	430 lm	4000 K	90	50°		25.000 h	10	253497
	GU10	5 W	450 lm	4000 K	90	50°	TRIAC	25.000 h	10	285566
	GU10	7 W	540 lm	3000 K	90	50°		25.000 h	10	123943
	GU10	7 W	460 lm	3000 K	90	50°	TRIAC	25.000 h	10	288239
	GU10	7 W	620 lm	3000 K	90	108°		25.000 h	10	101378
	GU10	7 W	650 lm	4000 K	90	108°		25.000 h	10	117652
	GU10	8 W	580 lm	3000 K	90	56°		25.000 h	10	189062
	GU10	8 W	620 lm	4000 K	90	56°		25.000 h	10	270975
	GU10	5 W	380 lm	2700 K	95	50°		25.000 h	10	307619
	GU10	5 W	410 lm	3000 K	90	50°		25.000 h	10	108292
	GU10	7 W	540 lm	4000 K	90	50°		25.000 h	10	224367
	GU10	7 W	600 lm	2700 K	95	108°		25.000 h	10	307626



108292      101378      189062      307619      307626

# Bulbs GU10

	Lamp socket	Power	Flux	CCT	CRI	Beam	Dimm.	Life	Min Qty.	Code
	GU10	12 W	930 lm	3000 K	90	20°		25.000 h	10	327037
	GU10	12 W	900 lm	3000 K	90	22°	TRIAC	25.000 h	10	326290
	GU10	12 W	1190 lm	4000 K	90	20°		25.000 h	10	327051
	GU10	12 W	980 lm	2700 K	90	38°		25.000 h	10	342894
	GU10	12 W	1120 lm	3000 K	90	40°		25.000 h	10	327044
	GU10	12 W	1000 lm	3000 K	90	40°	TRIAC	25.000 h	10	327075
	GU10	12 W	1120 lm	4000 K	90	40°		25.000 h	10	327068
	GU10	10 W	750 lm	3000 K	80	22°		15.000 h	10	189031
	GU10	10 W	720 lm	3000 K	80	22°	TRIAC	15.000 h	10	288543
	GU10	10 W	780 lm	4000 K	80	22°		15.000 h	10	253398





242040      183794      189031

## Kit emergency

Emergency kit for LED modules. Includes inverter and battery. From two to three hours autonomy and recharging time respectively of 12 and 24 hours. It operates for emergency only or as continuous light (continuous light combined with electronic power supply and dimmable electronic power supply). Insulation class II.



INVERTER	GROUP BATTERY
	
166	185
46	65
96	65
IP20	
0,185 Kg / 0,0009 m³	0,305 Kg / 0,0010 m³
Ⓜ 52 mm	Ⓜ 65 mm


221595 White

For further information please contact the technical office.




# Ceiling roses


## Magnetic Ceiling roses




1 cable



1 cable




6 cables




8 cables




## Standard Ceiling roses



1 cable



3 cables




5 cables



# Ceiling roses


## Recessed Ceiling roses




1 cable



## All in linear ceiling roses




4 cables




6 cables



## Standard linear ceiling roses



3 cables




5 cables




# Accessories

## Bulb holders




249186    249193    249223    249216    249209



242569    249230    249254    249247    242576


## Cables

2x0,75 mm<sup>2</sup>  
FEPT180°  
PVC T90°  
\*only PVC




301624    301662\*    301655    301648    301631

2x0,75 mm<sup>2</sup>  
FEPT180°  
PVC T90°  
\*only PVC



301679    301716\*    301709    301693    301686

2x0,75 mm<sup>2</sup>  
FEPT180°  
PVC T90°  
\*only PVC



303062    306421    303093    303086    303079

## Cable holders



143200    143224    249339    249322    143217



285887    285894    285924    285917    285900

Restaurant Oca Bianca  
Mirano, VE

LIGHTBULBS AND ACCESSORIES







































# Families' index

Topico















































































Pag 534































































						
Angolo	 334	 476	 500			
						
Arizona	 156	 156	 278	 278	 278	
						
Axel	 478	 526	Binomio	 337	 337	 429
						
Birds	 105	 327	 421	 473	 497	
						
Bubble	 812	 854				
						
Candy	 158	 158	 280	 469		
						
Cantina	 137	 426				

# Families' index

Indoor, outdoor












































						
Carlton	 203	 203	 355	 355	 439	
						
Carta	 170	 170	 170	 170	 282	 282
						
	 385	 385	 468	 468	 519	 519
						
Chalet	 234	 234	 234	 444	 484	
						
Cima	 857	 910				
						
Clio	 806	 806	 856	 908	 908	
						
Corte	 215	 215	 215	 441		
						
Cotton	 159	 159	 159	 281	 281	 281













































						
Craft	 091	 374	 510			
						
Cylinder	 190	 532				
						
Dafne	 857	 857	 911			
						
Desk	 090	 090	 090	 374		
						
Diamond	 102	 102	 102	 466		
						
Diesis	 126	 459	 511			
						
Driftwood	 235	 235	 484	 526	 526	
						
Dubai	 208	 208	 353	 353	 353	 439



# Families' index
























Indoor, outdoor












































	
<b>Dynamite</b>  096  096  312	<b>Easy</b>  458  511
	
<b>Edison</b>  120  416	<b>Elio</b>  820  926
	
<b>Equinoxe</b>  108  108  108  108  108  108	
	
<b>Essence</b>  425  499	
	
<b>Essence</b>  088  390  390	
	
<b>Etere</b>  826  904	
	
<b>Filo</b>  084  084  392  392  456  502	
	
<b>Firenze</b>  230  230  444  485  535	

	
<b>Florian</b>  220  220  220  442	
	
<b>Frame</b>  076  076  076  247  247  247	
	
<b>Futura</b>  501	<b>Frida</b>  120  419
	
<b>Futura</b>  460  514	<b>Gas</b>  823  891
	
<b>Gemini</b>  060  060  060  060  272  272	
	
<b>Gemini</b>  272	
	
<b>Gioconda</b>  224  224  224  443	
	
<b>Glory</b>  155  155  155  276  276  276	

# Families' index

Indoor, outdoor

































					
Gun	 810	 834	 834		
					
Harem	 233	 233	 446		
					
Igor	 101	 420			
					
Kepler	 111	 111	 422		
					
King	 200	 200	 346	 346	 346
					
Koala	 920	 920	 920	 920	
					
Lana	 153	 298	 298		
					
Linus	 375	 624			
					
Litio	 821	 926			































					
Lika	 311	 784	 784	 784	 784
	 784	 784	 784		
	 784	 784	 792		
					
Lingotto	 100	 100	 100	 335	 335
	 335	 335			
	 477	 477			
					
London	 479	 479	 529		
					
Look	 078	 078	 300	 300	 300
	 381	 506	 698		
					
Lumiere	 178				
	 178	 178	 341	 341	 465
	 496				



# Families' index

































































Indoor, outdoor

































































Luna						
	■ 804	■ 804	■ 878	■ 878	■ 878	
Mapa						
	■ 168	■ 168	■ 168	■ 168	■ 168	■ 168
						
	■ 282	■ 384	■ 384	■ 384	■ 384	■ 470
						
	■ 470	■ 470	■ 470			
Maracas						
	■ 330	■ 330	■ 424			
Martinez						
	■ 202	■ 354				
Mix Up						
	■ 130	■ 290	■ 508			
Mouse						
	■ 316	■ 412	■ 412	■ 694		

Negresco						
	■ 218	■ 218	■ 442			
Newton						
				■ 426	■ 516	
Ninfea						
	■ 339	■ 339	■ 431	■ 431	■ 471	
Nodi						
	■ 175	■ 175	■ 322			
Nordik						
	■ 189	■ 189	■ 436	■ 480	■ 532	
Oak						
	■ 082	■ 310				
Oby						
	■ 317	■ 317	■ 415	■ 415		
Opera						
	■ 198	■ 198	■ 198	■ 440		
						
	■ 486	■ 534				

# Families' index

Indoor, outdoor

						
Oracle Slim	 068	 068	 068	 068	 074	 074
						
	 074	 242	 242	 242		
						
Ovalino	 157	 157	 284	 284	 382	
						
	 064	 064	 244	 362	 452	
Oz						
O-Zone	 818	 916		Pan	 191	 430
						
Pashà	 205	 205	 205			
						
	 438	 345	 345	 345		
						
Pegaso	 212	 212	 212	 441	 489	 489

						
Penta	 340	 340	 431			
						
Perlage	 106	 106	 106	 106	 106	 324
						
	 324	 324	 324	 423	 423	 473
						
	 473	 498				
						
Ping Pong	 336	 336	 428	 428	 472	 505
						
Pure	 864	 864				
						
Queen	 488	 488	 488	 534		
						
Rain	 201	 352	 352			



# Families' index

Indoor, outdoor

**Roma**




438 486 344 344 344 344

**Rudy**



318 318 413 413


**Set Up**




192-194-196 192-194-196 192-194-196



292-294-296 292-294-296 292-294-296



434 434 482 482 530



192 292 434 482 530

**Set Up Slim**




194 294

**Set Up Ultra Slim**




196 296

**Sirio**



841 886 886 924

**Sky**




083 301 301 301 381

**Smarties**



154 154 154 277 277 277



277 385 469 469 469

**Snow**



805 855

**Sole**



802 802 802 802 877 877



877 877

**Spike**



308 697

**Spot**



316 412 412 694





**Strauss**






225 225 225 443

# Families' index

Indoor, outdoor

Style		826	826	884			
Swan		199	199	440			
Terra		822	822	925	925		
Thor		914	914	932	932		
Toffee		837	866	866	866	866	866
Topico		148	283	283			
Triumph		098	326	424	424		
Tronco		828	898	898	898		

Wally		463	517	
Winery		315	416	
Yoko		089	457	503



# Code index



# Code index

SKU	Pag	020846	444	035666	143	059259	489	081526	216	092447	851	101354	946	114170	216	120898	184	129877	946	140933	307	150130	792
		020853	485	035680	143	059266	489	082059	175	092836	420	101378	956	114187	216	120904	184	129921	210	141794	78	150284	798
000206	470	020877	535	035697	143	059679	152	082073	175	092911	206	101385	955	114279	209	121130	396	130163	946	141800	78	150291	792
000657	344	022222	350	035710	143	059808	384	082158	205	092942	101	101491	857	114293	844	121147	396	130170	946	141817	78	150307	792
002880	535	022239	350	035727	153	059815	384	082172	205	093086	438	101514	911	114347	902	121154	396	130187	946	141855	78	150420	310
003528	516	023021	139	035826	199	059822	384	082196	205	093093	344	101552	857	114620	486	121161	396	131924	162	142241	403	150437	310
004716	828	023038	139	035840	199	059839	282	082240	852	093659	134	101606	113	114729	209	121178	396	132365	150	142258	403	150635	82
004723	898	024097	910	035864	440	060491	443	082257	205	093697	134	101613	113	114736	209	121338	396	132389	150	142265	395	151649	944
004730	898	024134	857	035949	437	060507	224	082264	438	093963	284	102047	134	114743	209	121352	401	133393	323	142272	395	151656	944
005386	396	025438	190	035956	437	060514	224	082288	438	093994	231	103174	185	115061	886	121406	527	134826	235	142289	395	151663	944
005881	215	026473	386	038025	382	060620	382	082783	351	094007	231	103204	437	115078	886	121437	527	134833	235	142296	395	151687	946
005898	215	026480	386	041742	522	061115	518	082790	351	094014	284	103983	186	115085	886	121963	831	134840	235	142302	842	151694	946
005911	232	026558	387	041827	209	061122	518	083070	794	094137	172	104928	78	115092	886	122014	941	134871	136	142579	403	151700	946
007021	396	026787	140	043562	168	061139	518	083087	794	094182	381	104935	78	115108	886	122021	941	135205	903	142586	403	151717	946
007045	396	026954	898	044255	226	061160	463	083117	794	094229	172	104942	78	115115	886	122045	858	135250	812	142692	400	151724	946
007960	298	026961	898	044279	270	061191	463	083124	794	094236	172	105710	383	115290	844	122083	120	135526	946	142708	400	151731	944
007977	298	026978	828	044286	270	061450	830	083131	794	094649	351	105727	383	115306	844	122106	120	135755	901	142906	86	151748	944
007984	298	026985	898	044293	270	061467	830	083148	794	094663	351	106205	925	115313	844	122168	954	135762	901	142913	86	151755	946
007991	298	026992	898	044422	227	061474	830	083179	794	094786	232	108094	462	115320	844	122557	185	135908	903	142999	901	151762	946
008363	201	027005	828	044453	227	061580	847	083186	794	095226	156	108117	462	115337	844	122564	185	135991	802	143200	960	151779	946
008370	352	027081	388	044491	487	061597	847	083193	794	095998	381	108292	956	115344	844	122663	810	136004	802	143217	960	151786	946
008455	352	027098	388	044590	475	066448	212	083223	794	096018	381	109138	898	115351	846	122687	810	136011	802	143224	960	151793	944
008608	299	027104	388	044606	475	066868	847	083230	794	096476	820	109145	898	115368	846	122823	958	136028	893	144238	806	151861	946
008615	299	027852	426	044767	207	068138	298	083247	794	096483	820	110233	529	115375	846	122830	958	136035	893	144245	806	151946	944
008622	299	027876	426	044774	207	068145	298	083254	796	096667	853	110240	529	115382	858	122854	958	136042	893	144252	806	151953	944
009087	168	028460	441	044910	443	068169	153	086736	158	096674	853	110356	524	115412	927	122861	958	136059	893	144276	831	151960	946
009131	470	030326	140	044927	224	068268	440	086743	158	096681	853	110363	524	115429	927	123080	831	136073	806	144283	830	151977	946
009148	168	030784	350	044934	224	068275	534	086781	280	096698	853	110417	122	115481	412	123295	958	136318	177	144917	397	151991	946
009155	470	031361	369	045030	464	068299	198	086804	469	096704	853	110424	122	115498	234	123301	958	136325	177	145020	908	152004	946
009223	277	031460	401	045047	464	068305	486	087368	447	096711	853	110431	122	115504	234	123745	849	137391	832	145068	908	153162	890
009537	367	031477	401	045115	161	073187	346	087375	447	096728	853	110448	479	115511	444	123769	849	137681	133	145228	856	153179	890
009933	368	031743	187	045122	161	073255	346	087757	442	096735	853	110455	479	115580	797	123776	849	137827	527	145303	821	153193	890
009940	368	031750	187	045191	418	073262	346	087764	218	097183	398	110462	122	115597	797	123783	849	138237	90	145310	926	153209	890
009957	368	031996	154	045214	418	073521	412	087771	218	097190	398	110530	479	115610	797	123882	946	138251	374	145327	821	153926	944
010861	275	032009	154	045627	389	073545	412	087818	180	097206	398	110554	479	115962	446	123899	946	138305	172	145334	926	153933	944
012865	230	032016	154	045634	389	073569	412	087863	344	097664	215	110745	142	115979	233	123936	955	138374	416	145341	821	153940	944
012872	230	032023	277	046167	822	073583	316	087870	344	097671	215	110752	142	116006	233	123943	956	138510	901	145358	926	153957	946
012889	485	032030	277	046181	822	073712	322	087979	200	098616	156	111452	532	116112	275	123974	776	138596	264	146775	856	153964	946
012902	444	032047	277	046211	925	074139	157	088013	200	100364	847	111841	180	116228	206	123981	776	138602	264	146782	856	153971	946
013046	447	032078	469	046471	522	074245	141	088020	200	100371	847	111858	180	116235	206	123998	776	138619	264	146799	856	153988	946
013060	447	032122	168	046723	522	074313	141	088266	369	100388	834	111865	180	116457	121	124001	776	138633	266	147642	454	154008	955
013657	464	032139	168	049229	369	074337	141	088273	369	100395	834	111872	214	116464	121	124018	776	138640	266	147659	454	155142	315
014166	369	032368	479	049236	369	074702	474	089805	527	100746	345	111896	214	116716	908	124025	776	138657	266	147666	776	155227	315
014609	528	032375	479	051406	487	074726	474	090481	157	100784	345	111902	172	117652	956	124070	644	138978	794	147673	776	155722	798
014814	385	032382	529	051444	370	075150	220	091006	270	100791	345	111919	172	117737	203	124087	644	139012	792	147680	776	155791	310
015286	516	032825	936	051741	525	075181	220	091013	270	100807	345	111957	112	117867	366	124117	644	139029	792	147765	832	155869	310
016399	426	032832	936	051765	525	075211	445	091129	369	100937	160	112268	112	117881	936	125503	343	139098	133	147772	832	155968	115
016863	186	033013	834	051840	387	075389	346	091136	369	100944	160	112305	184	118659	828	125510	343	139425	120	147796	832	156026	115
017297	396	033020	834	051857	387	075402	346	091518	823	100951	160	112312	184	118666	831	125510	343	139432	120	147819	832	156033	115
017303	396	033037	925	051864	387	075419	346	091525	823	101125	155	112336	184	119427	417	126883	381	139470	891	148151	116	156682	86
017310	396	033044	925	051963	368	077734	488	092188	848	101132	276	112343	184	119465	417	126890	381	140179	299	148175	116	156699	86
017327	397	033532	209	051970	368	077741	488	092195	848	101200	944	112626	426	119502	417	126906	83	140186	299	148502	116	156705	412
017334	397	033662	161	051987	368	077758	488	092201	848	101217	944	112695	426	119571	946	126913	83	140193	299	148847	806	156712	



# Code index

SKU	Pag	165004	345	179308	378	189727	670	192505	626	198149	335	206219	784	213361	893	222769	612	229041	413	235547	97	243924	307
		165011	198	179315	378	189734	670	192550	626	198156	335	206226	784	213491	439	222820	940	229058	318	236841	834	243931	307
158822	847	166247	203	179322	378	189741	670	192567	626	198620	900	206233	784	213507	355	222837	940	229065	318	236858	834	243948	307
158860	95	166285	354	179643	427	189758	670	192604	626	198637	900	206240	784	213521	203	222882	612	229072	318	236865	810	243986	780
158891	906	166360	202	179681	389	189765	670	192628	626	198644	900	206387	92	213569	354	222899	612	229089	318	236957	93	243993	780
158907	854	166889	217	179858	176	189772	670	192642	626	199375	229	206394	92	213583	202	222912	612	229461	68	236964	93	244013	780
159010	328	167121	414	180298	416	189789	670	192666	626	199382	229	206622	232	214009	876	222929	612	229478	68	237251	946	244181	782
159256	190	167152	414	180304	416	189796	670	192673	626	199405	229	206639	232	214474	156	222936	612	229485	68	237398	182	244198	782
159423	389	167244	222	180922	235	189802	670	192697	626	199412	229	206806	119	214481	156	222943	612	229492	68	237428	182	244204	782
159508	389	167251	222	180946	526	189819	670	192703	626	200118	108	206820	119	214498	278	222950	612	229508	68	237442	182	244235	958
159522	389	167268	222	180953	880	189826	670	192710	626	200125	108	206875	119	214504	278	222967	612	229515	68	237497	182	244242	958
159812	190	167398	222	182179	198	189833	670	192741	626	200132	425	207155	439	214511	278	222974	612	229676	695	237510	182	244259	958
159836	813	167404	222	186955	906	189840	670	192758	626	200149	425	207162	353	214672	380	223001	612	229683	695	237664	118	244549	644
159843	119	167411	222	186979	906	189857	670	193458	770	200194	321	207186	353	214689	380	223018	612	229706	694	237671	118	244556	644
159850	119	167497	116	187006	422	189864	670	193465	770	200200	321	207216	208	214696	380	223025	612	229720	694	237794	204	244563	644
159867	119	168036	811	187327	888	189871	670	193472	770	200217	321	207834	99	215693	437	223032	612	229768	694	237800	204	244570	644
159942	228	168050	811	187365	369	189888	670	193519	770	200231	321	207841	99	215709	437	223049	612	229782	694	237930	410	244587	644
159973	228	168111	811	187662	86	189895	670	193526	770	200248	321	207858	99	215761	268	223056	612	229997	792	238104	135	244594	644
159997	415	168135	811	187877	907	189901	670	193533	770	200255	321	208398	174	215778	268	223124	612	230580	792	238135	135	244624	96
160214	424	168753	219	187884	907	189918	670	193946	463	200330	424	208541	734	215785	268	223148	612	230702	247	238173	135	244648	96
160245	424	168777	219	187891	907	189925	670	193991	463	200354	330	208558	734	215969	208	223155	612	230726	247	238210	135	244662	312
160269	98	168906	227	187976	708	189932	670	194172	86	200361	330	208565	734	216027	734	223162	612	231228	121	238746	183	244808	758
160313	326	168913	439	187983	708	189949	670	194189	86	200484	322	208572	734	216263	734	223179	612	231259	121	238838	183	244822	758
160856	171	168920	355	187990	708	189956	670	194196	86	200491	175	208589	734	216270	626	223186	258	231273	121	238920	183	244846	758
160863	171	168937	355	188003	708	189963	670	194202	86	200996	353	208596	734	216287	626	223193	258	231297	121	238944	432	244853	758
161327	166	169576	708	188010	708	189970	670	194257	708	201016	353	208640	734	216317	734	223209	258	231341	96	238951	432	244884	311
161334	166	169583	708	188027	708	189987	670	194301	708	201023	439	208657	734	216324	734	223216	258	231372	96	238975	432	245041	918
161648	189	169590	708	188058	708	189994	670	194677	129	201252	946	208695	734	216416	626	223223	258	231396	96	239521	436	245072	918
161662	189	169606	708	188065	708	190006	670	194684	129	201269	946	208701	734	216423	626	223230	258	231433	96	239545	436	245089	918
161686	480	169613	708	188072	708	190013	670	194806	78	201276	946	208725	734	217253	742	223247	258	231471	312	239576	436	245096	918
161716	532	169620	708	188089	708	190020	670	195483	876	201283	946	208732	734	219875	188	223742	652	231495	312	239590	436	245102	918
161754	879	169637	708	188096	708	190037	670	195490	876	201290	946	208794	430	220826	626	223759	652	231556	128	239606	436	245331	481
161761	879	169644	708	188102	708	190044	670	195506	876	202396	742	208817	191	221489	129	223766	652	231563	128	240367	264	245348	481
161778	879	169705	708	188119	708	190051	670	195704	364	202921	812	209036	954	221496	129	223834	946	231570	128	240374	266	245393	481
161785	370	169712	708	188126	708	190068	670	195711	364	202945	812	209043	954	221502	826	223919	946	231587	128	241012	175	246390	782
161792	370	169729	708	188195	708	190075	670	195728	364	203072	652	209845	826	221519	826	223926	946	231594	128	241036	175	246451	708
162201	111	169736	708	188911	944	190082	670	195735	364	203089	652	209852	826	221595	957	223933	946	231600	128	241050	322	246468	708
162478	111	169972	708	188928	944	190099	670	195742	364	203102	652	209906	884	222097	74	223940	946	231631	698	241296	353	246499	708
162492	906	169989	708	188935	944	190105	670	195759	364	203126	652	211381	74	222103	74	224275	612	231662	698	241517	146	246505	708
162737	211	170145	708	188942	946	190181	670	195766	364	203171	398	211398	74	222110	74	224367	956	232041	133	241524	146	246512	708
162751	211	170152	708	188959	946	191171	626	195773	364	203188	398	211404	74	222257	954	224541	145	232690	125	241968	624	246529	708
163321	419	170589	78	188966	946	191188	626	196190	274	203195	398	211459	82	222509	662	224930	394	232713	125	241975	624	246536	708
163338	419	170923	369	188973	946	191508	626	196206	274	204581	652	211466	82	222523	662	224954	394	232720	125	241982	624	246543	708
163536	847	172408	829	188980	954	191577	878	196220	274	204598	652	211701	82	222530	662	224985	394	232744	125	241999	624	246550	708
163543	847	172439	904	189031	956	191584	878	196688	415	204611	652	211718	82	222547	662	224992	394	232966	314	242002	624	246567	708
163550	847	172804	343	189062	956	191607	878	196695	415	204635	652	211787	734	222554	662	225005	394	232980	314	242019	375	246574	708
163598	848	172828	343	189093	955	191614	877	196701	317	204888	460	211794	734	222561	662	225029	394	233031	314	242569	960	246581	708
163604	834	173245	90	189109	955	191621	877	196718	317	204895	460	211817	734	222578	662	225364	662	233062	300	242576	960	246598	708
163611	834	173252	374	189536	670	191638	877	196770	124	204949	514	211824	734	222585	662	226026	170	233079	300	242705	708	246604	708
163628	834	174204	151	189574	670	191997	626	196787	124	204956	514	212623	940	222592	662	226033	170	233192	300	243160	410	246611	708
163635	834	174211	151	189581	670	192277	742	197319	110	205281	117	212647	940	222608	662	226040	170	233215	300	243238	708	246628	708
163642	810	174228	151	189598	670	192284	742	197333	110	205298	117	213071	901	222615	662	226187	940	233321	300	243245	708	246796	813
163666	810	174235	151	189604	670	192291	742	197500	231	205304	117	213088	901	222622	662	226194	940	233352	300	243252	708	246819	857
163727																							

# Code index

SKU	Pag	249230	960	252568	955	257792	558	260136	192	266282	954	268231	624	270296	248	272375	955	277790	946	283036	558	285184	152
		249247	960	252971	734	257839	558	260235	192	266497	764	268293	845	270302	248	272382	955	277813	946	283043	558	285191	152
246932	904	249254	960	252988	734	257846	558	260242	192	266503	764	268309	845	270319	248	272429	958	277912	626	283050	700	285207	284
246949	829	249261	958	252995	734	257877	558	260327	434	266510	764	268316	845	270326	248	272436	958	277929	626	283067	700	285214	300
246956	904	249278	958	253008	734	257990	558	260334	434	266527	764	268354	858	270333	248	272443	958	277967	498	283104	558	285238	308
246963	886	249285	958	253015	734	258027	558	260341	434	266534	764	268422	882	270340	248	272450	958	278704	308	283111	558	285283	376
246970	886	249292	958	253381	954	258140	558	260358	434	266541	764	268439	882	270357	248	272467	958	279596	728	283258	700	285290	376
246987	888	249308	958	253398	956	258171	558	260433	482	266558	764	268989	930	270364	248	272474	644	279602	728	283333	459	285306	376
246994	888	249315	958	253404	955	258232	558	260440	482	266565	764	268996	930	270371	248	272481	644	279626	728	283524	700	285313	376
247007	708	249322	960	253411	944	258256	558	260457	192	266572	764	269009	930	270388	248	272498	644	279633	728	283531	700	285320	399
247045	927	249339	960	253428	946	258270	778	260464	192	266589	764	269023	930	270395	248	272504	644	279640	728	283548	700	285337	511
247083	842	249452	908	253435	946	258287	313	260471	192	266596	764	269115	812	270401	248	272511	644	279671	728	283555	700	285344	511
247144	941	249469	908	253442	946	258300	648	260488	192	266602	764	269122	812	270449	652	272528	644	279688	728	283562	700	285351	678
247151	941	249476	908	253459	946	258751	74	260600	402	266657	764	269139	826	270463	652	272535	644	279695	728	283579	700	285368	678
247229	60	249483	908	253480	955	258768	74	260617	402	266671	764	269146	826	270517	652	272542	644	279718	728	283586	700	285375	678
247236	60	249490	908	253497	956	258775	74	260624	402	266688	764	269153	829	270524	652	273167	742	279725	728	283593	700	285382	678
247243	60	249506	908	253558	662	258874	503	260631	402	266701	764	269160	904	270531	652	273174	742	279770	126	283609	700	285399	678
247250	60	249513	908	253589	76	258881	457	260648	402	266725	764	269221	845	270548	652	273631	327	279794	126	283616	700	285405	678
247267	60	249520	908	253596	76	258898	89	260655	402	266732	764	269313	842	270586	248	273648	105	279800	511	283623	700	285412	742
247274	60	249629	708	253664	64	258904	503	260662	402	266756	955	269320	842	270593	248	273655	421	280233	728	283630	700	285429	742
247281	60	249711	782	253671	64	258911	457	260679	402	266763	955	269337	76	270661	247	273662	497	280240	728	283647	700	285436	742
247618	708	249728	782	253688	244	258928	89	260853	558	266770	955	269351	76	270678	247	273679	473	280998	404	283654	700	285443	742
247625	708	249827	799	253695	362	259048	433	260860	558	267128	634	269375	76	270692	626	273693	333	281001	404	283661	700	285450	819
247779	342	249834	799	253886	644	259062	433	261164	276	267135	634	269382	76	270715	248	273709	333	281568	132	283678	700	285467	819
247847	782	250106	405	253893	644	259154	68	261188	276	267142	634	269399	362	270876	626	273914	376	281582	132	283685	700	285474	819
247854	782	250113	405	254272	248	259161	68	261195	176	267159	634	269405	362	270883	626	273945	376	282084	526	283692	700	285481	819
247939	662	250120	405	254289	248	259178	68	261287	922	267203	558	269412	244	270920	946	274508	696	282091	478	283708	700	285498	819
247946	662	250304	172	254319	882	259185	68	261294	922	267210	558	269429	244	270937	626	274515	696	282107	105	283715	700	285504	819
247953	662	250311	172	254388	882	259192	68	261331	914	267227	558	269436	64	270944	944	274768	756	282114	105	283722	700	285511	819
247960	662	250328	172	254944	612	259208	68	261355	914	267234	558	269443	64	270951	946	274775	756	282121	378	283739	700	285528	819
247977	662	250335	172	255019	247	259222	477	261362	914	267241	558	269450	64	270968	954	274782	756	282138	378	283746	700	285535	819
247984	662	250342	172	255514	930	259239	78	261379	914	267258	558	269467	64	270975	956	275178	108	282244	873	283753	700	285566	956
247991	662	250359	172	255521	930	259260	300	263434	84	267692	782	269474	452	271002	248	275215	108	282251	873	283760	700	285580	958
248165	780	250403	678	255651	933	259277	300	263441	84	267777	678	269481	452	271187	640	275369	89	282633	558	283777	700	285597	958
248172	780	250410	678	255668	933	259345	365	263519	284	267784	678	269498	452	271194	640	275376	89	282640	558	283784	423	285603	958
248189	780	250427	678	255682	933	259352	365	263632	146	267791	678	269504	939	271200	640	275543	181	282657	558	283791	106	285610	958
248196	780	250434	678	255781	931	259376	558	263649	146	267807	678	269696	939	271217	640	275567	181	282664	558	283807	106	285627	958
248257	898	250441	678	255804	931	259765	434	263656	146	267869	784	269702	939	271293	147	275581	181	282671	558	283814	106	285634	958
248264	898	250458	678	255934	268	259772	434	263663	84	267876	784	269719	939	271309	147	276182	686	282688	558	283821	106	285641	958
248271	898	250854	858	255941	268	259796	434	263670	84	267883	784	269726	939	271316	147	276205	930	282695	558	283920	678	285658	958
248288	898	250946	845	255996	708	259802	434	263687	84	267890	784	269733	939	271385	106	276243	686	282701	558	283937	678	285665	958
248295	898	250953	892	256030	708	259819	434	263700	84	267906	784	269825	247	271392	106	276267	700	282718	558	283944	678	285672	958
248370	780	250977	892	256047	708	259826	434	264523	152	267913	784	269832	60	271408	106	276274	700	282725	558	284002	94	285689	958
248387	918	251103	100	256061	708	259833	434	264547	152	267920	780	269849	60	271422	106	276281	700	282749	558	284019	94	285696	958
248394	918	251110	100	256078	708	259857	434	265278	463	267937	780	269856	68	271439	423	276304	634	282756	558	284286	334	285702	958
248530	311	251127	477	256085	708	259864	482	265285	463	267944	780	269863	68	271446	678	276311	634	282770	558	284309	500	285719	958
248554	182	251226	891	256092	708	259871	482	265292	517	267951	780	269870	68	271453	678	276328	558	282787	558	284316	476	285726	958
248592	780	251257	891	256115	708	259895	482	265575	390	267968	742	269986	434	271538	313	276335	626	282824	558	284330	334	285887	960
248608	780	251295	891	256122	708	259901	482	265643	390	267975	742	269986	434	271538	313	276335	626	282824	558	284330	334	285887	960
248783	768	251516	808	256146	708	259918	482	265803	279	267982	784	270005	482	271545	313	276342	626	282848	558	284354	500	285894	960
248790	768	251523	808	256146	708	259918	482	265803	279	267982	784	270012	192	271590	946	276366	612	282862	558	284361	476	285900	960
249018	768	251530	808	256528	946	259925	482	265827	279	268002	784	270029	192	271606	946	277004	934	282879	558	284460	91	285917	960
249025	768	251547	808	257235	365	259949	482	265841	279	268071	375	270036	434	271613	946	277011	934	282886	558	284477	374	285924	960
249032	768																						



# Code index


SKU	Pag	287874	728	292953	644	301631	960	303697	558	305813	784	307541	558	313252	428	317243	108	320618	558	322322	678	323657	720
		287881	728	293004	434	301648	960	303703	558	305837	784	307558	558	313283	336	317250	108	320625	558	322339	678	323671	720
286211	558	287898	728	293172	889	301655	960	303710	558	305844	760	307565	558	313290	336	317267	114	320717	558	322346	678	323688	720
286228	558	287904	728	293189	894	301662	960	303727	558	305851	760	307572	558	313313	505	317274	114	320724	558	322353	884	323718	720
286259	558	287911	728	293196	894	301679	960	303741	558	306421	960	307589	558	313320	472	317281	114	320731	558	322360	678	323725	720
286266	558	287928	728	293202	894	301686	960	303789	558	306452	512	307596	558	313412	843	317489	308	320748	558	322377	678	323732	720
286297	558	287935	728	293646	431	301693	960	303796	558	306469	512	307602	558	313429	843	317496	308	321042	80	322384	884	323763	720
286303	558	287942	728	293653	339	301709	960	303802	558	306537	108	307619	956	313436	843	317502	308	321059	80	322391	678	323770	720
286310	558	287959	644	293660	339	301716	960	303819	558	306544	108	307626	956	313443	843	317564	845	321172	104	322421	891	323794	720
286327	558	287966	644	293769	286	302225	395	303826	558	306551	108	307695	60	313450	843	317571	845	321189	837	322438	884	323800	720
286334	558	288147	728	293776	286	302232	395	303833	558	306575	248	307701	60	313467	838	317793	106	321196	837	322452	884	323817	720
286341	558	288208	954	293783	286	302256	648	303895	60	306582	248	307756	760	313474	838	317809	423	321202	837	322476	558	323831	720
286358	558	288215	954	293790	286	302263	648	304038	958	306599	248	307855	955	313481	838	317816	498	321462	138	322483	884	323961	720
286365	558	288239	956	294001	889	302270	648	304045	958	306605	248	307862	955	313498	838	317823	473	321479	138	322490	558	323985	720
286372	558	288260	338	294025	889	302287	648	304113	482	306612	248	307879	954	313504	838	317908	286	321509	413	322506	884	324005	720
286389	558	288277	338	294049	889	302294	648	304120	192	306629	248	307886	954	313511	836	317953	558	321516	318	322513	558	324007	720
286396	558	288338	558	294076	413	302348	612	304137	335	306636	248	308227	894	313528	836	317960	558	321523	318	322537	884	324814	720
286402	558	288383	955	294803	413	302355	612	304144	100	306643	248	308234	894	313535	836	317977	558	321530	413	322544	884	324821	720
286419	558	288390	130	294810	318	302362	612	304151	477	306650	248	309262	324	313542	836	317984	558	321547	371	322551	884	324838	720
286426	558	288406	130	294827	318	302379	612	304168	520	306667	248	309279	324	313559	836	317991	558	321554	371	322568	884	324845	720
286433	558	288420	130	295213	504	302539	678	304366	68	306674	248	309286	324	313566	836	318103	808	321561	371	322575	884	324852	720
286440	558	288437	130	295473	511	302546	678	304373	68	306681	248	309798	179	313771	114	318110	808	321585	514	322582	884	324869	720
286495	558	288444	130	295497	511	302553	678	304380	68	306698	248	309804	179	313788	114	318127	808	321615	286	322599	884	324876	720
286501	558	288451	130	295503	511	302560	678	304397	68	306780	894	309811	179	314099	414	318134	808	321622	925	322605	848	324883	720
286518	558	288475	130	295510	458	302577	678	304403	68	306797	894	310107	456	314105	414	318141	808	321639	906	322612	884	324890	720
286525	558	288543	956	295534	458	302584	678	304410	68	306803	894	310114	456	314129	414	318196	841	321646	845	322629	826	324906	720
286532	558	289151	455	295541	458	302591	678	304427	68	306810	408	310121	456	314136	414	318202	841	321653	558	322636	826	324913	720
286549	558	289168	455	296302	558	302607	678	304434	68	306827	408	310138	392	314143	178	318219	841	321660	266	322643	826	324920	720
286594	686	289212	944	296333	692	302614	678	304441	68	306834	889	310145	392	314167	178	318226	841	321684	264	322650	826	324937	720
286600	686	289229	944	296340	692	302621	678	304458	68	306841	889	310152	392	314174	178	318233	924	321691	845	322667	338	325019	916
286662	522	289281	558	296357	692	302744	678	304465	68	306858	889	310589	127	314198	496	318264	260	321707	266	322674	338	325132	941
286679	522	289298	558	296364	692	302751	678	304472	68	306872	889	310596	127	314204	465	318325	471	321714	558	322681	826	325156	941
286686	522	289304	558	296678	512	302768	678	304489	362	306940	431	310602	127	314228	341	318691	884	321738	264	322698	338	325163	941
286716	870	289489	331	296685	512	302942	686	304496	362	306957	339	310664	429	314235	341	318707	884	321745	266	322704	826	325750	558
286723	870	289496	331	296746	106	302959	686	304502	362	306964	339	310671	337	314334	431	318820	877	321752	264	322711	302	325767	558
286730	870	289786	164	296753	106	302966	686	304519	244	306988	498	310688	337	314716	320	318837	802	321769	266	322728	850	325804	67
286747	870	289861	164	296869	955	302973	686	304526	244	306995	105	310787	384	314723	320	319568	302	321776	264	322735	850	325828	67
287072	378	289878	164	296876	955	302980	686	304533	244	307008	105	310800	168	314815	340	319575	302	321783	86	322742	423	325835	67
287300	409	289908	164	297101	285	302997	686	304540	64	307015	372	310817	470	314822	340	319582	302	321806	558	322759	473	325934	644
287317	409	289915	164	297149	285	303000	686	304557	64	307022	372	310886	308	314921	66	319650	742	321813	86	322766	106	325941	644
287560	371	289939	164	297743	281	303017	686	304564	64	307039	372	310893	308	314938	66	319667	742	321844	558	322773	106	325958	644
287577	371	290614	558	297750	281	303062	960	304571	64	307046	372	311265	958	314945	145	319674	742	321851	906	322780	106	325965	644
287584	371	290959	499	297767	159	303079	960	304588	64	307053	372	311272	958	314952	145	319681	742	321868	906	322797	106	325972	644
287591	372	290966	499	297781	159	303086	960	304595	64	307060	372	311319	429	314969	145	319797	302	321882	906	322803	138	325989	644
287607	372	291093	459	298597	881	303093	960	304601	434	307077	958	311340	332	315805	348	319803	302	321905	906	322810	558	326214	855
287614	372	291109	459	298610	881	303314	306	304618	482	307084	958	311357	332	315812	348	320373	296	321929	906	322841	558	326221	855
287621	372	291345	75	299402	302	303321	306	304625	192	307091	958	311364	332	316048	890	320434	558	321950	906	322858	558	326238	805
287638	372	291376	75	299419	302	303339	958	304632	192	307107	958	311661	864	316055	890	320441	558	321967	558	322889	760	326245	805
287645	372	291406	75	299617	501	303406	958	304649	520	307114	958	311678	864	316055	558	320458	558	321981	906	322919	760	326290	956
287652	395	291789	408	299624	501	303499	558	304694	60	307121	958	311685	864	316680	338	320465	558	321998	558	322971	760	326351	108
287669	395	291796	408	300504	558	303505	558	304700	60	307138	958	311708	864	316697	338	320472	558	322056	558	323008	760	326368	108
287676	395	292205	248	300528	558	303512	558	304717	60	307145	652	311715	866	316789	372	320489	558	322070	558	323237	872	326610	944
287683	825	292236	248	300535	558	303529	558	304724	60	307152	652	311760	393	316871	859	320496	558	322087	686	323244	872	326627	842
287690																							

# Code index

SKU	Pag	327914	469	328614	866	332406	271	336787	406	340609	558	341446	272	342184	68	343310	78	345307	512	346137	196	346892	868
		327921	414	328621	859	332413	271	336794	406	340623	558	341453	272	342191	68	343457	102	345314	515	346144	196	346908	868
326757	882	327938	414	328638	859	332420	271	336800	406	340647	558	341460	272	342221	362	343464	102	345321	425	346151	196	346915	868
326788	856	327945	393	328645	859	332451	558	336817	406	340791	686	341477	272	342238	362	343471	102	345338	425	346168	196	346922	868
326795	806	328010	272	328652	843	332468	538	337135	946	340807	686	341484	272	342245	362	343488	466	345345	108	346175	196	346939	868
326801	806	328027	272	328669	843	332475	538	337142	742	340814	686	341491	272	342252	362	343501	598	345352	108	346182	196	347738	837
326849	842	328034	272	328676	843	332482	538	337371	714	340821	686	341507	272	342269	362	343518	598	345369	108	346199	196	347745	866
326856	842	328041	272	328683	958	332499	538	337388	714	340838	678	341514	272	342276	362	343525	598	345376	108	346205	196	347752	866
326863	825	328058	272	328690	958	332505	538	337395	714	340845	678	341521	60	342283	244	343532	598	345383	108	346212	652	347769	866
326870	825	328065	272	328706	958	332512	538	337401	714	340852	678	341538	60	342290	244	343617	164	345390	108	346229	652	347776	866
326887	808	328072	272	328713	958	332529	538	337418	714	340869	678	341545	60	342306	244	343624	164	345406	108	346236	652	347783	866
326894	808	328089	272	328720	958	332536	538	337425	714	340876	678	341552	60	342313	244	343631	164	345413	108	346243	652	347790	866
326917	890	328096	272	328737	958	332543	538	337517	694	340883	678	341569	60	342320	244	343648	164	345420	108	346250	652	347806	866
326924	890	328102	114	328744	958	332581	538	337524	696	340890	678	341576	60	342337	244	344751	558	345437	108	346267	652	347813	866
326955	844	328119	114	328751	958	332628	538	337531	916	340906	678	341583	60	342344	64	344768	558	345468	308	346274	652	347820	866
326962	828	328126	114	328768	958	332635	538	337548	818	340913	678	341590	60	342351	64	344775	494	345475	308	346281	652	347837	866
326979	846	328133	114	328775	958	332659	538	337579	686	340920	678	341606	60	342368	64	344782	558	345482	406	346298	652	347844	866
326986	844	328140	288	328782	958	332703	538	339047	172	340937	678	341613	60	342375	64	344799	558	345499	406	346304	652	347851	866
326993	844	328157	288	328799	308	332710	538	339054	172	340944	678	341620	60	342382	64	344805	760	345505	406	346328	644	347868	866
327037	956	328164	508	328812	308	332734	538	339061	172	340951	678	341637	60	342399	64	344812	760	345512	80	346335	644	347875	874
327044	956	328171	508	328829	908	332758	538	339252	192	340968	678	341644	784	342405	64	344829	760	345611	841	346342	644	347882	874
327051	956	328188	320	328836	908	332765	538	339269	192	340975	678	341668	784	342412	64	344836	760	345628	924	346359	644	347899	874
327068	956	328195	320	328942	272	332772	538	339276	192	340982	678	341675	784	342429	64	344843	754	345635	924	346366	644	347905	874
327075	956	328201	332	328959	272	332789	538	339283	194	340999	390	341682	784	342436	64	344850	754	345642	924	346373	644	348193	192
327242	896	328218	332	328966	272	332796	538	339290	194	341002	390	341705	784	342443	64	344867	754	345659	924	346380	644	348209	192
327259	896	328225	332	328973	272	332802	538	339306	194	341019	390	341712	784	342450	64	344874	754	345666	920	346397	644	348216	192
327266	896	328232	336	328980	272	332819	538	339313	196	341026	390	341729	784	342467	452	344881	648	345673	916	346403	644	348223	192
327402	164	328249	336	329260	272	332826	538	339320	196	341033	88	341736	784	342474	452	344898	648	345765	644	346410	644	348230	192
327419	164	328256	336	329444	598	332833	538	339337	196	341040	88	341743	784	342481	452	344904	648	345772	644	346427	644	348247	192
327426	164	328263	336	329451	598	332840	538	339368	538	341057	84	341750	784	342498	452	344911	648	345789	644	346434	644	348254	192
327433	164	328270	428	329468	598	332857	538	339375	538	341064	84	341767	784	342504	452	344928	648	345796	644	346441	644	348261	192
327440	164	328287	428	329475	598	332864	538	339382	538	341071	84	341774	784	342511	452	344935	648	345802	946	346458	644	348278	294
327457	164	328294	472	329505	598	332871	538	339399	538	341088	84	341781	302	342566	264	344942	697	345819	946	346465	644	348285	499
327471	760	328300	472	329512	598	332888	538	339405	538	341095	84	341798	302	342573	266	344966	714	345826	946	346472	644	348292	499
327488	760	328317	505	329529	598	332895	538	339412	538	341101	84	341842	780	342580	264	344973	714	345833	946	346489	644	348308	678
327495	760	328324	505	329536	598	332901	538	339429	538	341118	502	341859	780	342597	266	344980	598	345840	946	346496	644	348315	678
327501	784	328331	127	329574	598	332918	538	339726	86	341125	502	341866	780	342603	264	344997	598	345857	946	346502	644	348322	678
327518	784	328348	127	329581	598	332925	538	339733	86	341132	502	341873	780	342610	266	345000	598	345864	946	346519	644	348339	874
327525	558	328355	127	329598	598	332932	538	339740	86	341149	248	341880	242	342627	264	345017	598	345871	434	346526	471	348346	874
327532	558	328362	269	329604	598	332949	538	339757	86	341156	248	341897	242	342634	266	345024	598	345888	482	346533	431	348353	874
327549	558	328379	324	329635	598	333007	283	339771	956	341163	248	341903	242	342641	378	345031	598	345895	192	346540	166	348360	874
327556	558	328386	324	329642	598	333014	283	339788	652	341170	248	341910	242	342658	378	345048	598	345901	192	346557	166	348377	868
327563	260	328393	324	329666	598	333045	148	339795	652	341187	248	341927	242	342665	378	345055	598	345918	192	346564	166	348384	634
327570	260	328409	324	329673	598	333915	946	339863	558	341194	248	341934	242	342689	808	345062	598	345925	192	346571	166	348391	634
327600	260	328416	324	329703	598	333922	946	339887	700	341200	248	341941	242	342696	808	345079	598	345932	192	346588	166	348407	634
327686	260	328423	324	329710	598	334974	467	339894	700	341217	248	341958	242	342702	808	345086	598	345949	434	346595	166	348414	634
327693	260	328430	337	330358	598	334981	467	340005	700	341224	248	341965	242	342719	808	345093	598	345956	482	346601	166	348674	164
327716	431	328447	337	330365	598	334998	467	340012	700	341231	248	341972	242	342726	808	345130	395	345963	192	346618	166	348681	164
327754	742	328454	337	330730	558	335001	467	340029	700	341248	248	341989	242	342740	686	345147	395	345970	194	346625	166	348698	164
327761	742	328461	337	330754	558	335018	467	340036	700	341255	248	341996	242	342757	558	345154	372	345987	194	346632	166	349060	742
327778	392	328478	429	331225	798	335025	467	340043	558	341309	247	342009	68	342788	302	345161	372	345994	194	346656	896	349077	742
327785	392	328485	333	331256	754	335261	946	340067	558	341316	247	342016	68	342795	302	345178	372	346007	194	346663	896	349084	742
327792	392	328492	348	331263	754	336008	308	340081	558	341323	247	342023	68	342801	714	345185	372	346014	194	346670	896	349121	678
327808	324																						








# List of finishes

















## Notes

The finishes represented are for illustrative purpose only. The tones are subjected to variations due to the material type used and to its manufacturing which can modify the output, as a consequence the items classified under the same finish can present some differences concerning color perception.

# Technical icons

-  Class I Electrical safety guaranteed by main insulation and additional protective conductor (earthing) connected with metal lamp frame. Earthing is obligatory.
-  Class II Electrical safety guaranteed by main insulation and double or reinforced insulation. Earthing not necessary.
-  Class III Electrical safety guaranteed by very low power supply (less than 50 Volt). Earthing excluded.
-  Item not appropriate for direct or recessed installation on normally flammable surfaces.
-  Mark of conformity to European Community Safety regulations.

# Symbols

-  Bulb included.
-  Items with LED lights: very low consumption, highly bright and focused light, strength and durability.
-  Integrated switch button.
-  Lamp with touch switch: switching on and dimming by touching the base with a finger.
-  Luminaire with dimmer.
-  Lamp with integrated USB socket.
-  Up-light included.
-  High-tech product with high quality materials, intended for professional use.
-  Product with UGR.
-  Item suitable for painting and varnishing.
-  Protection degree.
-  Item made of stainless steel 316.
-  Lamp with presence detector included PIR (Passive InfraRed).
-  Lamp with rechargeable battery included

## Notes

**-The indicated prices are public prices VAT excluded.**

-Ideal lux s.r.l. reserves the right to make, at any time and without notice, all the changes necessary to improve the quality of the items included in this catalogue. For the most updated features, please check the documentation available on our website ([www.ideal-lux.com](http://www.ideal-lux.com)).

-Our products with Class I and II work with nominal Voltage of 220-240 Vac 50/60 Hz. All our products comply with EU legislation.

-Whenever purchased separately as "optional", the DIMMABLE DRIVER will be already included in the product as replacement for the default on-off driver: only one driver will be supplied.

-The Watt indicated in the catalogue express the NOMINAL power of the lighting fitting including source and driver, when present. The Lumen measures referred to the lighting fittings with integrated LED source are nominal, namely referred to the source. We kindly invite you to check

photometry files for the actual Lumen of the single lighting fittings. For further information and updates.

-The UGR rate is not a characteristic of the fitting itself, but of the installation. The UGR values reported in this catalogue are calculated taking into consideration an ideal installation and are regrouped into blocks <10 <13 <16 <19 <22. It is recommended to calculate the specific UGR according to your installation.

-The useful life of the LED sources of all the products in the catalogue refers, when it is not differently declared, to the L70B50 value.

Ideal Lux s.r.l.

**Headquarter**

Via Taglio Destro, 32  
30035 Mirano – Venezia  
P.I. / C.F. 02420040277  
8.00 - 12.00 / 13.30 - 17.30

**Warehouse**

Via delle Industrie, 8/D  
30036 Santa Maria di Sala – Venezia  
8.00 - 12.00 / 13.00 - 17.00

E [info@ideal-lux.com](mailto:info@ideal-lux.com)  
T +39 041 5790500  
F +39 041 8872349

© [ideal.lux](https://www.ideal-lux.com)  
f Ideal Lux

[www.ideal-lux.com](http://www.ideal-lux.com)

Community Design Pending Nr. 001996372 002194993 002621862 002943449 003734342 004558609 006083655

Copyright 2025 © IDEAL LUX S.r.l. – All rights reserved – Tutti i diritti sono riservati





